

26
PET
BOTTLESup to
0.50 m²
ACOUSTIC
SURFACE

Easy Floor

EN It is an acoustic floor luminaire with a modern and minimalist style. Integrated die-cast elements and an ultra-thin 23mm lamp head ensure good heat dissipation and an elegant appearance. The desktop light uniformity $UO > 0.7$. The interactive control panel allows independent management of direct and indirect lighting. It is made of aluminum and acoustic ecoPET material.

DE Es ist eine akustische Stehleuchte in modernem und minimalistischem Stil. Integrierte druckgegossene Elemente und ein ultradünn 23-mm-Lampenkopf gewährleisten eine gute Wärmeableitung und ein elegantes Erscheinungsbild. Die Gleichmäßigkeit der Schreibtischbeleuchtung $UO > 0.7$. Das interaktive Bedienfeld ermöglicht die unabhängige Steuerung von direkter und indirekter Beleuchtung. Sie besteht aus Aluminium und dem akustischen Material ecoPET.

Example

Easy Floor standard power tunable white no frame ARCHI felt color 1201 Cloud
 2168 - 00 - 2 - 6 - 9 - 02 - 00 - 8 - archi1201
 one size touch panel luminaire white free standing

Quickinfo



luminaire size	880×420×2010
light source size	160×670
system power	100W (↑88W ↓12W)
luminous flux	13 000lm (↑11500lm ↓1500lm)

Technical information

			IP20	>80	CRI	<14	UGR	SDCM 3	-230V
mounting type	free-standing								
light distribution - up	100° asymmetric optics								
light distribution - down	70° asymmetric optics								
luminous efficiency	130lm/W								
dimming	touch panel dimming								
sensor	presence & day light sensor								
color temperature	tunable white (3000K - 5700K)								
life time	L80(B10) 50,000H								
luminaire color	white 9010								
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx - choose color from page 294								

Create my unique code!


2168 - 00 - 2 - 6 - 9 - 02 - 00 - 8 - ◆



ARCHI felt ecoPET 12 mm

EN The high-quality PET sound panels are robust, durable, and have a slightly textile surface that can be washed. They have excellent sound-absorbing properties, are flame-resistant and recyclable.

DE Hochwertige PET-Akustikplatten sind massiv, strapazierfähig, mit einer leicht textilen Oberfläche, die gewaschen werden kann. Sie haben hervorragende Schalldämmmeigenschaften, sind schwer entflammbar und können recycelt werden.



ARCHI felt ecoPET properties

Measurements

2800 mm x 1200 mm x 12 mm

gross size

Flammability Class

B-s1,d0

Acoustic values

Mounting method	Directly on the wall	50 mm cavity	50 mm cavity + 50 mm rockwool	100 mm cavity	100 mm cavity + 100 mm rockwool
NRC (100–5000 Hz)	0.40	0.75	0.95	0.80	1.00
aw (100–5000 Hz)	0.25	0.60	1.00	0.80	0.95
Acoustic Class	D	C	A	B	A

Guidelines for cleaning and maintenance of materials used in flexxica luminaires.

To maintain the beautiful color and appearance of flexxica lighting fittings, we recommend gentle vacuuming with a soft tip, preferably weekly.

Stain removal – the golden rule

Remove the stain as soon as possible. Most stains can be removed with lukewarm water, possibly with the addition of a neutral detergent.

Merino wool felt

Wool is antistatic and does not attract dirt like other fabrics. Wool is also water-repellent, so the liquids slowly penetrate the fabric.

Cleaning: First, soak up as much liquid as possible with a white kitchen towel or cloth. If the stain has dried, remove as much as possible with a vacuum cleaner. Wipe carefully with a clean white cloth.

Upholstered material

Upholstery in flexxica luminaires is highly versatile and durable. The material is antistatic and fireproof, so stains are easily removed.

Cleaning: Do not wet the entire lampshade. Always use a clean white cotton cloth and only use small amounts of cleaning agent at a time.

EcoPET material

The ecoPET is made of 60% recycled PET bottles. It is straightforward to maintain, and stains can be removed easily and hassle-free.

Cleaning: Never rub hard to remove a stain. Always use a clean white cotton cloth with a bit of detergent.

Glass luminaires

Boya is made in a traditional blown-glass technology, therefore it requires special and delicate cleaning care.

Cleaning: Use a soft, lint-free microfiber or cotton cloth with distilled water (optimal) or mild glass cleaner or a solution of equal parts water and white vinegar. Wipe carefully with a clean white cloth.

WARNING!

Benzene, acetone, and similar solvent-based products may discolor the materials of the flexxica luminaires. Before use, apply a small amount of the product to an inconspicuous spot to ensure it doesn't cause any damage or discoloration.

flexxica

ul. Szyszkowa 43
02-285 Warsaw
Poland / European Union

+48 723 06 30 30
hello@flexxica.com
flexxica.com

PHOTOGRAPHY
Dominika Rutkowska
Ernest Wińczyk
Fotomohito
Patryk Lewiński
PION Studio
Szymon Polański

Copyright 2024 flexxica®

The flexxica® logo is a national and international registered trademark, held and owned exclusively by PL sp. z o.o. It cannot be reproduced or used, for commercial or other purposes, without the prior written permission of flexxica. This catalog cancels and replaces all previous editions. flexxica has ensured that the information contained in this catalog is as accurate as possible; however, it declines all responsibility for any printing errors. flexxica reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. The reproduction (even partial) of this catalog, for any reason and with any means, is prohibited without the prior written permission of flexxica.

Please note that the actual appearance of flexxica's felt and fabric lighting fixtures may vary from the images shown in the catalog. This is because each type of felt and fabric possesses its own distinct characteristics. This is not a disadvantage of the luminaire but an advantage – each product is unique and unrepeatable.

Keep in mind that the colors of PET, felts, and fabric may differ slightly from what you see in the catalog. For the most accurate representation, we recommend referring to our sample book.

Due to the production process of both felt and PET, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET boards have distinct left and right sides, along with a specific fiber arrangement. This is particularly important to consider when installing larger structures, such as wall-mounted panels.

Graphic Design: emenem.pl
Paper: Arctic Volume White 115g
Cover: Color STYLE Recycling 270g
Typeface: Gordita
Printed in Poland