

flexxica

lighting & acoustics

2025 / 2026



Scan the QR code
and plan your next office lighting
with flexxica luminaires.

Contents

Lighting & Acoustics **4**

Acoustic Lighting

ecoPET **32**

felt **134**

fabric **156**

air **182**

Lighting

design **184**







professional **220**

Acoustic accessories **268**

Color palettes **302**


ecoPET

felt



 Zen → 36	 Zen Oval → 38	 Bell → 42	 Bell Oval → 44	 Bell Wall → 46	 Bell Floor 2.0 → 48	 Gamma Round → 50
 Gamma Square → 52	 Gamma Floor → 54	 Sol → 58	 Sol Square → 60	 Sol Wall 2.0 → 62	 Sol Floor → 64	 Donut → 66
 Donut Wall → 68	 Futou → 70	 Globe → 72	 Sikt → 74	 Pira Round → 76	 Pira Square → 76	 Pira Wall → 78
 Hillock 2.0 → 80	 Cone PET → 82	 Alpha Square → 84	 Alpha Duo → 86	 Alpha Triangle → 88	 Alpha Round → 90	 Roller PET → 92
 Pet Ring → 94	 Linea → 96	 Linea Deco → 98	 Easy Round → 100	 Easy Edge Line → 102	 Easy Edge Panel → 104	 Easy Floor → 106
 Tent → 108	 Fold → 110	 Blade 2.0 → 112	 Blade X → 114	 Blade Y → 114	 Horizon X → 116	 Horizon Y → 116
 Dot System → 118	 Screen Glow → 120	 Pyramid Ceiling → 124	 Simple Ceiling 2.0 → 126	 Systema Ceiling → 128	 Verti Ceiling 2.0 → 132	
 Cone → 136	 Cone Square → 138	 Team → 140	 Shade → 142	 Quadro → 144	 Ivy → 148	 Lily → 150
 Daisy → 152	 Rose → 154					

Acoustic Lighting

fabric

 Roller → 158	 Cubber → 160	 Roller Floor → 162	 Ring → 164	 Square → 166	 Round → 168	 Island → 170
 Gap Round → 172	 Gap Triangle → 174	 Gap Island → 176	 Gaya → 178	 Sphere → 180		 Acoustic Panel → 182

design

 Wire Medusa → 186	 Boya → 190	 Jungle → 196	 Blanket → 200	 Team System → 204	 Ribbon → 210	 Reloft → 212
--	---	---	--	--	---	---







Lighting

professional

 Line 28 Diffusers → 228	 Line 28 Dark Optics → 230	 Line 28 Jet Out → 232	 Line 28 Dot System → 234	 Line 43 Diffusers → 242	 Line 43 Dark Optics → 244
 Line 30 Oval Diffusers → 248	 Line 30 Oval Dark Optics → 250	 Line 48 Oval Diffusers → 254	 Line 48 Oval Dark Optics → 256	 Line 75 Oval Diffusers → 260	 Line 75 Oval Dark Optics → 262
 Cube → 264	 Nola → 266				

Acoustics

accessories

 Screen → 270	 Twist → 272	 Wall Tiles → 274	 Wall Slabs → 276	 Echo Baffles → 278	 Hash → 280	 Focus → 282
 Flexx Wall → 284	 Echo Island → 286	 Zen Garden → 288	 Tower → 290	 Case → 292	 Butterfly → 294	

Welcome to flexxica lighting & acoustics

EN The functionality, design, and outstanding quality of our components coupled with the exquisite craftsmanship of every lighting fixture are the essence of our brand. Each flexxica luminaire has been meticulously designed by carefully analyzing what contemporary office life looks like, which is constantly evolving and changing today. Our goal is to create originally designed, and high-quality lighting fixtures in different styles that perfectly suit all types of office spaces. And we do this well, which is why flexxica luminaires have often been appreciated and awarded at the most important design competitions in Europe.

DE Die Funktionalität, das Design und die herausragende Qualität unserer Komponenten gepaart mit der exquisiten Handwerkskunst jeder Leuchte sind das Wesen unserer Marke. Jede flexxica Leuchte wurde sorgfältig entworfen, indem genau analysiert wurde, wie das heutige Büroleben aussieht, das sich ständig weiterentwickelt und verändert. Unser Ziel ist es, originell entworfene und hochwertige Leuchten in verschiedenen Stilen zu schaffen, die perfekt zu allen Arten von Büroflächen passen. Und das machen wir auch gut, weshalb die flexxica Leuchten bei den wichtigsten Designwettbewerben in Europa vielfach geschätzt und ausgezeichnet werden.

We create
originally
designed and
high-quality
lighting fixtures.



ERGO GDAŃSK TRZOP ARCHITEKCI

Award winning luminaires

Zen

page 36 – 39



reddot winner 2024



DESIGN AWARD 2024



GERMAN DESIGN AWARD WINNER 2024

Bell

page 42

DESIGN PLUS
powered by: light+building
2022



GERMAN DESIGN AWARD GOLD 2023

Sol

page 58 – 61



DESIGN AWARD 2024



GERMAN DESIGN AWARD SPECIAL 2024

Screen Glow

page 120



GERMAN DESIGN AWARD SPECIAL 2024

Cone

page 136



DESIGN AWARD 2022



GERMAN DESIGN AWARD NOMINEE 2021

Bloom Collection

page 148 128 130



DESIGN AWARD 2024



GERMAN DESIGN AWARD WINNER 2024

Wire Medusa

page 186



reddot winner 2021

Boya

page 190



reddot winner 2021

Jungle

page 196



GERMAN DESIGN AWARD GOLD 2022

Team System

page 140 204



reddot winner 2021
best of the best



Size does matter

EN We are very flexible, and each of our projects is different and requires tailored solutions. We have a wide range of luminaires in various sizes, including XXL solutions for particularly large rooms.

DE Wir sind sehr flexibel und jedes unserer Projekte ist anders und erfordert individuelle Lösungen. Wir haben ein breites Sortiment an Leuchten in verschiedenen Größen, bis hin zu XXL-Lösungen für besonders große Räume.



ING KATOWICE MAŁECCY BIURO PROJEKTOWE

Good workplace
acoustics are
attainable!

The office lighting of tomorrow today

EN The way we work today has changed dramatically. We work in open-plan spaces, guest lounges, conference rooms, and online while participating in video conferences, webinars, and online training sessions. It is time to align your office lighting infrastructure with high-quality light sources. flexxica lighting solutions customize them to your needs in order to maximize space utility, employee acoustic comfort, productivity and safety, improve the flexibility of the office area, and lower the carbon footprint.

DE Die Art und Weise, wie wir heute arbeiten, hat sich dramatisch verändert. Wir arbeiten in offenen Räumen, Gästelounges, Konferenzräumen und online, sowie nehmen an Videokonferenzen, Webinaren und Online-Schulungen teil. Es ist an der Zeit, Ihre Bürobeleuchtung mit hochwertigen Lichtquellen auszurichten. flexxica-Beleuchtungslösungen passen sie an Ihre Bedürfnisse an, um den Raumnutzen, den akustischen Komfort, die Produktivität und Sicherheit der Mitarbeiter zu maximieren, und die Flexibilität des Bürobereichs zu verbessern und den CO2-Fußabdruck zu verringern.



It is time to align your office lighting with high-quality light sources.

We care


EN The journey towards sustainable transformation is one we must take together. We focus on how sustainable practices, and specifically the reduction of carbon emissions, can benefit both our business and the environment. Minimizing our carbon footprint is one of the main goals of sustainable manufacturing in flexxica, and intelligent solutions like Tunable White can potentially help achieve some of our carbon targets. We also digitalize production to increase efficiency and improve sustainability in lighting manufacturing.

Sustainable manufacturing
for minimizing our
carbon footprint.

DE Der Weg zu einem nachhaltigen Wandel ist einer, den wir gemeinsam gehen müssen. Wir konzentrieren uns darauf, wie nachhaltige Praktiken und insbesondere die Reduzierung von CO₂-Emissionen sowohl unserem Geschäft als auch der Umwelt zugutekommen können. Die Minimierung unseres CO₂-Fußabdrucks ist eines der Hauptziele der nachhaltigen Fertigung in flexxica, und intelligente Lösungen wie Tunable White können möglicherweise dazu beitragen, einige unserer CO₂-Ziele zu erreichen. Wir digitalisieren auch die Produktion, um die Effizienz zu steigern und die Nachhaltigkeit in der Beleuchtungsherstellung zu verbessern.

Eco-friendly

Take a look at the flexxica sustainable supply chain



EcoPET

Take action for a more sustainable and prosperous tomorrow with flexxica.

EN ARCHI felt ecoPET is the material that we use to produce every luminaire from the Acoustic ecoPET series. It is made from collected, compressed, shredded, and melted recycled plastic bottles to produce plastic fibers, which are pressed together in layers to make a sturdy sheet of ARCHI felt ecoPET.

What are the advantages of using flexxica ecoPET in our acoustic lighting?

-  is fire resistant to prevent the spread of fire
ist feuerbeständig, um die Ausbreitung von Feuer zu verhindern
-  has a favorable sustainability profile (compared to glass and aluminum)
hat ein günstiges Nachhaltigkeitsprofil (im Vergleich zu Glas und Aluminium)
-  does not contain VOCs or formaldehyde binders
enthält keine VOCs oder Formaldehydbindemittel


DE ARCHI felt ecoPET ist das Material, aus dem wir jede Leuchte der Serie Acoustic ecoPET fertigen. Es wird aus gesammelten, komprimierten, zerkleinerten und geschmolzenen recycelten Kunststoffflaschen hergestellt, um Kunststofffasern herzustellen, die in Schichten zusammengepresst werden, um eine stabile ARCHI felt ecoPET-Platte herzustellen.

Welche Vorteile bietet der Einsatz von flexxica ecoPET in unserer akustischen Beleuchtung?

-  does not degrade, crumble or rot
degradiert, zerbröselt oder verrottet nicht
-  is durable and easy to clean
ist langlebig und leicht zu reinigen
-  provides excellent sound absorption properties
bietet ausgezeichnete Schallabsorptionseigenschaften
-  is made from recycled plastic bottles and is fully recyclable again
wird aus recycelten Plastikflaschen hergestellt und ist vollständig wiederverwertbar

312 PET BOTTLES  **up to 11.76 m²** ACOUSTIC SURFACE

=




flexxica ecoPET luminaire

Acoustic balance

EN The office of the future sounds like a party! But even if you like music, silence works best. When sound waves hit hard surfaces in a room, like walls, floors, and windows, the audible wave of energy we call noise bounces off them, which increases the overall noise level.

DE Das Büro der Zukunft klingt wie eine Party! Aber auch wenn Sie Musik mögen, Stille funktioniert am besten. Wenn Schallwellen in einem Raum auf harte Oberflächen wie Wände, Böden und Fenster treffen, prallt die hörbare Energiewelle, die wir Lärm nennen, von ihnen ab, was den Gesamtschallpegel erhöht.



Absorptive acoustic solutions

EN flexxica's acoustic office solutions mean more productive and satisfied employees, as well as increased revenue and reduced staff turnover. New well-designed acoustical workplaces are becoming centers of teamwork and personal engagement that have the power to serve the health and well-being of their users.

DE flexxicas Akustik-Bürolösungen bedeuten produktivere und zufriedenere Mitarbeiter sowie mehr Umsatz und geringere Mitarbeiterfluktuation. Neue gut gestaltete akustische Arbeitsplätze werden zu Zentren der Teamarbeit und des persönlichen Engagements, die der Gesundheit und dem Wohlbefinden ihrer Nutzer dienen können.



Flexxibility is our priority

The ability to see and be seen has never been more important.

EN Offices are now being designed more thoughtfully, with high-performing spaces that support specific activities, a range of people's preferences, and create diverse landscapes for the most effective work. This type of office tells employees that their company recognizes that providing people with the freedom to choose when, where, and how they work is necessary for their success. In these spaces, lighting is one of the most important features because the ability to see and be seen has never been more important.

DE Büros werden jetzt durchdachter gestaltet, mit leistungsstarken Räumen, die spezifische Aktivitäten, eine Reihe von Vorlieben der Menschen unterstützen und verschiedene Landschaften für die effektivste Arbeit schaffen. Diese Art von Büro sagt den Mitarbeitern, dass ihr Unternehmen erkennt, dass es für ihren Erfolg notwendig ist, Menschen die Freiheit zu geben, zu entscheiden, wann, wo und wie sie arbeiten. In diesen Räumen ist die Beleuchtung eines der wichtigsten Merkmale, denn die Fähigkeit zu sehen und gesehen zu werden war noch nie so wichtig.



LOREAL TRZOP ARCHITEKCI

flexxica think bigger

EN We create lighting solutions that make the office a flexible space that adapts to users and drives ultimate productivity throughout the day. flexxica agile lighting for future agile offices.

DE Wir schaffen Beleuchtungslösungen, die das Büro zu einem flexiblen Raum machen, der sich den Benutzern anpasst und den ganzen Tag über die ultimative Produktivität steigert. flexxica agile Beleuchtung für zukünftige agile Büros.

Agile lighting
for future
agile offices.




EOS POLAND TRZOP ARCHITEKCI

Biophilic harmony

EN We perform better and are happier when surrounded by nature. Because of this undeniable connection between people and nature, we are determined to cross impossible boundaries in our projects. We combine seemingly incompatible elements to form a single whole. Such is the case with plants. Placing them in our luminaires is what makes them something absolutely incredible. By creating a kind of an ecosystem amid the light, we contribute to the inner peace of those using our lighting. Furthermore, our office light fixtures designed in harmony with biophilia can reduce stress, enhance creativity and clarity of thought, and improve our well-being.

DE In jedem Kontakt mit der Natur erhalten wir weit mehr, als wir suchen. Wir schneiden besser ab und sind glücklicher, wenn wir von der Natur umgeben sind. Aufgrund dieser unbestreitbaren Verbindung zwischen Mensch und Natur sind wir entschlossen, in unseren Projekten unmögliche Grenzen zu überschreiten. Wir kombinieren scheinbar inkompatible Elemente zu einem Ganzen. Dies ist bei Pflanzen der Fall. Sie in unseren Leuchten zu platzieren, macht sie zu etwas absolut Unglaublichem. Indem wir eine Art Ökosystem inmitten des Lichts schaffen, tragen wir zum inneren Frieden derer bei, die unsere Beleuchtung nutzen. Darüber hinaus können unsere Büroleuchten, die im Einklang mit Biophilie entwickelt wurden, Stress reduzieren, Kreativität und Klarheit des Denkens sowie unser Wohlbefinden verbessern.



Light control

EN In flexxica, we create a new generation of office lighting, which is energy-efficient and can be used with pioneering and innovating intelligence. Therefore, energy consumption and ongoing operating costs can be significantly reduced thanks to the dedicated protocol for digital lighting control, whose fundamental feature is that it enables accurate, repeatable, and standardized control of light-level outputs. In addition to reducing energy consumption, dimming also extends the service life of your lights and makes a valuable contribution to reducing light pollution. flexxica brings this innovation to your office with its professional lighting products.

DE In flexxica schaffen wir eine neue Generation von Bürobeleuchtung, die energieeffizient ist und mit zukunftsweisender und innovativer Intelligenz eingesetzt werden kann. Daher können der Energieverbrauch und die laufenden Betriebskosten dank des dedizierten Protokolls für die digitale Beleuchtungssteuerung deutlich gesenkt werden, dessen grundlegendes Merkmal darin besteht, dass es eine genaue, wiederholbare und standardisierte Steuerung der Lichtleistung ermöglicht. Neben der Reduzierung des Energieverbrauchs verlängert das Dimmen auch die Lebensdauer Ihrer Leuchten und leistet einen wertvollen Beitrag zur Reduzierung der Lichtverschmutzung. flexxica bringt diese Innovation mit seinen professionellen Beleuchtungsprodukten in Ihr Büro.



Light when needed
as much as needed.

AUTODESK THE DESIGN GROUP

Human-centric lighting

The positive impact of office lighting on wellbeing and productivity.

EN flexxica attaches great importance to the positive impact of office lighting on wellbeing and productivity. Set to the correct brightness and color temperature, our lighting complements the daylight necessary for a healthy circadian rhythm. When simulated natural light is aligned with the internal biological clock in the workplace, it can improve concentration and energy, boost employee motivation and engagement and improve productivity, awareness and job satisfaction. While designing lighting in line with the concept of Human Centric Lighting, we make every effort to imitate sunlight effectively; so the light emitted from our luminaire does not shine point-wise but like the sun – not only directly on the illuminated surface but also by reflection from walls and surrounding objects.

DE flexxica legt großen Wert auf den positiven Einfluss der Bürobeleuchtung auf Wohlbefinden und Produktivität. Auf die richtige Helligkeit und Farbtemperatur eingestellt, ergänzt unsere Beleuchtung das Tageslicht, das für einen gesunden zirkadianen Rhythmus erforderlich ist. Wenn simuliertes Tageslicht auf die innere biologische Uhr am Arbeitsplatz ausgerichtet wird, kann es die Konzentration und Energie verbessern, die Motivation und das Engagement der Mitarbeiter steigern und die Produktivität, das Bewusstsein und die Arbeitszufriedenheit verbessern. Während wir die Beleuchtung nach dem Konzept der Human Centric Lighting gestalten, bemühen wir uns, das Sonnenlicht effektiv zu imitieren. So strahlt das von unserer Leuchte emittierte Licht nicht punktuell, sondern wie die Sonne – nicht nur direkt auf der beleuchteten Fläche, sondern auch durch Reflexion von Wänden und umgebenden Objekten.



EOS POLAND TRZOP ARCHITEKCI

The transformative power of colors

EN In the realm of office design, colors wield a significant influence on the atmosphere, productivity, and overall experience of employees. The strategic use of colors can inspire creativity, enhance focus, and create a harmonious work environment.

Colors have the ability to ignite motivation and productivity in the workplace. Vibrant and energizing colors like yellow and orange can boost enthusiasm and stimulate creative thinking. These shades work well in common areas and collaborative spaces, encouraging interaction and generating a sense of excitement. On the other hand, muted tones like blue

and green promote a calm and focused atmosphere, ideal for individual workstations and areas requiring concentration.


By carefully selecting and integrating colors, designers can transform ordinary office environments into dynamic and engaging spaces that foster creativity, collaboration, and productivity. Recognizing the impact of colors on individuals' well-being and comfort is key to creating workspaces that inspire, support, and enhance the overall experience of employees.

DE Im Bereich der Bürogestaltung haben Farben einen erheblichen Einfluss auf die Atmosphäre, die Produktivität und das Gesamterlebnis der Mitarbeiter. Der strategische Einsatz von Farben kann die Kreativität anregen, die Konzentration verbessern und ein harmonisches Arbeitsumfeld schaffen.

Farben haben die Fähigkeit, die Motivation und Produktivität am Arbeitsplatz zu steigern. Lebendige und anregende Farben wie Gelb und Orange können den Enthusiasmus steigern und das kreative Denken anregen. Diese Farbtöne eignen sich gut für Gemeinschaftsbereiche und Räume für die Zusammenarbeit, da sie die Interaktion fördern und ein Gefühl der Aufregung erzeugen. Dagegen fördern

gedämpfte Töne wie Blau und Grün eine ruhige und konzentrierte Atmosphäre, ideal für Einzelarbeitsplätze und Bereiche, die Konzentration erfordern.

Durch die sorgfältige Auswahl und Integration von Farben können Designer gewöhnliche Büroumgebungen in dynamische und ansprechende Räume verwandeln, die die Kreativität, Zusammenarbeit und Produktivität fördern. Das Erkennen des Einflusses von Farben auf das Wohlbefinden und den Komfort des Einzelnen ist der Schlüssel zur Schaffung von Arbeitsbereichen, die inspirieren, unterstützen und die Gesamterfahrung der Mitarbeiter verbessern.



Acoustic Lighting



ING KATOWICE MAŁECY BIURO PROJEKTOWE

Acoustic ecoPET

EN Acoustic ecoPET is a family of oversize light fittings dedicated to modern office spaces which merges the functionality of a light fixture with the properties of an acoustic panel. The family consists of three types of lamps: pendant, wall and floor. Due to their size and material, each Acoustic ecoPET lamp has super sound-absorbing qualities. Despite their strong visuals, they create a cozy atmosphere.

flexxica Acoustic ecoPET lamp family has been honored in the Design Plus powered by Light + Building award! flexxica was also awarded »Gold« in the category of Lighting in the area of Excellent Product Design for the luminaire series »flexxica Acoustic ecoPET Bell« at the German Design Awards 2023.

DE Acoustic ecoPET ist eine Familie von übergroßen Leuchten für moderne Büroräume, die die Funktionalität einer Leuchte mit den Eigenschaften einer Akustikplatte verbindet. Die Familie besteht aus drei Arten von Leuchten: Pendel-, Wand- und Bodenleuchten. Aufgrund ihrer Größe und ihres Materials verfügt jede Acoustic ecoPET-Leuchte über hervorragende schallabsorbierende Eigenschaften. Trotz ihrer starken Optik schaffen sie eine gemütliche Atmosphäre.

Die flexxica Acoustic ecoPET Leuchtenfamilie wurde mit dem Design Plus powered by Light + Building ausgezeichnet! Beim German Design Award 2023 wurde flexxica für die Leuchtenserie "flexxica Acoustic ecoPET Bell" in der Kategorie Lighting im Bereich Excellent Product Design mit "Gold" ausgezeichnet.

Zen Collection



red dot winner 2024



269 PET BOTTLES 

up to
10.14 m²
ACOUSTIC
SURFACE



Zen



Acoustic Zen, the ribbed shape office lamp made of sound-absorbing material, is a stylish and eco-friendly lighting solution that can help to create a more comfortable and productive workspace.

Acoustic Zen, die gerippte Bürolampe aus schallabsorbierendem Material, ist eine stilvolle und umweltfreundliche Beleuchtungslösung, die dazu beitragen kann, einen komfortableren und produktiveren Arbeitsplatz zu schaffen.

Example

Zen standard power 3000 K no frame ARCHI felt color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2150 - 01 - 2 - 8 - 3 - 01 - 00 - 2 - archi1201
 ↓ ↓ ↓ ↓
 size S DALI luminaire black 9005 pendant

Quickinfo

	Zen S ■ 01	Zen M ■ 02	Zen LA ■ 03	Zen LB ■ 04
luminaire size	Ø550×550	Ø760×400	Ø960×620	Ø960×620
light source size	Ø140×162	Ø140×162	Ø320×57	Ø600×82
system power	↓15 W ST ↓23 W HI	2 ≈ 2 ↓15 W ST ↓23 W HI	2 ≈ 2 ↓15 W ST ↓20 W HI	1 48 W ≈ 2 ↓34 W ↑14 W
luminous flux	↓1077 lm ↓1508 lm	↓1077 lm ↓1508 lm	↓1200 lm ↓1800 lm ↓2400 lm	↓3500 lm ↑1750 lm
UGR	< 19	< 19		< 17
light distribution – up				100°
light distribution – down	40°	40°	150°	95°
luminous efficiency	74 lm/W	74 lm/W	120 lm/W	116 lm/W


Technical information



electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black (01/02/04)	◆ 01
	white	◆ 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx


Create my unique code!

2150 - ■ - ~ - ▲ - ● - ♠ - 00 - 2 - ♦



277 PET BOTTLES 

up to
10.46 m²
ACOUSTIC
SURFACE



Zen Oval



Acoustic Zen, die gerippte Bürolampe aus schallabsorbierendem Material, ist eine stilvolle und umweltfreundliche Beleuchtungslösung, die dazu beitragen kann, einen komfortableren und produktiveren Arbeitsplatz zu schaffen.


Example

Zen Oval standard power 3000 K no frame ARCHI felt color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2151 - 00 - 2 - 8 - 3 - 01 - 00 - 2 - archi1201
 ↓ ↓ ↓ ↓
 one size DALI luminaire black 9005 pendant

Quickinfo

		Zen Oval S ■ 01	Zen Oval M ■ 02	Zen Oval L ■ 03
luminaire size		1350×550×420	1630×550×420	1908×550×420
light source size		856×43	1136×43	1416×43
system power	LO	÷7.2W ≈ 1	÷9.6W ≈ 1	÷12W ≈ 1
	ST	÷14.7W ≈ 2	÷19.6W ≈ 2	÷24.5W ≈ 2
	HI	÷22.5W ≈ 3	÷30W ≈ 3	÷37.5W ≈ 3
luminous flux	LO	÷886lm	÷1181lm	÷1477lm
	ST	÷1734lm	÷2312lm	÷2890lm
	HI	÷2530lm	÷3373lm	÷4217lm
luminous efficiency	LO	123lm/W	123lm/W	123lm/W
	ST	118lm/W	118lm/W	118lm/W
	HI	112lm/W	112lm/W	112lm/W


Technical information



light distribution – down	80°	
UGR	<19	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	on request: TUNABLE WHITE	● 9
luminaire color	black	● 01
	white	● 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	

Create my unique code!

2151 - 00 - 2 - ▲ - ● - ♠ - 00 - 2 - ♦



On request we can produce it in other sizes!

Bell Collection





Bell



DESIGN PLUS
powered by: **light+building**
2022

DE Bell verkörpert eine zeitgemäße Neuinterpretation eines traditionellen Lampenschirms, der jedoch auf massive Dimensionen vergrößert wurde. Diese Hängelampe ist in zwei Größen erhältlich – groß und extragroß. Mit ihrer eleganten Formsprache und weichen Materialität verleiht diese Pendelleuchte jedem Büroraum eine optisch sehr ansprechende Note – zusätzlich verbessern die akustischen Eigenschaften des Lampenschirms den Arbeitskomfort. Das Konzept basiert auf einer Glockenform mit gerippter Anordnung, die dem Schirm ein elegantes und räumliches Erscheinungsbild verleiht, während das ecoPET-Teil ein angenehmes Raumambiente schafft. Der breite Lichtverteilungswinkel der Pendelleuchte ermöglicht eine homogene Ausleuchtung großer Flächen, während das blendfreie Licht als effizient und angenehm für das Auge empfunden wird.

Example

Bell standard power 3000 K no frame ARCH1 test color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2117 - 01 - 2 - 8 - 3 - 01 - 00 - 2 - archi1201
 ↓ ↓ ↓ ↓
 size L DALI luminaire black 9005 pendant

Quickinfo

	Bell L ■ 01	Bell XL A ■ 02	Bell XL B ■ 03
luminaire size	Ø570×415	Ø945×620	Ø945×620
light source size	Ø140×162	Ø320×57	Ø600×82
system power	↓15W ST ↓23W HI ~ 2 ~ 3	↓10W LO ~ 1 ↓15W ST ~ 2 ↓20W HI ~ 3	48W ~ 2 ↓34W ↑14W
luminous flux	↓1077lm ↓1508lm	↓1200lm ↓1800lm ↓2400lm	↓3500lm ↑1750lm
UGR	<19		<17
light distribution - up			100°
light distribution - down	40°	150°	95°
luminous efficiency	74lm/W	110lm/W	116lm/W
color temperature	3000K ● 3 4000K ● 4	3000K ● 3 4000K ● 4 6000K ● 6	3000K ● 3 4000K ● 4






Technical information



electrical control	ON/OFF	▲ 9
	DALI	▲ 8
luminaire color	black (01/03)	■ 01
	white	■ 02
reflector color	black 9005 (size L)	* 01
	white 9010 (size L)	* 02
	silver (size L)	* 04
	gold (size L)	* 05
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx


Create my unique code!

2117 - ■ - ~ - ▲ - ● - ♠ - 00 - 2 - ♦



217 PET BOTTLES 

up to
8.20 m²
ACOUSTIC
SURFACE



Bell Oval

EN The Bell Oval represents the largest member of the Bell Collection. Its substantial dimensions bring substantial sound-absorbing properties to any space. Tailored to brighten multiple workstations in offices, it also graces hotel lobbies and restaurants with its extensive coverage. The fixture is equipped with a linear light source and an efficient optical system, ensuring an even and glare-free distribution of light. With interchangeable reflectors in black, white, silver, and gold, this luminaire provides boundless design possibilities. Crafted with meticulous attention to detail, this lamp effortlessly marries top-tier quality with extraordinary lighting capabilities.

DE Die Bell Oval ist das größte Mitglied der Bell Collection. Seine beträchtlichen Abmessungen verleihen jedem Raum erhebliche schallabsorbierende Eigenschaften. Die Leuchte ist für die Beleuchtung von mehreren Arbeitsplätzen in Büros geeignet, kann aber auch in Hotellobbys und Restaurants eingesetzt werden, wo sie eine große Reichweite hat.

Die Leuchte ist mit einer linearen Lichtquelle und einem effizienten optischen System ausgestattet, das eine gleichmäßige und blendfreie Lichtverteilung gewährleistet. Mit austauschbaren Reflektoren in Schwarz, Weiß, Silber und Gold bietet diese Leuchte grenzenlose Gestaltungsmöglichkeiten. Diese mit viel Liebe zum Detail gefertigte Leuchte verbindet mühelos Spitzenqualität mit außergewöhnlichen Beleuchtungsmöglichkeiten.


Example

Bell Oval standard power 3000 K no frame ARCHITECT color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2155 - 00 - 2 - 8 - 3 - 01 - 00 - 2 - archi1201
 ↓ ↓ ↓ ↓
 one size DALI luminaire black 9005 pendant

Quickinfo

		Bell Oval S ■ 01	Bell Oval M ■ 02	Bell Oval L ■ 03
luminaire size		1350×550×420	1630×550×420	1908×550×420
light source size		856×43	1136×43	1416×43
system power	LO	↓7.2W ≈ 1	↓9.6W ≈ 1	↓12W ≈ 1
	ST	↓14.7W ≈ 2	↓19.6W ≈ 2	↓24.5W ≈ 2
	HI	↓22.5W ≈ 3	↓30W ≈ 3	↓37.5W ≈ 3
luminous flux	LO	↓886lm	↓1181lm	↓1477lm
	ST	↓1734lm	↓2312lm	↓2890lm
	HI	↓2530lm	↓3373lm	↓4217lm
luminous efficiency	LO	123lm/W	123lm/W	123lm/W
	ST	118lm/W	118lm/W	118lm/W
	HI	112lm/W	112lm/W	112lm/W
UGR		<19		
light distribution - down		80°		


Technical information



electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
on request:	TUNABLE WHITE	● 9
luminaire color	black	◆ 01
	white	◆ 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	

Create my unique code!

2155 - 00 - 2 - ▲ - ● - ♠ - 00 - 2 - ♦



74
PET
BOTTLES

up to
2.80m²

ACOUSTIC
SURFACE



Bell Wall



EN Bell wall lamp is characterized by timeless elegance while taking deep care of the natural environment – lamps are made from synthetic felt manufactured from recycled PET bottles. Following a contemporary design approach, the Bell wall lamp has achieved a sculptural appearance and impresses as an aesthetic and high-quality light source. When placed in an open space office, it reduces ambient noise and creates comfortable working conditions. Thanks to the large dimensions of the wall lamp, it offers a new 3D light effect that accentuates walls in a refined light to create a gentle backlight. As part of the Acoustic ecoPET Bell lighting series, this wall lamp was designed for installation in office spaces for indirect ambient lighting. The tongue and groove assembly parts are filigrees yet robust, while their simplicity conceals a technology complex structure.

DE Die Bell-Wandleuchte zeichnet sich durch zeitlose Eleganz aus, während sie gleichzeitig auf die natürliche Umwelt achtet – Lampen werden aus synthetischem Filz hergestellt, der aus recycelten PET-Flaschen hergestellt wird. Einem zeitgemäßen Designansatz folgend, hat die Leuchte Bell eine skulpturale Anmutung erreicht und beeindruckt als ästhetischer und hochwertiger Lichtspender. Wenn es in einem Großraumbüro aufgestellt wird, reduziert es Umgebungsg Geräusche und schafft angenehme Arbeitsbedingungen. Dank der großen Abmessungen, bietet sie einen neuartigen 3D-Lichteffekt, der die Wände in einem raffinierten Licht akzentuiert und eine sanfte Hintergrundbeleuchtung erzeugt. Als Teil der Serie Acoustic ecoPET, Bell wurde die Bell für den Einbau in Büroräumen zur indirekten Grundbeleuchtung konzipiert. Die Klicksystem -Verbindungs teile sind filigran und dennoch robust, während ihre Einfachheit einen technologisch komplexen Aufbau verbirgt.

Example

Bell Wall **standard power** **4000K** **no frame** **ARCHI felt color 1201 Cloud**

↑ ↑ ↑ ↑ ↑

2118 – 00 – 2 – 8 – 4 – 01 – 00 – 7 – archi1201


↓ ↓ ↓ ↓

one size DALI luminaire black 9005 wall up & down

Quickinfo

luminaire size	360 × 600 × 210
system power	3W
luminous flux	↓488lm


Technical information



light distribution	360°
luminous efficiency	162lm/W
electrical control	ON / OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black 9005 ◆ 01
	white 9010 ◆ 02
fabric color	ARCHI felt ecoPET color palette archixx – choose color from page 304 ◆ archixx

Create my unique code!

2118 – 00 – 2 – ▲ – ● – ◆ – 00 – 7 – ◆



180

PET BOTTLES

up to

6.80m²

ACOUSTIC SURFACE



Bell Floor 2.0

EN Bell Floor 2.0 is a tall freestanding lamp equipped with a highly bright COB LED. This lamp is inspired by the horizontal separation between a room's illuminated and non-illuminated areas. The Bell Floor 2.0 lamp naturally uses the vertical light distribution to illuminate the ceiling and the upper wall surf. The lens mixes tunable white colors and floods the entire ceiling of the room in which it is placed. The body is made from an ecoPET panel with exceptional sound absorption properties, and the cylindrical lamp base, in particular, yields a high visual concision. Due to its reduced language of form, the floor lamp is reminiscent of a simple sculpture, crowned by a luminous aura. The consistent focus on clear lines and reduced lighting effects lend the Bell Floor 2.0 lamp a sculptural presence in the room.

DE Bell Floor 2.0 ist eine hohe, freistehende Leuchte, die mit einer sehr hellen COB-LED ausgestattet ist. Diese Leuchte ist inspiriert von der horizontalen Trennung zwischen beleuchteten und unbeleuchteten Bereichen eines Raums. Auf natürliche Weise nutzt die Stehleuchte Bell Floor 2.0 die vertikale Lichtverteilung zur Beleuchtung der Decke und der oberen Wandbrandung. Die Linse mischt abstimmbare weiße Farben und flutet die gesamte Decke des Raums in den sie steht. Der Körper besteht aus ecoPET mit hervorragenden Schallabsorptionseigenschaften, und insbesondere der zylindrische Lampenfuß ergibt eine hohe optische Prägnanz. Durch ihre reduzierte Formensprache erinnert die Stehleuchte an eine schlichte Skulptur, gekrönt von einer leuchtenden Aura. Die konsequente Ausrichtung auf klare Linien und reduzierte Lichteffekte verleihen der Stehleuchte Bell Floor 2.0 eine skulpturale Präsenz im Raum.

Example

Bell Floor 2.0

↑

2119 - 00 - 2 - 8 - 9 - 01 - 00 - 8 - archi1201

↓

one size

standard power

↑

↓

DALI

tunable white

↑

↓

luminaire black 9005

no frame

↑

↓

floor

ARCHI felt color 1201 Cloud

↑

Quickinfo

luminaire size	Ø330 ×1874
light source size	Ø90
system power	↑49 W
luminous flux	↑4140 lm
UGR	<19


Technical information




light distribution - up	91°	
luminous efficiency	84lm/W	
electrical control	CASAMBI	▲ 7
	DALI	▲ 8
	ON/OFF	▲ 9
color temperature	3000K	● 3
	4000K	● 4
	TUNABLE WHITE	● 9
luminaire color	black 9005	◆ 01
	white 9010	◆ 02
fabric color	ARCHI felt ecoPET color palette archixxx - choose color from page 304	

Create my unique code!


2119 - 00 - 2 - ▲ - ● - ◆ - 00 - 8 - ◆



1874



330



288 PET BOTTLES 

up to
10.87 m²
ACOUSTIC
SURFACE



Gamma Round

EN The design of the Gamma Round lamp emphasizes small individual ecoPET ribs that converge to create a circular structure, tapering at the top and widening towards the bottom, resulting in a broad light distribution angle. This design feature contributes to an improved acoustic comfort experience. Gamma Round provides effective lighting for open workspaces, utilizing adjustable brightness settings to meet the diverse needs of users. The lamp's circular shape enhances its ability to cast a uniform and encompassing light, creating an optimal environment for focus and collaboration. Integrated LED technology ensures energy efficiency, underscoring its dedication to reducing environmental impact.

DE Das Design der Gamma Round Leuchte betont die kleinen einzelnen ecoPET-Rippen, die zu einer kreisförmigen Struktur zusammenlaufen, die sich nach oben hin verjüngt und nach unten hin verbreitert, was zu einem breiten Lichtverteilungswinkel führt. Dieses Designmerkmal trägt zu einem verbesserten akustischen Komfort bei. Gamma Round bietet eine effektive Beleuchtung für offene Arbeitsbereiche, wobei die Helligkeit an die unterschiedlichen Bedürfnisse der Benutzer angepasst werden kann. Die runde Form der Leuchte verbessert ihre Fähigkeit, ein gleichmäßiges und umfassendes Licht abzugeben, und schafft so eine optimale Umgebung für konzentriertes Arbeiten und Zusammenarbeit. Die integrierte LED-Technologie sorgt für Energieeffizienz und unterstreicht das Engagement für eine geringere Umweltbelastung.

Example

Gamma Round **standard power** **3000 K** **no frame** **ARCHI test color 1201 Cloud**

↑ ↑ ↑ ↑ ↑

2162 - 01 - 2 - 8 - 3 - 02 - 00 - 2 - archi1201


↓ ↓ ↓ ↓

size L **DALI** **luminaire** **pendant**

Quickinfo

	Gamma Round L A	01	Gamma Round XL A	02
	Gamma Round L A	03	Gamma Round XL A	04
luminaire size	Ø880×620		Ø1150×750	
light source size	A Ø320×57		Ø450×70	
	B Ø450×82		Ø600×82	
system power	A	±10W LO ±15W ST ±20W HI	±28W LO ±32W ST ±36W HI	±1 ±2 ±3
	B	30W (±9W ±21W)	48W (±14W ±34W)	
luminous flux	A	±1200lm ±1800lm ±2400lm	±3360lm ±3840lm ±4320lm	
	B	±1000lm ±2100lm	±1960lm ±3800lm	
UGR	B	<19	<17	







Technical information



light distribution – down	A	150°	150°
	B	95°	95°
light distribution – up	B	100°	100°
luminous efficiency	A	120lm/W	110/120lm/W
	B	110lm/W	120lm/W
electrical control		ON/OFF	▲ 9
		DALI	▲ 8
color temperature	A	3000K	● 3
		4000K	● 4
		6000K	● 6
	B	3000K	● 3
	4000K	● 4	
luminaire color	B	black	◆ 01
	A B	white	◆ 02
fabric color	ARCHI felt ecoPET color palette archixx – choose color from page 304		◆ archixx

Create my unique code!

2162 - ■ - ~ - ▲ - ● - ♠ - 00 - 2 - ♦



366
PET
BOTTLES

up to
13.79 m²
ACOUSTIC
SURFACE



Gamma Square

EN Gamma Square follows a similar design philosophy to Gamma Round. The lamp's emphasis is on small individual ecoPET ribs that converge to form a square structure, featuring tapered sides and a widening base, resulting in a generous light distribution angle. This design element enhances acoustic comfort. Gamma Square is designed to provide effective lighting in open workspaces, offering adjustable brightness settings to cater to diverse user needs. The square shape of the lamp ensures uniform and comprehensive light coverage, fostering an optimal environment for focus and collaboration. With integrated LED technology, Gamma Square maintains energy efficiency, demonstrating a commitment to reducing environmental impact.

DE Gamma Square folgt einer ähnlichen Designphilosophie wie Gamma Round. Der Schwerpunkt der Leuchte liegt auf den kleinen einzelnen ecoPET-Rippen, die zu einer quadratischen Struktur zusammenlaufen, mit sich verjüngenden Seiten und einer sich verbreiternden Basis, was zu einem großzügigen Lichtverteilungswinkel führt. Dieses Designelement erhöht den akustischen Komfort. Gamma Square wurde entwickelt, um eine effektive Beleuchtung in offenen Arbeitsbereichen zu gewährleisten und bietet einstellbare Helligkeitseinstellungen, um den unterschiedlichen Bedürfnissen der Benutzer gerecht zu werden. Die quadratische Form der Leuchte sorgt für eine gleichmäßige und umfassende Lichtabdeckung und fördert so eine optimale Umgebung für Konzentration und Zusammenarbeit. Dank der integrierten LED-Technologie ist die Gamma Square sehr energieeffizient und trägt damit zur Reduzierung der Umweltbelastung bei.


Example

Gamma Square		standard power		3000 K		no frame		ARCHI felt color 1201 Cloud
↑		↑		↑		↑		↑
2163	- 01	- 2	- 8	- 3	- 02	- 00	- 2	- archi1201
↓		↓		↓		↓		
size L		DALI		luminaire		pendant		

Quickinfo

	Gamma Square L ■ 01	Gamma Square XL ■ 02
luminaire size	990×990×620	1150×1150×880
light source size	320×320×57	320×320×57
system power	↓10W LO ~ 1 ↓15W ST ~ 2 ↓20W HI ~ 3	
luminous flux	↓1200lm ↓1800lm ↓2400lm	






Technical information



light distribution – down	150°	
luminous efficiency	120lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	6000K	● 6
luminaire color	white	★ 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	

Create my unique code!

2163 - ■ - ~ - ▲ - ● - 02 - 00 - 2 - ◆



752
PET
BOTTLES

up to
14.20 m²

ACOUSTIC
SURFACE



Gamma Floor

EN Gamma Floor is an acoustic lighting fixture that belongs to the Gamma family, combining elegant design with high functionality. Made from materials like acoustic ecoPET and aluminium, it ensures soft, glare-free illumination. With dimming and tunable white adjustment options, Gamma Floor offers both visual comfort and acoustic enhancement for modern spaces.


DE Gamma Floor ist eine akustische Leuchte, aus der Gamma-Familie die elegantes Design mit hoher Funktionalität verbindet. Hergestellt aus Materialien wie akustischem ecoPET und Aluminium, sorgt sie für eine weiche, blendfreie Beleuchtung. Mit Dimm- und Tunable-White-Einstellungsoptionen bietet Gamma Floor sowohl visuellen Komfort als auch akustische Verbesserungen für moderne Räume.

Quickinfo	
luminaire size	Ø870×2020
light source size	Ø500
system power	80 W (±40 W ±40 W)
luminous flux	9122lm (↑5750lm ±3372lm from light source)

Technical information	
	
	
	
	
	
mounting type	free-standing
light distribution - up	115°
light distribution - down	90°
luminous efficiency	114lm/W from light source
dimming	touch panel dimming
color temperature	tunable white (3000 K – 5700 K)
life time	L80 (B10) 50,000 h
luminaire color	white 9010
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

Example				
Gamma Floor	standard power	tunable white	no frame	ARCHI felt color 1201 Cloud
↑	↑	↑	↑	↑
2167 - 00 - 2 - 6 - 3 - 02 - 00 - 8 - archi1201				
↓	↓	↓	↓	
one size	touch panel dimming	luminaire white 9010	free standing	

Create my unique code!
2167 - 00 - 2 - 6 - 3 - 02 - 00 - 8 - ◆



Sol Collection





Acoustic Lighting

ecoPET

312 PET BOTTLES

up to 11.76 m² ACOUSTIC SURFACE

Sol




EN Sol, which stands for “sun” in Swedish, provides performance and atmospheric lighting and improves acoustics. It emits high-quality diffused light in both ways. Downward light is additionally spread by a micro prismatic diffuser, creating perfect working conditions. Upper light brightens up the room by filling it with a pleasant glow. Sol is made from ecoPET – synthetic felt panels manufactured from recycled PET bottles that solve the acoustic problems in interior spaces. ecoPET is non-flammable, very durable, and easy to maintain, and at the same time, it is delicate and soft to touch. It is created from recycled material and is possible to be recycled again. The material’s strength allows for clever construction from flat-cut pieces of panels.

DE Sol, das auf Schwedisch für „Sonne“ steht, sorgt für Performance und atmosphärisches Licht und verbessert die Akustik. Sie gibt in beide Richtungen hochwertiges diffuses Licht ab. Nach unten gerichtetes Licht wird zusätzlich durch einen mikroprismatischen Diffusor gestreut und schafft so perfekte Arbeitsbedingungen. Oberes Licht erhellt den Raum, indem es ihn mit einem angenehmen Schein füllt. Sol besteht aus ecoPET – synthetischen Filzpaneelen, die aus recycelten PET-Flaschen hergestellt werden und die akustischen Probleme in Innenräumen lösen. ecoPET ist nicht brennbar, sehr langlebig und pflegeleicht und gleichzeitig zart und weich im Griff. Es wird aus recyceltem Material hergestellt und kann wieder recycelt werden. Die Stärke des Materials ermöglicht eine clevere Konstruktion aus flach geschnittenen Stücken.

	Sol S ■ 01	Sol M Sol L ■ 02 ■ 03	Sol XL ■ 04
luminaire size	Ø1000×120	M Ø1150×120 L Ø1500×120	Ø1950×120
light source size	Ø450×82	Ø600×82	Ø900×82
system power	30W (↑9W ↓21W)	48W (↑14W ↓34W)	80W (↑24W ↓56W)
luminous flux	↑1000lm ↓2100lm	↑1750lm ↓3500lm	↑3400lm ↓5600lm
UGR	<18	<17	<15

Technical information



light distribution – up	100°
light distribution – down	95°
luminous efficiency	110lm/W
electrical control	ON/OFF ▲ 9 ▲ 8
color temperature	3000K ● 3 4000K ● 4
luminaire color	black ★ 01 white ★ 02
fabric color	ARCHI felt ecoPET color palette archixx – choose color from page 304 ◆ archixxx

Example

Sol

↑

2120 – 01 – 2 – 8 – 4 – 01 – 00 – 3 – archi1201

↓

size S

standard power

↑

4000K

↓

DALI

no frame

↑

ARCHI felt color 1201 Cloud

↓

luminaire black

pendant up & down

↑

archi1201


↓

pendant up & down

Create my unique code!
2120 – ■ – 2 – ▲ – ● – ★ – 00 – 3 – ◆




SHOWROOM MUNICH KUSCH+CO NOWY STYL



224 PET BOTTLES 

up to
8.46 m²
ACOUSTIC
SURFACE



Sol Square





DE Sol Square ist so konzipiert, dass sie hochwertiges, diffuses Licht ausstrahlt und eine optimale Umgebung für die Produktivität gewährleistet. Der mikrop Prismatische Diffusor verbessert die Lichtstreuung noch weiter, was zu tadellosen Arbeitsbedingungen führt. Sol Square wurde für Büros entwickelt, in denen die Verbesserung der Akustik im Vordergrund steht, und verfügt über zahlreiche Öko-PET-Flügel um die Lampe herum, die die Sonnenstrahlen wieder zusammensetzen. Diese fungieren als Schallabsorber, die den Lärm im Büro weiter reduzieren und den akustischen Komfort insgesamt fördern. Die Leuchte wird aus Material hergestellt, das aus recycelten PET-Flaschen gewonnen wird. Es ist nicht brennbar, langlebig und fühlt sich weich an. Diese Akustiklampen sind in verschiedenen Farben und Ausführungen erhältlich und fügen sich mühelos in moderne, eklektische Büroeinrichtungen ein.


Sol Square standard power 4000 K no frame ARCHI felt color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2147 - 01 - 2 - 8 - 4 - 02 - 00 - 2 - archi1201
 ↓ ↓ ↓ ↓
 size M DALI luminaire pendant

	Sol Square M ■ 01	Sol Square L ■ 02
luminaire size	1150×1150×120	1500×1500×120
light source size	600×600×31	600×600×31
system power	↓40W	↓40W
luminous flux	↓4512lm	↓4512lm
UGR	<19	<19

light distribution - down	90°	
luminous efficiency	114lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	white	◆ 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx

2147 - ■ - 2 - ▲ - ● - 02 - 00 - 2 - ◆





Sol Wall 2.0

EN Sol Wall is a circular wall lamp inspired by the shape of the sun – a continuation of the renowned Sol lighting series. It emits a soft, indirect glow that reflects off the wall, creating a warm and welcoming halo effect. As a result, Sol Wall becomes both a source of ambient light and a sculptural decorative feature. Made from sound-absorbing material derived from recycled PET bottles, the lamp contributes to better acoustics while supporting sustainable design. Its radial rib structure evokes the image of sun rays, enhancing the aesthetic impact of the piece. Thanks to its distinctive design, Sol Wall is perfect for offices, lobbies, lounges, and home interiors – any space where atmosphere, acoustic comfort, and visual harmony matter.

DE Sol Wall ist eine runde Wandleuchte, inspiriert von der Form der Sonne – eine Fortsetzung der beliebten Sol-Leuchterserie. Sie strahlt ein weiches, indirektes Licht ab, das sich von der Wand reflektiert und einen warmen, einladenden Lichthof erzeugt. So wird Sol Wall zur stimmungsvollen Lichtquelle und gleichzeitig zum dekorativen Gestaltungselement. Die Leuchte besteht aus schallabsorbierendem Material aus recycelten PET-Flaschen, das sowohl die Raumakustik verbessert als auch ein nachhaltiges Design unterstützt. Die radial angeordneten Rippen erinnern an Sonnenstrahlen und verleihen der Leuchte eine starke visuelle Präsenz. Dank ihres markanten Designs eignet sich Sol Wall ideal für Büros, Lobbys, Lounges oder Wohnräume – überall dort, wo Lichtstimmung, Akustikkomfort und Formschönheit gefragt sind.

Example

Sol Wall 2.0

↑

2178 - 01 - 2 - 8 - 3 - 01 - 00 - 7 - archi1201

↓

one size

standard power

↑

↓

DALI

3000K

↑

↓

luminaire black

no frame

↑

↓

wall up & down


ARCHI felt color 1201 Cloud

↑

archi1201

Quickinfo	
luminaire size	Ø910×115
system power	13.5W
luminous flux	990lm

Technical information	
	
	
	
light distribution	360°
luminous efficiency	73.4lm/W
electrical control	ON/OFF ▲ 9
	DALI ▲ 8
color temperature	2700K ● 2
	3000K ● 3
	4000K ● 4
luminaire color	black 9005 ◆ 01
	white 9010 ◆ 02
fabric color	ARCHI felt ecoPET color palette ◆ archixxx
	archixxx – choose color from page 304



Create my unique code!
2178 - 01 - 2 - ▲ - ● - ◆ - 00 - 7 - ◆




Sol Floor

EN This acoustic floor luminaire belongs to the award-winning Sol family. Its unique design, perfect assembly details, and exceptional finishes give Sol Floor a distinctive and eye-catching appearance. It features direct and indirect lighting, tunable white adjustment, and high lighting efficiency.

DE Diese akustische Stehleuchte gehört zur preisgekrönten Sol-Familie. Ihr einzigartiges Design, die perfekten Montagedetails und die außergewöhnlichen Oberflächen verleihen der Sol Floor ein unverwechselbares und auffälliges Erscheinungsbild. Sie verfügt über dimmbares Ober- und Unterlicht, eine einstellbare Farbtemperatur (CCT) und eine hohe Lichtleistung.

Quickinfo	
luminaire size	Ø1000x2005
light source size	Ø500
system power	80 W (±40 W ±40 W)
luminous flux	9122lm (±5750lm ±3372lm)

Technical information	
	
	
	
	
	
	



up to
7.84 m²
ACOUSTIC
SURFACE

EN This pendant office luminaire features a novel operation that shapes the healthy atmosphere of a workplace with its acoustic capabilities and homogeneous illumination of a high-quality LED light that minimises fatigue on the eyes. The glare-free pendant luminaire complies with demanding technical and ergonomic requirements, suitable for use in an open office space or conference room. Donut's body projects a formal simplicity and conveys a high sense of elegance. The glowing diffuser surface with a micro prismatic bottom complements the design. Following a sustainable design principle, Donut is made of ecoPET – synthetic felt panels manufactured from recycled PET bottles. ecoPET is non-flammable and is characterised by high durability and easy maintenance.

DE Diese Büro-Pendelleuchte verfügt über eine neuartige Funktionsweise, die einer akustischen Fähigkeit und der homogenen Ausleuchtung eines hochwertigen LED-Lichts, das die Ermüdung der Augen minimiert, und die gesunde Atmosphäre eines Arbeitsplatzes prägt. Die blendfreie Pendelleuchte erfüllt hohe technische und ergonomische Anforderungen, geeignet für den Einsatz in Großraumbüros oder Konferenzräumen. Sein Erscheinungsbild strahlt eine formale Schlichtheit aus und vermittelt ein hohes Maß an Eleganz. Die leuchtende Diffusorfläche mit mikroprismatischem Boden ergänzt das Design. Nach einem nachhaltigen Designprinzip besteht Donut aus ecoPET – synthetischen Filzplatten, die aus recycelten PET-Flaschen hergestellt werden. ecoPET ist nicht brennbar und zeichnet sich durch hohe Haltbarkeit und einfache Pflege aus.


Donut standard power 4000 K no frame archi1201
 ↑ ↑ ↑ ↑ ↑
 2123 - 00 - 2 - 8 - 4 - 01 - 00 - 3 - archi1201
 ↓ ↓ ↓ ↓
 one size DALI luminaire black pendant up & down

luminaire size	Ø1200×220
light source size	Ø600×82
system power	48W (↑14W ↓34W)
luminous flux	↑1750lm ↓3500lm
UGR	<17



		IP20	>90 CRI	SDCM 3	~230V
---	---	-------------	----------------------	------------------	--------------

light distribution - up	100°	
light distribution - down	95°	
luminous efficiency	110 lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	black	● 01
	white	● 02
fabric color	ARCHI felt ecoPET color palette archxxx – choose color from page 304	

2123 - 00 - 2 - ▲ - ● - ♠ - 00 - 3 - ♦



BAT DBS THE DESIGN GROUP





Donut Wall

EN Donut wall lamp has emerged due to intensive research on materials with sound-absorbing properties and invisible indirect light sources. The wall lamp is made from a light and thin ecoPET panel with a thickness of 5 mm, which is cut using an innovative laser technique. The cutting motif of concentric circles turns the material from recycled PET bottles into a three-dimensional sculptural object that takes on form and volume only upon wall installation. The interplay with LED light underlines the atmospheric and ambient effect of the Donut wall lamp because the emitted light is 360 degrees. In addition to this appealing effect, the project realises an ecologically responsible approach, which is already evident in the use of sustainably manufactured ecoPET panels and LED as the light source.

DE Donut Wandleuchte ist aus intensiver Forschung an Materialien mit schallabsorbierenden Eigenschaften und unsichtbaren indirekten Lichtquellen entstanden. Die Wandleuchte besteht aus einem leichten und dünnen ecoPET mit einer Dicke von 5 mm, die mit einer innovativen Lasertechnik geschnitten wird. Das Schnittmotiv aus konzentrischen Kreisen verwandelt das Material aus recycelten PET-Flaschen in ein dreidimensionales skulpturales Objekt, das erst durch die Wandmontage, Form und Volumen annimmt. Das Zusammenspiel mit LED-Licht unterstreicht die atmosphärische und raumgreifende Wirkung der Wandleuchte Donut, denn das abgegebene Licht strahlt im Radius von 360 Grad. Neben dieser ansprechenden Wirkung verwirklicht das Projekt einen ökologisch verantwortungsvollen Ansatz, der sich bereits in der Verwendung von nachhaltig hergestellten ecoPET und LED als Lichtquelle zeigt.

Example

Donut Wall

↑

2124 - 00 - 2 - 8 - 4 - 01 - 00 - 7 - archi1201

↓

one size

standard power

↑

↓

DALI

4000K

↑

↓

luminaire black 9005

no frame

↑

↓


wall up & down

ARCHI felt color 1201 Cloud

↑

Quickinfo	
luminaire size	Ø500×160
system power	4.1W
luminous flux	727lm


Technical information	
light distribution	360°
luminous efficiency	178lm/W
electrical control	ON/OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black 9005 ◆ 01
	white 9010 ◆ 02
fabric color	ARCHI felt ecoPET color palette ◆ archixxx
	archixxx – choose color from page 304



Create my unique code!
2124 - 00 - 2 - ▲ - ● - ◆ - 00 - 7 - ◆

228
PET
BOTTLES

up to
8.60m²
ACOUSTIC
SURFACE



Futou


EN With its bold architectural structure and flowing radial symmetry, the Futou luminaire captivates with both its sculptural presence and acoustic performance. Designed to define and enhance open interior spaces, it features a dynamic composition of vertical acoustic blades made from sustainable ecoPET felt, a material known for its high sound absorption properties. Available in three sizes: Ø800, 1040 and 1350 mm, Futou adapts seamlessly to a variety of interior layouts, from collaborative zones to social hubs and hospitality settings. Its low UGR < 6 ensures exceptional visual comfort, even in high-traffic areas.

DE Mit ihrer kühnen architektonischen Struktur und fließenden radialen Symmetrie besticht die Leuchte Futou sowohl durch ihre skulpturale Präsenz als auch durch ihre akustische Leistung. Sie wurde entwickelt, um offene Innenräume zu definieren und aufzuwerten. Sie zeichnet sich durch eine dynamische Komposition vertikaler Akustiklamellen aus nachhaltigem ecoPET-Filz aus, einem Material, das für seine hohe Schallabsorption bekannt ist. Futou ist in drei Größen (Ø800, 1040 und 1350 mm) erhältlich und fügt sich nahtlos in eine Vielzahl von Raumkonzepten ein – von Gemeinschaftsbereichen über soziale Treffpunkte bis hin zum Gastgewerbe. Ihr niedriger UGR-Wert < 6 sorgt für außergewöhnlichen Sehkomfort, selbst in stark frequentierten Bereichen.

Quickinfo

	Futou S ■ 01	Futou M ■ 02	Futou L ■ 03
luminaire size	Ø800×620	Ø1040×450	Ø1350×320
light source size	Ø655	Ø905	Ø1205
system power	↑36 W ↓24 W	↑48 W ↓32 W	↑72 W ↓48 W
luminous flux	↑5900lm ↓3100lm	↑7400lm ↓4200lm	↑11400lm ↓6000lm
UGR	<6	<6	<6

Technical information





light distribution - up	115°
light distribution - down	60°
luminous efficiency	145lm/W
electrical control	ON / OFF ▲ 9 DALI ▲ 8
color temperature	tunable white (3000 K – 6000 K) ● 9
life time	L80 (B10) 50,000H
luminaire color	black 9005 ◆ 01 white 9010 ◆ 02
fabric color	ARCHI felt ecoPET color palette archixx – choose color from page 304 ◆ archixx

Create my unique code!

2171 - ■ - 2 - ▲ - ● - ◆ - 00 - 3 - ◆

Example

Futou standard power tunable white no frame ARCHI felt color 1201 Cloud
↑ ↑ ↑ ↑ ↑
2171 - 01 - 2 - 9 - 9 - 01 - 00 - 3 - archi1201
↓ ↓ ↓ ↓ ↓
size S ON / OFF luminaire black 9005 pendant up & down



753

PET BOTTLES

up to

28.40m²

ACOUSTIC SURFACE



Globe

EN Globe acoustic luminaire is a spherical office lamp, named after its globe-like shape, made from ecoPET acoustic material. It is designed to provide both functional lighting and acoustic benefits in office or workspace environments.

Its distinctive and modern form not only adds character to any interior but also ensures diffused lighting and reduced glare. The Globe luminaire is available in five sizes – S, M, L, XL, and XXL – allowing for flexibility and adaptability to various spatial needs.

DE Die akustische Leuchte Globe ist eine kugelförmige Büroleuchte, deren Name sich von ihrer erdähnlichen Form ableitet. Sie besteht aus akustischem ecoPET-Material und wurde entwickelt, um sowohl funktionales Licht als auch akustische Vorteile in Büro- oder Arbeitsumgebungen zu bieten.

Ihre markante und moderne Form verleiht jedem Raum Charakter, sorgt gleichzeitig für eine gleichmäßige Lichtverteilung und reduziert Blendung. Die Globe-Leuchte ist in fünf Größen erhältlich – S, M, L, XL und XXL – und bietet so flexible Einsatzmöglichkeiten für unterschiedliche Raumkonzepte.

Example

Globe

↑

2169 - 01 - 2 - 9 - 3 - 02 - 01 - 2 - archi1201

↓

size S ON / OFF luminaire white 9010 pendant

standard power

↑

3000K

↑

black reflector

↑

ARCHI felt color 1201 Cloud

↑

archi1201

Globe	S ■ 01	M ■ 03	L ■ 04	XL ■ 07	XXL ■ 09
luminaire size	400×360	550×525	700×680	950×910	1150×1120
light source size	Ø140	Ø140	Ø140	Ø200	Ø200
system power	ST 15W	15W	15W	24W	24W
power	HI 20W	20W	20W	36W	36W
luminous flux	1155lm	1155lm	1155lm	4200lm	4200lm
flux	1508lm	1508lm	1508lm	5800lm	5800lm
luminous efficiency	77lm/W	77lm/W	77lm/W	175lm/W	175lm/W

Technical information




IP20

>90
CRI

<19
UGR




SDCM
2

~230V

light distribution – down	95°	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black 9005	● 01
	white 9010	● 02
reflector color	black 9005 (size S/M/L/XL/XXL)	* 01
	white 9010 (size S/M/L/XL/XXL)	* 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	

◆ archixxx

Create my unique code!
2169 - ■ - 2 - ▲ - ● - ● - * - 2 - ◆



Acoustic Lighting

ecoPET

58 PET BOTTLES

up to 2.20 m² ACOUSTIC SURFACE



Sikt

EN Sikt is named after a Swedish word that is a play on the meaning of visibility and structure. The large size and detailed surface give this lamp excellent acoustic performance. When placed in a busy environment, it reduces ambient noise and creates comfortable working conditions. Perfect for conference rooms. It is made from ecoPET – synthetic felt panels manufactured from recycled PET bottles. It is delicate and soft to touch. ecoPET is non-flammable, very durable, and easy to maintain. It is created from recycled material and is possible to be recycled again. The product features a maintenance-free and energy-efficient light fitting. It is shipped fully assembled. The packaging features no plastic and is fully recyclable.

DE Sikt ist nach einem schwedischen Wort benannt, das mit der Bedeutung von Sichtbarkeit und Struktur spielt. Die Größe und die detaillierte Oberfläche verleihen dieser Lampe eine hervorragende akustische Leistung. Wenn es in einer geschäftigen Umgebung aufgestellt wird, reduziert es Umgebungsgeräusche und schafft angenehme Arbeitsbedingungen. Perfekt für Konferenzräume. Es besteht aus ecoPET – synthetischen Filz, das aus recycelten PET-Flaschen hergestellt wird. Es ist zart und fühlt sich weich an. ecoPET ist nicht brennbar, sehr langlebig und pflegeleicht. Es wird aus recyceltem Material hergestellt und kann wieder recycelt werden. Das Produkt zeichnet sich durch eine wartungsfreie und energieeffiziente Leuchte aus. Es wird fertig montiert versendet. Die Verpackung ist plastikfrei und vollständig recycelbar.

Example

Sikt

↑

2122 – 00 – 2 – 8 – 4 – 01 – 00 – 3 – archi1201

↓

one size

standard power

↑

4000K

↓

DALI

no frame

↑

no frame

↓

luminaire black

ARCHI felt color 1201 Cloud

↑

00 – 3 – archi1201

↓

pendant up & down

Quickinfo

luminaire size	Ø1200×140
light source size	Ø450×82
system power	30W (19W ↓21W)
luminous flux	11000lm ↓2100lm
UGR	<18



Technical information



light distribution – up	100°
light distribution – down	95°
luminous efficiency	110lm/W
electrical control	ON / OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black ◆ 01
	white ◆ 02
fabric color	ARCHI felt ecoPET color palette ◆ archxxx – choose color from page 304

Create my unique code!

2122 – 00 – 2 – ▲ – ● – ◆ – 00 – 3 – ◆



74
PET
BOTTLES

up to
2.8m²
ACOUSTIC
SURFACE

Pira

EN Acoustic Pira is a modern ceiling lamp with a bold architectural shape, available in two versions: oval and rounded-square. Its layered PET felt body enhances sound absorption, improving acoustic comfort in offices, meeting rooms, and coworking spaces. Made from recycled materials, the lamp combines durability with eco-conscious design. Its clean silhouette fits seamlessly into minimal and contemporary interiors.

DE Acoustic Pira ist eine moderne Deckenleuchte mit markanter, architektonischer Form – erhältlich in ovaler oder abgerundeter, quadratischer Ausführung. Die mehrlagige Struktur aus PET-Filz verbessert deutlich die Raumakustik und eignet sich ideal für Büros, Besprechungsräume und Coworking-Bereiche. Das recycelte Material steht für Nachhaltigkeit und Langlebigkeit, während das klare Design perfekt in moderne Innenräume passt.

Example

Pira Round

standard power

3000K

no frame

ARCHI felt color 1201 Cloud

2174 - 01 - 2 - 9 - 3 - 02 - 00 - 3 - archi1201

size M

ON / OFF

luminaire white 9010

pendant up & down

	Pira Round M ■ 01	Pira Round L ■ 02	Pira Square M ■ 03	Pira Square L ■ 04
luminaire size	Ø893×144	Ø1195×168	900×900×113	1195×1195×120
light source size	Ø320×57	Ø600×82	320×320×57	594×594
system power	↓10W LO ~ 1 48W ↓15W ST ~ 2 ↑14W ↓20W HI ~ 3 ↓34W	↓10W LO ~ 1 48W ↓15W ST ~ 2 ↑14W ↓20W HI ~ 3 ↓34W	↓10W LO ~ 1 40W ↓15W ST ~ 2 ↓20W HI ~ 3	40W
luminous flux	1200lm 1800lm 2400lm	↑1750lm ↓3500lm	1200lm 1800lm 2400lm	↓4512lm
UGR	—	<17	—	<19
luminous efficiency	110lm/W	110lm/W	120lm/W	114lm/W
light distribution - up	100°			
light distribution - down	150°	95°	150°	90°



Technical information

			
electrical control	ON / OFF	▲ 9	
	DALI	▲ 8	
color temperature	3000K	● 3	
	4000K	● 4	
	Square M 6000K	● 6	
luminaire color	black 9005	◆ 01	
	white 9010	◆ 02	
fabric color	ARCHI felt ecoPET color palette archixxx - choose color from page 304	◆ archixxx	

Create my unique code!

Pira Round 2174 - ■ - ~ - ▲ - ● - ◆ - 00 - 3 - ◆

Pira Square 2175 - ■ - ~ - ▲ - ● - ◆ - 00 - 2 - ◆





Pira Wall


EN Acoustic Pira Wall is a wall-mounted light fixture that combines bold design with acoustic functionality. The soft glow emitted from the bottom creates a subtle halo effect on the wall, adding visual depth and atmosphere to the interior. The lamp is made from pressed felt derived from recycled PET bottles – an eco-friendly material that is also fully recyclable. Its layered structure enhances the visual design while effectively absorbing sound, improving the room’s acoustics. With its minimalist yet striking form, Acoustic Pira Wall fits perfectly into modern office, hospitality, or home interiors. It is more than just a wall lamp – it’s an architectural feature that brings both ambient lighting and acoustic comfort into the space.

DE Acoustic Pira Wall ist eine Wandleuchte, die markantes Design mit akustischer Funktionalität verbindet. Das sanfte Licht, das von der Unterseite ausgeht, erzeugt eine stimmungsvolle Lichtaura auf der Wand und verleiht dem Raum Tiefe und Atmosphäre. Der Korpus besteht aus gepresstem Filz aus recycelten PET-Flaschen – ein umweltfreundliches und vollständig recycelbares Material. Die mehrlagige Struktur verstärkt nicht nur den visuellen Effekt, sondern sorgt auch für eine effektive Schalldämpfung und verbessert somit die Raumakustik. Mit ihrer minimalistischen und zugleich prägnanten Form fügt sich Acoustic Pira Wall ideal in moderne Büro-, Hotel- oder Wohnräume ein. Diese Leuchte ist mehr als nur ein Wandlicht – sie ist ein architektonisches Element, das stimmungsvolles Licht und akustischen Komfort vereint.

Quickinfo

luminaire size	270×1000×53
system power	15W
luminous flux	902lm

Technical information



light distribution	360°	
luminous efficiency	61lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	2700K	● 2
	3000K	● 3
	4000K	● 4
frame color	black 9005	◆ 01
	white 9010	◆ 02
fabric color	ARCHI felt ecoPET color palette archixx – choose color from page 304	
		◆ archixx




Example

Pira Wall	standard power	3000K	frame black 9005	ARCHI felt color 1201 Cloud
↑	↑	↑	↑	↑
2176	01	2	9	3
		02	01	7
				archi1201
↓	↓	↓	↓	
one size	ON / OFF	luminaire white 9010	wall up & down	

Create my unique code!

2176 - 01 - 2 - ▲ - ● - ◆ - 01 - 7 - ◆



106
PET
BOTTLES

up to
4m²

ACOUSTIC
SURFACE



Hillock 2.0


EN Developing the Hillock 2.0 pendant luminaire series was aimed to provide excellent visual comfort in the workplace and achieve environmental and economic sustainability with adequate sound absorbing qualities. Each Hillock 2.0 is made of geometrically milled ecoPET panels, which, thanks to the tongue and groove assembly technique, do not require glue or screws. Pushing the material manufactured from recycled PET bottles to the limit of its shapeability, we accomplished a unique contemporary lampshade that exudes timeless aesthetics. The soft direct light it emits is evenly distributed and thus easy on the eyes.

DE Die Entwicklung der Pendelleuchterserie Hillock 2.0 zielte darauf ab, hervorragenden Optischen Komfort am Arbeitsplatz zu bieten und mit angemessenen schallabsorbierenden Eigenschaften ökologische und wirtschaftliche Nachhaltigkeit zu erreichen. Jeder Hillock 2.0 besteht aus geometrisch gefrästen ecoPET-Platten, die dank der Klicksystem weder Klebstoff noch Schrauben benötigen. Wir haben das aus recycelten PET-Flaschen hergestellte Material bis an die Grenze seiner Formbarkeit gebracht und einen einzigartigen, zeitgenössischen Lampenschirm geschaffen, der zeitlose Ästhetik ausstrahlt. Das sanfte, direkte Licht, das sie abgibt, ist gleichmäßig verteilt und schont somit die Augen.

Quickinfo

	L	■ 01	XL	■ 02
luminaire size	1000x380		1580x380	
light source size	Ø400x63		2 x Ø400x63	
system power	↓29W ↓38W	~1 ~3	2 x ↓29W 2 x ↓38W	~1 ~3
luminous flux	↓3300lm ↓4200lm		2 x ↓3300lm 2 x ↓4200lm	

Technical information



light distribution - down	120°
luminous efficiency	110lm/W
electrical control	ON/OFF ▲9 DALI ▲8
color temperature	3000K ●3 4000K ●4
luminaire color	white
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx - choose color from page 304

Create my unique code!




2130 - ■ - ~ - ▲ - ● - 02 - 00 - 2 - ◆

Example

Hillock 2.0
↑
2130 - 01 - 2 - 8 - 3 - 02 - 00 - 2 - archi1201

standard power
↑
3000K
↑
no frame
↑
ARCHI felt color 1201 Cloud
↑

size L
↓
DALI
↓
luminaire white
↓
pendant




58

PET BOTTLES

up to

2.20m²

ACOUSTIC SURFACE



Cone PET

EN The Cone PET is a contemporary pendant offering a generous amount of direct illumination for shared workspaces, chillout zones, and open-plan offices. The Cone PET luminaires present unusual esthetics and sound dampening properties to increase the sensation of privacy in open-plan offices. The lampshade made from sound-absorbing material from recycled ecoPET has a geometric milled pattern, which creates an exceptional chiaroscuro on the inner of the lampshade when the light is on. The luminaire comes in two sizes and multiple colors for your creatively designed office spaces.

DE Die Cone PET ist eine moderne Pendelleuchte, die eine großzügige Menge an direkter Beleuchtung für gemeinsam genutzte Arbeitsbereiche, Chillout-Zonen und Großraumbüros bietet. Die Cone PET-Leuchten bieten eine außergewöhnliche Ästhetik und schalldämpfende Eigenschaften, um das Gefühl der Privatsphäre in Großraumbüros zu erhöhen. Der Lampenschirm aus schallabsorbierendem Material aus recyceltem ecoPET hat ein geometrisches Fräsmuster, das bei eingeschaltetem Licht ein außergewöhnliches Hell-Dunkel auf der Innenseite des Lampenschirms erzeugt. Die Leuchte ist in zwei Größen und mehreren Farben für Ihre kreativ gestalteten Büroräume erhältlich.

Quickinfo

	Cone PET M ■ 01 Cone PET L ■ 02 Cone PET XL ■ 03
luminaire size	M Ø750×600 L Ø1000×450 XL Ø1100×200
light source size	Ø300
system power	↓8W
luminous flux	↓1050lm

Technical information

IP20

>90
CRI

SDCM
3

~230V

light distribution – down	150°
luminous efficiency	110lm/W
electrical control	ON / OFF
color temperature	3000K ● 3 4000K ● 4
luminaire color	black ★ 01 white ★ 02 silver ★ 04
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

Example

Cone PET

↑

2144

↓

size M

standard power

↑

01

↓

ON / OFF

4000K

↑

2

↓

luminaire black

no frame

↑

9

↓

pendant

ARCHI felt color 1201 Cloud

↑

4

↓

archi1201

01

↑

00

↓

00

↑

2

↓

archi1201


↑

2


↓

Create my unique code!

2144 – ■ – 2 – 9 – ● – ★ – 00 – 2 – ◆



76
PET
BOTTLES



up to
2.87 m²
ACOUSTIC
SURFACE

EN Acoustic Alpha Square is an oversized trapeze-shaped, highly effective office lamp made of sound-absorbing material from recycled PET bottles. The lamp design stands out with clean lines and a minimalist design. Alpha Square is made of sound-absorbing material made from recycled PET bottles, which is eco-friendly and helps reduce noise in the workplace. The Alpha Square luminaire provides bright and efficient lighting suitable for an office environment, with adjustable brightness settings to suit different needs. It uses LED technology to consume less energy and reduce environmental impact. The lamp is designed to be sturdy and durable, with a long lifespan and low maintenance requirements. The Alpha Square lamp can be controlled via a mobile app or remote control, allowing users to adjust the brightness and color temperature of the light to suit their needs.

DE Acoustic Alpha Square ist eine überdimensionale, trapezförmige, hocheffektive Büroleuchte aus schallabsorbierendem Material aus recycelten PET-Flaschen. Das Lampendesign zeichnet sich durch klare Linien und ein minimalistisches Design aus. Alpha Square besteht aus schallabsorbierendem Material aus recycelten PET-Flaschen, das umweltfreundlich ist und zur Reduzierung von Lärm am Arbeitsplatz beiträgt. Die Alpha Square-Leuchte bietet eine helle und effiziente Beleuchtung, die für eine Büroumgebung geeignet ist, mit einstellbaren Helligkeitseinstellungen, um verschiedenen Anforderungen gerecht zu werden. Es verwendet LED-Technologie, um weniger Energie zu verbrauchen und die Umweltbelastung zu reduzieren. Die Lampe ist robust und langlebig, mit langer Lebensdauer und geringem Wartungsaufwand. Die Alpha Square-Lampe kann über eine mobile App oder Fernbedienung gesteuert werden, sodass Benutzer die Helligkeit und Farbtemperatur des Lichts an ihre Bedürfnisse anpassen können.

Alpha Square standard power 4000 K no frame archi1201 color 1201 Cloud

↑ ↑ ↑ ↑ ↑

2148 - 01 - 2 - 8 - 4 - 02 - 00 - 2 - archi1201





↓ ↓ ↓ ↓

size M DALI luminaire white 9010 pendant

	Alpha Square M ■ 01	Alpha Square L ■ 02
luminaire size	660×660×385	860×860×530
light source size	320×320	600×600
system power	↓10W LO ~ 1 ↓15W ST ~ 2 ↓20W HI ~ 3	↓40W ~ 2
luminous flux	↓1200lm ↓1800lm ↓2400lm	↓4512lm
light distribution – down	150°	90°
UGR		<19

luminous efficiency	120lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	6000K	● 6
luminaire color	white	
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx

2148 - ■ - ~ - ▲ - ● - 02 - 00 - 2 - ◆





Alpha Duo

EN The Alpha Duo is a generously proportioned trapeze-shaped lamp, boasting a larger size than its counterparts. The lamp's design is crafted with simplicity in mind. Constructed from sound-absorbing material derived from recycled PET bottles, Alpha is both environmentally friendly and contributes to noise reduction in workspaces. This luminaire offers bright and efficient lighting ideal for office environments, featuring adjustable brightness settings to accommodate various needs. LED technology reduces energy consumption and has positive impact on environment.


DE Die Alpha Duo ist eine großzügig bemessene trapezförmige Leuchte, die größer ist als ihre Pendants. Das Design der Leuchte ist auf Schlichtheit ausgelegt. Hergestellt aus schallabsorbierendem Material, das aus recycelten PET-Flaschen gewonnen wird, ist Alpha umweltfreundlich und trägt zur Lärmreduzierung in Arbeitsräumen bei. Diese Leuchte bietet eine helle und effiziente Beleuchtung, die sich ideal für Büroumgebungen eignet, und verfügt über einstellbare Helligkeitseinstellungen, um verschiedenen Anforderungen gerecht zu werden. Die LED-Technologie reduziert den Energieverbrauch und hat positive Auswirkungen auf die Umwelt.

Example

Alpha Duo	standard power	4000K	no frame	ARCHI felt color 1201 Cloud
↑	↑	↑	↑	↑
2149 - 00 - 2 - 8 - 4 - 02 - 00 - 2 - archi1201				
↓	↓	↓	↓	
one size	DALI	luminaire white 9010	pendant	

Quickinfo	
luminaire size	660×1070×385
light source size	2 pcs 320×320
system power	2 × ±10W LO 2 × ±15W ST 2 × ±20W HI ~ 1 ~ 2 ~ 3
luminous flux	2 × ±1200lm 2 × ±1800lm 2 × ±2400lm
light distribution - down	150°



Technical information



luminous efficiency	120lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	6000K	● 6
luminaire color	white	
fabric color	ARCHI felt ecoPET color palette archixxx - choose color from page 304	◆ archixxx


Create my unique code!

2149 - 00 - ~ - ▲ - ● - 02 - 00 - 2 - ◆



65
PET
BOTTLES

up to
2.47 m²
ACOUSTIC
SURFACE



Alpha Triangle

DE Alpha Triangle ist eine moderne Leuchte mit einem eleganten prismenförmigen Design, das von der innovativen Acoustic Alpha inspiriert ist. Diese Leuchte verkörpert eine anspruchsvolle und geometrische Ästhetik. Die Silhouette, die an ein Prisma erinnert, strahlt mit ihren klaren Linien und der minimalistischen Struktur Modernität aus. Alpha Triangle wurde entwickelt, um eine helle und effiziente Beleuchtung zu liefern, was sie zu einer idealen Ergänzung für Büroumgebungen macht. Die einstellbaren Helligkeitsstufen passen sich den unterschiedlichen Bedürfnissen an und sorgen für ein individuelles und angenehmes Beleuchtungserlebnis. Durch den Einsatz modernster LED-Technologie ist diese Leuchte energieeffizient und schont so die Umwelt.

Alpha Triangle **standard power** **3000 K** **no frame** **ARCHI test color 1201 Cloud**

↑ ↑ ↑ ↑ ↑

2164 - 01 - 2 - 8 - 3 - 02 - 00 - 2 - archi1201

↓ ↓ ↓ ↓



size L **DALI** **luminaire** **pendant**

	Alpha Triangle L ■ 01	Alpha Triangle XL ■ 02
luminaire size	950 × 860 × 540	1150 × 1045 × 650
light source size	A Ø 320 × 57 B Ø 450 × 82	Ø 320 × 57 Ø 450 × 82
system power	A ⚡10W LO ~ 1 ⚡15W ST ~ 2 ⚡20W HI ~ 3 B 30W (⚡9W + ⚡21W)	
luminous flux	A ⚡1200lm ⚡1800lm ⚡2400lm B ⚡1000lm ⚡2100lm	
UGR	B < 19	< 19

		IP20	>90 CRI	SDCM 3	~230V
--	--	-------------	----------------------	------------------	--------------

light distribution – down	A	150°	
	B	95°	
light distribution – up	B	150°	
luminous efficiency	A	120 lm/W	
	B	110 lm/W	
electrical control		ON/OFF	▲ 9
		DALI	▲ 8
color temperature	A	3000 K	● 3
		4000 K	● 4
		6000 K	● 6
	B	3000 K	● 3
		4000 K	● 4
luminaire color	B	black	◆ 01
	A B	white	◆ 02
fabric color		ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx

2164 - 00 - ♪ - ▲ - ● - 02 - 00 - 2 - ◆



138 PET BOTTLES 

up to
5.20 m²
ACOUSTIC
SURFACE

Alpha Round

EN The Alpha Round acoustic luminaire is an oversized, highly effective office lamp in a tapered design, crafted from sound-absorbing material. The lamp's design is characterized by clean lines and a minimalistic design. The Alpha Round lampshade absorbs ambient sound thanks to its recycled PET bottle material, which is environmentally friendly and helps reduce noise in the workplace. The Alpha Round luminaire provides bright and efficient lighting suitable for the office environment, with adjustable brightness settings to suit various work needs. It utilizes LED technology to consume less energy and reduce environmental impact. The lamp is designed to be robust and durable, with a long lifespan and low maintenance requirements.

DE Die Akustikleuchte Alpha Round ist eine übergroße, hocheffektive Büroleuchte in Form eines sich verjüngenden Kreises aus schallabsorbierendem Material. Das Design der Leuchte zeichnet sich durch klare Linien und ein minimalistisches Design aus. Der Lampenschirm der Alpha Round absorbiert Umgebungsgeräusche dank seines Materials aus recycelten PET-Flaschen. Das ist umweltfreundlich und trägt zur Lärmreduzierung am Arbeitsplatz bei. Die Alpha Round bietet helle und effiziente Beleuchtung für die Büroumgebung mit einstellbaren Helligkeitsstufen für unterschiedliche Arbeitsanforderungen. Dank LED-Technologie verbraucht sie weniger Energie und schont die Umwelt. Die Leuchte ist robust und langlebig, hat eine lange Lebensdauer und ist wartungsarm.

Create my unique code!

2172 - ■ - ~ - ▲ - ○ - ♠ - * - 2 - ♦

Example

Alpha Round **standard power** **3000 K** **frame black 9005** **ARCHITest color 1201 Cloud**

↑ ↑ ↑ ↑ ↑

2172 - 01 - 2 - 9 - 3 - 02 - 01 - 2 - archi1201


↓ ↓ ↓ ↓

size S ON/OFF luminaire white 9010 pendant



Quickinfo

Alpha Round	S A ■ 01 S B ■ 02	M A ■ 03 M B ■ 04	L A ■ 04 L B ■ 06	XL A ■ 07 XL B ■ 08	XXL A ■ 09 XXL B ■ 10
luminaire size	Ø 600×430	Ø 800×480	Ø 1000×530	Ø 1200×580	Ø 1500×630
light source size	A Ø 450×82 B Ø 320×57	Ø 450×82 Ø 320×57	Ø 600×82 Ø 450×57	Ø 600×82 Ø 450×57	Ø 600×82 Ø 450×57
system power	A 30W ~1 9W ~2 21W ~3	30W ~1 9W ~2 21W ~3	48W ~1 14W ~2 34W ~3	48W ~1 14W ~2 34W ~3	48W ~1 14W ~2 34W ~3
	B 10W ~1 15W ~2 20W ~3	10W ~1 15W ~2 20W ~3	12W ~1 32W ~2 36W ~3	12W ~1 32W ~2 36W ~3	12W ~1 32W ~2 36W ~3
luminous flux	A 11000lm 2100lm	11000lm 2100lm	1750lm 3500lm	1750lm 3500lm	1750lm 3500lm
	B 1200lm 1800lm 2400lm	1200lm 1800lm 2400lm	3640lm 4160lm 4680lm	3640lm 4160lm 4680lm	3640lm 4160lm 4680lm
UGR	A <18	<18	<17	<17	<17
	B —	—	—	—	—

Technical information



light distribution – up	100°		
light distribution – down	95°		
luminous efficiency	130lm/W		
electrical control	ON/OFF		▲ 9
	DALI		▲ 8
color temperature	A	3000K ● 3 4000K ● 4	
	B	S/M L/XL/XXL	
		3000K ● 3 4000K ● 4 6000K ● 6	3000K ● 3 3500K ● 4 4000K ● 6
luminaire color	A	black 9005 white 9010	● 01 ● 02
	B	white 9010	● 02
frame color		black 9005 white 9010	* 01 * 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304		◆ archixxx



127
PET
BOTTLES

up to
4.80m²
ACOUSTIC
SURFACE



Roller PET

EN Roller PET is a modern ceiling luminaire with a classic cylindrical shape, crafted from eco-friendly PET felt made from recycled plastic bottles. Its clean and timeless form makes it a versatile choice for a variety of interiors – from office spaces to lounges and hotel lobbies. Available in four sizes and offering eight different lighting options, Roller PET provides exceptional flexibility in both lighting design and functionality. Whether used as a primary light source or for ambient decorative lighting, it adapts easily to the needs of each space. The PET material not only adds character and texture to the lamp but also improves room acoustics by reducing ambient noise.

DE Roller PET ist eine moderne Deckenleuchte mit klassischer, zylindrischer Form, gefertigt aus umweltfreundlichem PET-Filz, der aus recycelten Kunststoffflaschen stammt. Das schlichte, zeitlose Design macht die Leuchte zu einer vielseitigen Lösung für Büros, Lounges, Empfangsbereiche und mehr. Erhältlich in vier Größen und mit acht verschiedenen Lichtmodulen, bietet Roller PET maximale Flexibilität für unterschiedliche Beleuchtungsanforderungen – sei es als Hauptlichtquelle oder als stimmungsvolle Zusatzbeleuchtung. Das PET-Material verleiht der Leuchte nicht nur eine besondere Haptik und Optik, sondern trägt auch zur Verbesserung der Raumakustik bei, indem es Umgebungsgeräusche dämpft.

Example

Roller
PET

standard
power

3000K

frame
black 9005

ARCHI felt
color 1201
Cloud

2177 - 01 - 2 - 9 - 3 - 02 - 01 - 3 - archi1201

size
SA


ON / OFF

luminaire
white 9010

pendant
up & down



Quickinfo				
Roller PET	SA ■ 01 SB ■ 02	MA ■ 03 MB ■ 04	LA ■ 05 LB ■ 06	XLA ■ 07 XLB ■ 08
luminaire size	Ø800×400	Ø1000×450	Ø1200×500	Ø1500×550
light source size	A Ø450×82 B Ø320×57	Ø600×82 Ø450×57	Ø600×82 Ø450×57	Ø600×82 Ø450×57
system power	A 30W B ↕10W ~1 ↕15W ~2 ↕20W ~3	48W ↕28W ~1 ↕32W ~2 ↕36W ~3	48W ↕28W ~1 ↕32W ~2 ↕36W ~3	48W ↕28W ~1 ↕32W ~2 ↕36W ~3
luminous flux	A ↗1000lm ↘2100lm B ↗1200lm ↘1800lm ↘2400lm	↗1750lm ↘3500lm ↗3640lm ↘4160lm ↘4680lm	↗1750lm ↘3500lm ↗3640lm ↘4160lm ↘4680lm	↗1750lm ↘3500lm ↗3640lm ↘4160lm ↘4680lm
UGR	A <18 B —	<17 —	<17 —	<17 —

Technical information



light distribution - up	100°			
light distribution - down	95°			
luminous efficiency	130lm/W			
electrical control	ON/OFF			▲ 9
	DALI			▲ 8
color temperature	A	3000 K	● 3	
		4000 K	● 4	
	B	M/L/XL		
		3000 K	● 3	● 3
		4000 K	● 4	● 4
		6000 K	● 6	● 6
luminaire color	A	black 9005	◆ 01	
		white 9010	◆ 02	
	B	white 9010	◆ 02	
frame color		black 9005	* 01	
		white 9010	* 02	
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304			◆ archixxx

Create my unique code!
2177 - ■ - ~ - ▲ - ● - ☆ - * - 3 - ◆



53

PET BOTTLES

up to

1.00m²

ACOUSTIC SURFACE



Pet Ring

EN With its minimalist design and precise craftsmanship, the Pet Ring luminaire impresses with its elegant appearance and refined texture. Available in three diameters – 655 mm, 905 mm, and 1205 mm – it offers versatile adaptability to various spaces. The UGR factor is below 6, ensuring visual comfort.

The well-thought-out construction facilitates pendant mounting and allows for flexible customization to individual needs. The luminaire is made from eco-friendly ecoPET material, aluminum profile, and PC, combining durability with modern design.

DE Mit ihrem minimalistischen Design und der präzisen Verarbeitung beeindruckt die Pet Ring Leuchte durch ihre elegante Optik und raffinierte Haptik. Erhältlich in drei Durchmessern – 655 mm, 905 mm und 1205 mm – bietet sie vielseitige Anpassungsmöglichkeiten an unterschiedliche Raumgegebenheiten. Der UGR-Wert liegt unter 6 und sorgt so für visuellen Komfort.

Die durchdachte Konstruktion ermöglicht eine Pendelmontage und flexible Anpassung an individuelle Anforderungen. Die Leuchte besteht aus umweltfreundlichem ecoPET-Material, Aluminiumprofil und Polycarbonat (PC) und vereint somit Langlebigkeit mit modernem Design.

Example

Pet Ring

↑

2170

↓

size S

standard power

↑

01

↓

ON / OFF

tunable white

↑

2

↓

luminaire black 9005

no frame

↑

9

↓

pendant up & down

ARCHI felt color 1201 Cloud

↑

9

↓

↑

01

↓

↑

00

↓

↑

3

↓

↑

archi1201

↓

Quickinfo

	Pet Ring S ■ 01	Pet Ring M ■ 02	Pet Ring L ■ 03
luminaire size	655×38	905×38	1205×38
system power	↑36W ↓24W	↑48W ↓32W	↑72W ↓48W
luminous flux	↑5900lm ↓3100lm	↑7800lm ↓4200lm	↑11400lm ↓6000lm
UGR	<6	<6	<6



Technical information



light distribution – up	115°
light distribution – down	60°
luminous efficiency	145lm/W
electrical control	ON/OFF ▲ 9 DALI ▲ 8
color temperature	tunable white (3000K–6000K) ● 9
life time	L80 (B10) 50,000H
luminaire color	black 9005 ◆ 01 white 9010 ◆ 02
fabric color	ARCHI felt ecoPET color palette archixx – choose color from page 304 ◆ archixx

Create my unique code!

2170 – ■ – 2 – ▲ – ● – ◆ – 00 – 3 – ◆





Linea

EN While creating Linea, we aimed to develop a luminaire that allows users to focus on work. The positive side effect was an increase in productivity and a decrease in stress levels of office workers. The result was a lamp that harmoniously solves open spaces' acoustic problems and illuminates work zones. Linea is a uniquely designed three-layer acoustic horizontal panel with high-quality linear lighting that is subtly blended in the middle of this XXL luminaire. This acoustic luminaire is made of ecoPET, a recycled PET bottle material with exceptional sound absorption properties that supports sustainability.

DE Bei der Entwicklung von Linea wollten wir eine Lampe entwickeln, die es den Benutzern ermöglicht, sich auf die Arbeit zu konzentrieren. Der positive Nebeneffekt war eine Steigerung der Produktivität und eine Verringerung des Stresslevels der Büroangestellten. Das Ergebnis war eine Leuchte, die die akustischen Probleme offener Räume harmonisch löst und Arbeitszonen beleuchtet. Linea ist ein einzigartig gestaltetes dreischichtiges horizontales Akustikpaneel mit hochwertiger linearer Beleuchtung, die sich subtil in die Mitte dieser XXL-Leuchte einfügt. Diese akustische Lampe besteht aus ecoPET, einem recycelten PET-Flaschenmaterial mit außergewöhnlichen Schallabsorptionseigenschaften, das die Nachhaltigkeit unterstützt.

Create my unique code!

2143 - ■ - ~ - ▲ - ● - ★ - * - 2 - ◆

Example

Linea
↑
2143 - 01 - 2 - 8 - 4 - 01 - 20 - 2 - archi1201

standard power
↑
DALI

4000K
↑
luminaire black 9005


dark optics 65° with black reflector
↑
pendant

ARCHI felt color 1201 Cloud
↑
archi1201

Quickinfo



	S ■ 01	M ■ 02	L ■ 03
luminaire size	1474×340×58	1754×340×58	2034×340×58
light source size	1134×28	1414×28	1694×28
system power	↓19.6W*	↓24.5W*	↓29.4W*
luminous flux	↓2234lm*	↓2792lm*	↓3351lm*

Technical information



lighting power	low	~ 1			
	standard	~ 2			
	high	~ 3			
light distribution – down	120° opal				
	60° microprismatic				
	65° dark optics				
	55° dark optics				
luminous efficiency	LO	ST	HI		
	65°	118lm/W	113lm/W	108lm/W	*
	55°	117lm/W	112lm/W	107lm/W	*
electrical control	ON / OFF	▲ 9			
	DALI	▲ 8			
color temperature	3000K	● 3			
	4000K	● 4			
	on request: TUNABLE WHITE	● 9			
luminaire color	black 9005	■ 01			
	white 9010	■ 02			
optics	opal	* 10			
	microprismatic	* 11			
	dark optics 65° (black reflector)	* 20			
	dark optics 65° (white reflector)	* 21			
	dark optics 65° (silver reflector)	* 22			
	dark optics 55° (black reflector)	* 23			
	dark optics 55° (white reflector)	* 24			
	dark optics 55° (silver reflector)	* 25			
fabric color	ARCHI felt ecoPET color palette	◆ archixxx			
	archixxx – choose color from page 304				


* Photometric data: dark optics 65°, white reflector, 4000K



64
PET
BOTTLES

PET THICKNESS
36 mm

up to
2.4 m²
ACOUSTIC
SURFACE



Linea Deco

EN Linea Deco is a decorative version of the popular acoustic luminaire Linea, designed for more ambient and representative spaces. Instead of linear lighting, it features three elegantly placed spherical glass light sources that create a soft, atmospheric glow and a refined visual accent. The lamp retains its iconic three-layer horizontal panel made from ecoPET – a recycled PET bottle material known for its excellent sound-absorbing properties and recyclability. This makes Linea Deco not only a visual highlight but also an acoustic enhancement that reduces echo and ambient noise. By combining decorative lighting with effective sound control, Linea Deco is ideal for lounge areas, hotel lobbies, reception zones, and modern meeting spaces where comfort meets design.

DE Linea Deco ist die dekorative Variante der bekannten akustischen Leuchte Linea, speziell entworfen für stimmungsvolle und repräsentative Räume. Anstelle des linearen Lichts verfügt sie über drei elegant platzierte kugelförmige Lichtquellen aus Glas, die ein sanftes, atmosphärisches Licht erzeugen und dem Raum eine besondere Note verleihen. Die Leuchte basiert auf dem markanten, dreischichtigen Horizontalpanel aus ecoPET – einem recycelten Material aus PET-Flaschen mit hervorragenden schallabsorbierenden Eigenschaften, das vollständig wiederverwertbar ist. Linea Deco verbessert somit nicht nur die Raumästhetik, sondern auch die Akustik durch die Reduzierung von Nachhall und Lärm. Durch die Kombination von dekorativem Licht und akustischer Funktionalität eignet sich Linea Deco ideal für Lounges, Hotellobbys, Empfangsbereiche und moderne Besprechungsräume, in denen Komfort und Design Hand in Hand gehen.

Example

Linea
Deco

↑

2173 - 00 - 2 - 9 - 3 - 00 - 00 - 2 - archi1201

↓

one
size

standard
power

↑

3000 K

↓

ON / OFF

no frame

↑

no color

↓

no color

ARCHI felt
color 1201
Cloud

↑



archi1201

↓

pendant

Quickinfo	
luminaire size	1195×500×61
light source size	Ø120
system power	3×12 W (3×G9)
Technical information	
    	
light distribution - down	150°
electrical control	ON / OFF ▲ 9
color temperature	3000 K ● 3
	4000 K ● 4
fabric color	ARCHI felt ecoPET color palette ◆ archixxx
	archixxx – choose color from page 304

Create my unique code!
2173 - 00 - 2 - ▲ - ● - 00 - 00 - 2 - ◆



254
PET
BOTTLES

PET THICKNESS
24 mm

up to
4.80 m²
ACOUSTIC
SURFACE



Easy Round

EN Easy Round acoustic lamp is a functional and versatile lighting solution designed specifically for office environments. Its design emphasizes simplicity and functionality while addressing both lighting and noise absorption needs. The lamp's construction comprises two PET panels, which contribute to its thickness and help reduce ambient noise in the office environment. By absorbing sound waves, the lamp assists in creating a quieter and more conducive workspace. The high-quality lighting provided by the Easy Round lamp is a significant feature. One notable aspect of the lamp's design is its flat horizontal structure. This design attribute allows the light to be distributed at a wide angle, which can effectively illuminate a larger area.

DE Die Easy Round Akustikleuchte ist eine funktionelle und vielseitige Beleuchtungslösung, die speziell für Büroumgebungen entwickelt wurde. Ihr Design betont Einfachheit und Funktionalität und erfüllt gleichzeitig die Anforderungen an Beleuchtung und Geräuschkämpfung. Die Konstruktion der Lampe besteht aus zwei PET-Paneelen, die zu ihrer Dicke beitragen und helfen, den Umgebungslärm in der Büroumgebung zu reduzieren. Durch die Absorption von Schallwellen trägt die Lampe dazu bei, einen ruhigeren und angenehmeren Arbeitsplatz zu schaffen. Die hohe Lichtqualität der Easy Round Lampe ist ein wichtiges Merkmal. Ein bemerkenswerter Aspekt des Lampendesigns ist die flache horizontale Struktur. Dieses Designmerkmal ermöglicht es, das Licht in einem weiten Winkel zu verteilen, wodurch ein größerer Bereich effektiv beleuchtet werden kann.

Create my unique code!

2158 - ■ - ~ - ▲ - ● - ◆ - 00 - 2 - ◆


Example

Easy Round standard power 4000K no frame ARCHI felt color 1201 Cloud
↑ ↑ ↑ ↑ ↑
2158 - 01 - 2 - 8 - 4 - 02 - 00 - 2 - archi1201
↓ ↓ ↓ ↓
size SA DALI luminaire white 9010 pendant


Quickinfo

	SA ■ 01 SB ■ 02	MA ■ 03 MB ■ 04	LA ■ 05 LB ■ 06	XLA ■ 07 XLB ■ 08
luminaire size	Ø1000	Ø1150	Ø1450	Ø1780
light source size	A Ø320×57 B Ø450×82	Ø320×57 Ø450×82	Ø450×70 Ø600×82	Ø450×70 Ø600×82
UGR	A — B <18	— <18	— <17	— <17

Technical information




system power	A S / M	±10W ±15W ±20W	~ 1 ~ 2 ~ 3
	A L / XL	±28W ±32W ±36W	~ 1 ~ 2 ~ 3
	B S / M	30W (±9W ±21W)	
	B L / XL	48W (±14W ±34W)	
luminous flux	A S / M	±1200lm ±1800lm ±2400lm	
	A L / XL	±3360lm ±3840lm ±4320lm	
	B S / M	±1000lm ±2100lm	
	B L / XL	±1750lm ±3500lm	
light distribution - down	A S / M / L / XL	150°	
	B S / M / L / XL	95°	
luminous efficiency	A S / M / L / XL	120lm/W	
	B S / M	110lm/W	
	B L / XL	116lm/W	
electrical control		ON/OFF ▲ 9 DALI ▲ 8	
color temperature	A S / M / L / XL	3000K ● 3 4000K ● 4 6000K ● 6	
	B S / M / L / XL	3000K ● 3 4000K ● 4	
luminaire color	A S / M / L / XL	white ◆ 02	
	B S / M / L / XL	black ◆ 01 white ◆ 02	
fabric color		ARCHI felt ecoPET color palette archixx - choose color from page 304 ◆ archixx	



258 PET BOTTLES 

PET THICKNESS
24mm

up to
4.88 m²
ACOUSTIC
SURFACE



Easy Edge Line

DE Acoustic Easy Edge Line zeichnet sich durch eine Kombination aus Schlichtheit, hervorragenden akustischen Eigenschaften und hochwertiger Beleuchtung aus. Ihr Design zeigt eine Wertschätzung für Minimalismus und Funktionalität, was sie zu einer ansprechenden Option für verschiedene Büroumgebungen macht. Die Verwendung von doppelten PET-Platten aus recycelten PET-Flaschen ist nicht nur ein Zeichen für Nachhaltigkeit, sondern trägt auch zu den außergewöhnlichen akustischen Eigenschaften der Leuchte bei. Die Verfügbarkeit verschiedener Größen für die Leuchte ist eine durchdachte Ergänzung, die es Unternehmen ermöglicht, die Beleuchtungslösung an ihre spezifischen Büroanforderungen anzupassen.

2159 - ■ - ~ - ▲ - ○ - ♠ - * - 2 - ♦


Easy Edge Line standard power 4000K dark optics 65°
 ↑ ↑ ↑ ↑
2159 - 01 - 2 - 8 - 4 - 02 - 20 - 2 - archi1201
 ↓ ↓ ↓ ↓
size S A DALI luminaire white 9010 pendant

Easy Edge Line	SA ■ 01 SB ■ 02	M ■ 03	L ■ 04	XL ■ 05
luminaire size	1150x1150x54	1150x1450x54	1150x1800x54	1150x2380x54
light source size	A 854x28x40 B 2 pcs 854x28x40	1134x28x40	1414x28x40	1694x28x40
system power	A ↓14.7W B ↓29.4W	↓19.6W	↓24.5W	↓29.4W
luminous flux	A ↓1675lm B ↓3350lm	↓2234lm	↓2792lm	↓3350lm

		IP20	>90 CRI	<19 UGR	SDCM 3	~230V
--	--	-------------	----------------------	----------------------	-------------------------	--------------

lighting power	low	~ 1			
	standard	~ 2			
	high	~ 3			
light distribution – down	120° opal				
	60° microprismatic				
	65° dark optics				
	55° dark optics				
luminous efficiency	LO	ST	HI		
	65°	118lm/W	113lm/W	108lm/W	*
	55°	117lm/W	112lm/W	107lm/W	*
electrical control	ON / OFF	▲ 9			
	DALI	▲ 8			
color temperature	3000 K	● 3			
	4000 K	● 4			
	on request: TUNABLE WHITE	● 9			
housing color	black 9005	■ 01			
	white 9010	■ 02			
on request:	RAL color palette	■ 99			
optics	opal	✱ 10			
	microprismatic	✱ 11			
	dark optics 65° (black reflector)	✱ 20			
	dark optics 65° (white reflector)	✱ 21			
	dark optics 65° (silver reflector)	✱ 22			
	dark optics 55° (black reflector)	✱ 23			
	dark optics 55° (white reflector)	✱ 24			
	dark optics 55° (silver reflector)	✱ 25			
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx			

* Photometric data: dark optics 65°, white




On request we can produce it in other sizes!

231 PET BOTTLES

PET THICKNESS 24 mm

up to 4.37 m² ACOUSTIC SURFACE



Easy Edge Panel

EN The Acoustic Easy Edge Panel lamp truly stands out with its combination of simplicity, outstanding acoustic qualities, and high-quality lighting. Its design showcases an appreciation for minimalism and functionality, making it an appealing option for various office settings. The use of double PET panels made from recycled PET bottles not only demonstrates a commitment to sustainability but also contributes to the lamp's exceptional acoustic properties. The availability of different sizes for the lamp is a thoughtful addition, allowing businesses to tailor the lighting solution to their specific office needs.

DE Die Acoustic Easy Edge Panel-Lampe zeichnet sich durch eine Kombination aus Einfachheit, hervorragenden akustischen Eigenschaften und hochwertiger Beleuchtung aus. Ihr Design zeigt eine Wertschätzung für Minimalismus und Funktionalität, was sie zu einer ansprechenden Option für verschiedene Büroumgebungen macht. Die Verwendung von doppelten PET-Paneele aus recycelten PET-Flaschen zeugt nicht nur von einem Engagement für Nachhaltigkeit, sondern trägt auch zu den außergewöhnlichen akustischen Eigenschaften der Leuchte bei. Die Verfügbarkeit verschiedener Größen für die Leuchte ist eine durchdachte Ergänzung, die es Unternehmen ermöglicht, die Beleuchtungslösung an ihre spezifischen Büroanforderungen anzupassen.

Example

Easy Edge Panel

standard power

4000K

no frame

ARCHI felt color 1201 Cloud

2160 - 01 - 2 - 8 - 4 - 02 - 00 - 2 - archi1201

size SA


DALI

luminaire white 9010

pendant

Quickinfo				
Easy Edge Panel	SA ■ 01 SB ■ 02	M ■ 03	L ■ 04	XL ■ 05
luminaire size	A 1150x1150x65 B 1150x1150x54	1150x1450x65	1150x1800x65	1150x2380x65
light source size	A 320x320x57 B 600x600x31	2 pcs 320x320x57	2 pcs 320x320x57	3 pcs 320x320x57
UGR	B <19			




Technical information



system power	S		M / L		XL	
A	↓10W	~ 1	↓20W	~ 1	↓30W	~ 1
	↓15W	~ 2	↓35W	~ 2	↓45W	~ 2
	↓20W	~ 3	↓40W	~ 3	↓60W	~ 3
	B 40W ~ 2					
luminous flux	S		M / L		XL	
A	↓1200lm		↓2400lm		↓3600lm	
	↓1800lm		↓3600lm		↓4400lm	
	↓2400lm		↓4800lm		↓7200lm	
	B ↓4500lm					
light distribution - down	A	S / M / L / XL		150°		
	B	S		90°		
luminous efficiency	A	S / M / L / XL		120lm/W		
	B	S		110lm/W		
electrical control					ON / OFF	▲ 9
					DALI	▲ 8
color temperature	A	S / M / L / XL		3000K	● 3	
				4000K	● 4	
				6000K	● 6	
	B	S	3000K	● 3		
			4000K	● 4		
luminaire color				white	● 02	
fabric color	ARCHI felt ecoPET color palette archixxx - choose color from page 304			◆ archixxx		

Create my unique code!

2160 - ■ - ~ - ▲ - ● - 02 - 00 - 2 - ◆



26
PET
BOTTLES

up to
0.50 m²
ACOUSTIC
SURFACE




Easy Floor

DE Es ist eine akustische Stehleuchte in modernem und minimalistischem Stil. Integrierte druckgegossene Elemente und ein ultradünner 23-mm-Lampenkopf gewährleisten eine gute Wärmeableitung und ein elegantes Erscheinungsbild. Die Gleichmäßigkeit der Schreibtischbeleuchtung $UO > 0,7$. Das interaktive Bedienfeld ermöglicht die unabhängige Steuerung von direkter und indirekter Beleuchtung. Sie besteht aus Aluminium und dem akustischen Material ecoPET.

Quickinfo

luminaire size	880×420×2010
light source size	160×670
system power	100W (↑88W ↓12W)
luminous flux	13 000lm (↑11 500lm ↓1500lm)

Technical information




mounting type	free-standing
light distribution - up	100° asymmetric optics
light distribution - down	70° asymmetric optics
luminous efficiency	130lm/W
dimming	touch panel dimming
sensor	presence & day light sensor
color temperature	tunable white (3000K-5700K)
life time	L80(B10) 50,000H
luminaire color	white 9010
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

Example

Easy Floor standard power tunable white no frame ARCHI felt color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2168 - 00 - 2 - 6 - 9 - 02 - 00 - 8 - archi1201
 ↓ ↓ ↓ ↓
 one size touch panel dimming luminaire white 9010 free standing

Create my unique code!

2168 - 00 - 2 - 6 - 9 - 02 - 00 - 8 - ◆



21 PET BOTTLES

up to 0.80 m²

ACOUSTIC SURFACE



Tent

EN TENT is a linear luminaire with a minimalist form and outstanding lighting performance, designed for modern office environments. Its gently curved shape features an upper section made of PET acoustic material, shaped like a soft canopy, which enhances both the lamp's aesthetics and the room's acoustics. The lower part provides a uniform and comfortable light with excellent efficiency and a low Unified Glare Rating (UGR<19), ensuring optimal visual comfort for focused tasks and screen work. TENT seamlessly blends functionality with understated design, making it ideal for open-plan offices, meeting rooms, or executive spaces. This is a lighting solution where performance meets acoustic value and clean design.

DE TENT ist eine lineare Leuchte mit minimalistischer Form und hervorragender Lichtleistung – ideal für moderne Büroräumgebungen. Die sanft gerundete Oberseite, gefertigt aus schallabsorbierendem PET-Material in Form eines kleinen Dachs, verbindet Ästhetik mit akustischem Mehrwert. Die Unterseite der Leuchte sorgt für eine gleichmäßige, blendfreie Ausleuchtung (UGR<19) bei hoher Lichtausbeute – perfekt für konzentriertes Arbeiten am Bildschirm. TENT vereint Effizienz, akustische Funktionalität und zeitlose Zurückhaltung und eignet sich ideal für Großraumbüros, Besprechungsräume oder Chefetagen. Eine Lichtlösung, bei der Technik, Design und Raumkomfort Hand in Hand gehen.

Create my unique code!

2179 - ■ - ~ - ▲ - ● - ◆ - * - 2 - ◆

Example

Tent
↑
2179 - 01 - 2 - 9 - 3 - 02 - 20 - 2 - archi1201

standard power
↑
ON / OFF

3000 K
↑
luminaire white 9010


dark optics 65° with black reflector
↑
pendant

ARCHI felt color 1201 Cloud
↑
archi1201

Quickinfo



	S ■ 01	M ■ 02	L ■ 03
luminaire size	1176×164×90	1456×164×90	1736×164×90
light source size	1176×30	1456×30	1736×30
system power	LO 9.6W ST 19.9W HI 30W	12W 24.5W 37.5W	14.4W 29.4W 45W
luminous flux	LO 1141lm ST 2234lm HI 3259lm	1427lm 2792lm 4074lm	1712lm 3351lm 4889lm


Technical information



lighting power	LO low ST standard HI high	~ 1 ~ 2 ~ 3
light distribution - down	120° opal 60° microprismatic 65° dark optics 55° dark optics	
luminous efficiency	LO ST HI 65° 118lm/W 113lm/W 108lm/W 55° 117lm/W 112lm/W 107lm/W	* *
electrical control	ON / OFF DALI	▲ 9 ▲ 8
color temperature	3000 K 4000 K	● 3 ● 4
luminaire color	black 9005 white 9010	◆ 01 ◆ 02
optics	microprismatic dark optics 65° (black reflector) dark optics 65° (white reflector) dark optics 65° (silver reflector) dark optics 55° (black reflector) dark optics 55° (white reflector) dark optics 55° (silver reflector)	* 11 * 20 * 21 * 22 * 23 * 24 * 25
fabric color	ARCHI felt ecoPET color palette archixx - choose color from page 304	◆ archixx

* Photometric data: dark optics 65°, white reflector, 4000 K





Fold

EN The Fold is a pendant lamp that is both a professional light source and a high sound-absorbing acoustic panel. The lamp is equipped with a powerful and energy-efficient linear light fitting. It is only 28 mm wide and incorporates an additional dark optic shutter. The professional quality of the light makes it perfect for office spaces. The high acoustic performance of the lamp makes it a perfect match for demanding spaces. When hung above a desk in an open-office type space, it creates optimal working conditions. It is made from ecoPET – synthetic felt panels manufactured from recycled PET bottles. ecoPET is non-flammable and is characterised by high durability and easy maintenance. It is created from recycled material and is possible to be recycled again.

DE Die Fold ist eine Pendelleuchte, die sowohl eine professionelle Lichtquelle als auch ein hochschallabsorbierendes Akustikpaneel ist. Die Leuchte ist mit einer leistungsstarken und energieeffizienten Linearleuchte ausgestattet. Es ist nur 28mm breit und verfügt über einen zusätzlichen Dark-Optic-Shutter. Die professionelle Qualität des Lichts macht es perfekt für Büroräume. Die hohe akustische Leistung der Lampe macht sie zu einer perfekten Ergänzung für anspruchsvolle Räume. Über einem Schreibtisch in einem Großraumbüro aufgehängt, schafft er optimale Arbeitsbedingungen. Es besteht aus ecoPET – synthetischen Filz, der aus recycelten PET-Flaschen hergestellt wird. ecoPET ist nicht brennbar und zeichnet sich durch hohe Haltbarkeit und einfache Pflege aus. Es wird aus recyceltem Material hergestellt und kann wieder recycelt werden.

Example

Fold
↑
2125 – 00 – 2 – 8 – 4 – 01 – 20 – 2 – archi1201

standard power
↑
↓
one size

4000K
↑
↓
DALI


dark optics 65° with black reflector
↑
↓
luminaire black 9005

ARCHI felt color 1201 Cloud
↑
↓
pendant

Quickinfo

luminaire size	1250×400×120
light source size	1134×28
system power	419.6W*
luminous flux	42234lm*
UGR	<19

Technical information



light distribution – down	120° opal			
	60° microprismatic			
	65° dark optics			
	55° dark optics			
luminous efficiency	LO	ST	HI	
	65°	118lm/W	113lm/W	108lm/W
	55°	117lm/W	112lm/W	107lm/W
electrical control	ON / OFF			
	DALI			
color temperature	3000 K			
	4000 K			
	on request: TUNABLE WHITE			
	luminaire color			
optics	black 9005			
	white 9010			
	opal			
	microprismatic			
	dark optics 65° (black reflector)			
	dark optics 65° (white reflector)			
	dark optics 65° (silver reflector)			
	dark optics 55° (black reflector)			
	dark optics 55° (white reflector)			
fabric color	dark optics 55° (silver reflector)			
	ARCHI felt ecoPET color palette			
	archixxx – choose color from page 304			


* Photometric data: dark optics 65°, white reflector, 4000K

Create my unique code!



2125 – 00 – ~ – ▲ – ● – ◆ – * – 2 – ◆



SHOWROOM MUNICH KUSCH+CO NOWY STYL



On request we can produce it in other sizes!





Blade 2.0


EN Acoustic Blade 2.0 is an extraordinary acoustic luminaire. By using a PET panel with a large surface area, we have created a lamp that absorbs and isolates a significant proportion of ambient sounds. Due to its form, it can also serve as a partial barrier in open-plan offices. The lamp is equipped with high-quality light sources, making it a perfect fit for workplaces.

DE Acoustic Blade 2.0 ist eine Akustiklampe der besonderen Art. Dank des großflächigen PET-Moduls absorbiert und isoliert diese Lampe einen großen Teil der Umgebungsgeräusche. Aufgrund der Form kann das Modell auch als eine Art Teiltrennwand in Open Space-Büroräumen eingesetzt werden. Die Lampe ist mit hochwertigen Lichtquellen ausgestattet und eignet sich daher ideal für den Arbeitsplatz.

Quickinfo

	Blade 2.0 M  01	Blade 2.0 XL  02
luminaire size	1190×390×53	1750×290×53
light source size	1134×28	1694×28
system power	↓19.6 W*	↓29.4 W*
luminous flux	↓2234 lm*	↓3351 lm*
UGR	<19	<19

Technical information





light distribution – down	120° opal			
	60° microprismatic			
	65° dark optics			
	55° dark optics			
luminous efficiency	LO	ST	HI	
	65°	118lm/W	113lm/W	108lm/W
	55°	117lm/W	112lm/W	107lm/W
electrical control	ON/OFF		▲ 9	
	DALI		▲ 8	
color temperature	3000 K		● 3	
	4000 K		● 4	
	on request:	TUNABLE WHITE	● 9	
luminaire color	black 9005		■ 01	
	white 9010		■ 02	
optics	opal		★ 10	
	microprismatic		★ 11	
	dark optics 65° (black reflector)		★ 20	
	dark optics 65° (white reflector)		★ 21	
	dark optics 65° (silver reflector)		★ 22	
	dark optics 55° (black reflector)		★ 23	
	dark optics 55° (white reflector)		★ 24	
	dark optics 55° (silver reflector)		★ 25	
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304		◆ archixxx	

* Photometric data: dark optics 65°, white reflector, 4000 K

Create my unique code!

2114 - ■ - ~ - ▲ - ○ - ♠ - * - 2 - ♦

**ING KATOWICE** MAŁECCY BIURO PROJEKTOWE

On request we can produce it in other sizes!

On request upward & downward light distribution possible.



Blade X / Blade Y

EN Blade X and Blade Y are innovative acoustic luminaires designed to address both lighting and sound-absorption needs in various environments, particularly open-plan offices. The X and Y shaped designs, created with three and four PET panels respectively, highlight their unique structure, which allows for efficient absorption of ambient noise. These panels likely consist of sound-absorbing materials to help dampen and minimize unwanted sound reflections, contributing to a quieter and more focused work environment. These luminaires offer high-quality light sources alongside their acoustic features. This means they can provide effective illumination for multiple workstations.

DE Blade X und Blade Y sind innovative Akustikleuchten, die sowohl den Anforderungen an die Beleuchtung als auch an die Schallabsorption in verschiedenen Umgebungen, insbesondere in Großraumbüros, gerecht werden. Die X- und Y-förmigen Designs, die aus drei bzw. vier PET-Paneeelen bestehen, heben ihre einzigartige Struktur hervor, die eine effiziente Absorption von Umgebungsgeräuschen ermöglicht. Diese Paneele bestehen wahrscheinlich aus schallabsorbierenden Materialien, die unerwünschte Schallreflexionen dämpfen und minimieren und so zu einer ruhigeren und konzentrierteren Arbeitsumgebung beitragen. Diese Leuchten bieten neben ihren akustischen Eigenschaften auch hochwertige Lichtquellen. Das bedeutet, dass sie eine effektive Beleuchtung für mehrere Arbeitsplätze bieten können.

Create my unique code!

Blade X 2152 - 00 - ~ - ~ - ~ - ~ - ~ - ~ - 2 - ~

Blade Y 2153 - 00 - ~ - ~ - ~ - ~ - ~ - ~ - 2 - ~


Example

Blade X	standard power	4000K	dark optics 65° with black reflector	ARCHI felt color 1201 Cloud
↑	↑	↑	↑	↑
2152 - 00 - 2 - 8 - 4 - 01 - 20 - 2 - archi1201				
↓	↓	↓	↓	↓
one size	DALI	luminaire black 9005	pendant	

Quickinfo




	Blade X	Blade Y
luminaire size	1240×1240×390	1035×1035×390
light source size	4 × 560×28	3 × 560×28
system power	↓39.6W*	↓29.7W*
luminous flux	↓4468lm*	↓3351lm*

Technical information



lighting power	low	~ 1			
	standard	~ 2			
	high	~ 3			
light distribution – down	120° opal				
	60° microprismatic				
	65° dark optics				
	55° dark optics				
luminous efficiency	LO	ST	HI		
	65°	118lm/W	113lm/W	108lm/W	*
	55°	117lm/W	112lm/W	107lm/W	*
electrical control	ON / OFF	▲ 9			
	DALI	▲ 8			
color temperature	3000K	● 3			
	4000K	● 4			
on request:	TUNABLE WHITE	● 9			
luminaire color	black 9005	● 01			
	white 9010	● 02			
optics	opal	* 10			
	microprismatic	* 11			
	dark optics 65° (black reflector)	* 20			
	dark optics 65° (white reflector)	* 21			
	dark optics 65° (silver reflector)	* 22			
	dark optics 55° (black reflector)	* 23			
	dark optics 55° (white reflector)	* 24			
	dark optics 55° (silver reflector)	* 25			
fabric color	ARCHI felt ecoPET color palette	◆ archixxx			
	archixxx – choose color from page 304				

* Photometric data: dark optics 65°, white reflector, 4000K



40
PET
BOTTLES

up to
1.44 m²
ACOUSTIC
SURFACE

Horizon X / Horizon Y

EN Horizon X and Horizon Y are innovative acoustic lamps that merge lighting and acoustics into a single design. These lamps utilize a unique approach by incorporating the Dot system, which is comprised of four sections of Line 28 for Horizon X and three sections for Horizon Y. The lamp's structure is adorned with PET panels positioned on the upper arms of each profile. These PET panels are available in different shapes and can be customized to match a variety of color schemes.

DE Horizon X und Horizon Y sind innovative Akustikleuchten, die Beleuchtung und Akustik in einem einzigen Design vereinen. Diese Lampen verwenden einen einzigartigen Ansatz, indem sie das Dot-System integrieren, das aus vier Abschnitten der Linie 28 für Horizon X und drei Abschnitten für Horizon Y besteht. Die Struktur der Lampe ist mit PET-Paneelen verziert, die an den oberen Armen jedes Profils angebracht sind. Diese PET-Paneele sind in verschiedenen Formen erhältlich und können an eine Vielzahl von Farbschemata angepasst werden.

Create my unique code!

Horizon X 2156 - 00 - ~ - ▲ - ● - ◆ - * - 2 - ◆

Horizon Y 2157 - 00 - ~ - ▲ - ● - ◆ - * - 2 - ◆


Example

Horizon X	standard power	4000K	dark optics 65° with black reflector	ARCHI felt color 1201 Cloud
↑	↑	↑	↑	↑
2156 - 00 - 2 - 8 - 4 - 01 - 20 - 2 - archi1201				
↓	↓	↓	↓	
one size	DALI	luminaire black 9005	pendant	

Quickinfo


	Horizon X	Horizon Y
luminaire size	1220×1220×h	1043×930×h
system power	4 × 49.8W*	3 × 49.8W*
luminous flux	4468lm*	3351lm*

Technical information



lighting power	low	~ 1	
	standard	~ 2	
	high	~ 3	
light distribution - down	120° opal		
	60° microprismatic		
	65° dark optics		
	55° dark optics		
luminous efficiency	LO	ST	HI
	65° 118lm/W	113lm/W	108lm/W *
	55° 117lm/W	112lm/W	107lm/W *
electrical control	ON / OFF	▲ 9	
	DALI	▲ 8	
color temperature	3000K	● 3	
	4000K	● 4	
	on request: TUNABLE WHITE	● 9	
luminaire color	black 9005	◆ 01	
	white 9010	◆ 02	
	on request: RAL color palette	◆ 99	
optics	opal	* 10	
	microprismatic	* 11	
	dark optics 65° (black reflector)	* 20	
	dark optics 65° (white reflector)	* 21	
	dark optics 65° (silver reflector)	* 22	
	dark optics 55° (black reflector)	* 23	
	dark optics 55° (white reflector)	* 24	
	dark optics 55° (silver reflector)	* 25	
fabric color	ARCHI felt ecoPET color palette	◆ archixxx	
	archixxx - choose color from page 304		

Photometric data: dark optics 65°, white reflector, 4000K





Dot System

EN Line 28 Dot System is an imposing pendant luminaire that fascinates its sculptural look and allows for a versatile range of arrangements. While it exudes a relatively lightweight look as a single structure linked in the shape of a triangle or square, it reveals a distinctive sculptural effect when arranged in a monumental geometric hexagon scheme. The structure of each Dot System luminaire consists of three or four sections of the Line 28 profile equipped with advanced optics, which are connected in a triangle or square shape through cylindrical „Dot“ connectors. Suppose you want to improve the acoustics of your office space additionally. In that case, it is possible to fill the distance between the elements of the Dot System with a high-quality sound-absorbing panel.

DE Line 28 Dot System ist eine imposante Pendelleuchte, die durch ihre skulpturale Anmutung fasziniert und vielseitig arrangiert werden kann. Während es als einzelne Struktur die in Form eines Dreiecks oder Quadrats verbunden ist, ein relativ leichtes Aussehen ausstrahlt, zeigt es einen unverwechselbaren skulpturalen Effekt, wenn es in einem monumentalen geometrischen Hexagon-Schema angeordnet ist. Die Struktur jeder Dot System-Leuchte besteht aus drei oder vier Abschnitten des Line 28-Profiles, das mit fortschrittlicher Optik ausgestattet ist und durch zylindrische „Dot“-Verbindungsstücke in Dreiecks- oder Quadratform verbunden ist. Angenommen, Sie möchten die Akustik Ihrer Büroräume zusätzlich verbessern. In diesem Fall ist es möglich, den Abstand zwischen den Elementen des Dot-Systems mit einer hochwertigen schallabsorbierenden Paneel zu füllen.

Create my unique code!

For possible configuration options visit pages 236–237 of the catalog.

Quickinfo	LO	ST	HI
system power	↓9.6W	↓19.6W	↓30W
luminous flux	65° ↓1141lm	↓2234lm	↓3259lm *
	55° ↓1127lm	↓2205lm	↓3217lm *
	up ↑1062lm	↑2079lm	↑3034lm *
UGR	<19	<19	<19

Technical information



IP20

>90
CRI

<19
UGR

SDCM
3


~230V

lighting power	low	~ 1			
	standard	~ 2			
	high	~ 3			
mounting type	pendant	+ 2			
	pendant up & down	+ 3			
light distribution – up	~145° × 100°				
light distribution – down	65° / 55°				
luminous efficiency	LO	ST	HI		
	65°	118lm/W	113lm/W	108lm/W	*
	55°	117lm/W	112lm/W	107lm/W	*
	up	110lm/W	106lm/W	101lm/W	*
electrical control	ON / OFF	▲ 9			
	DALI	▲ 8			
color temperature	3000K	● 3			
	4000K	● 4			
	on request: TUNABLE WHITE	● 9			
luminaire color	black 9005	● 01			
	white 9010	● 02			
	on request: RAL color palette	● 99			
reflector color	black matte	* 01			
	white matte	* 02			
	silver matte	* 04			
dark optics	dark optic 65°	■ 3			
	dark optic 55°	■ 4			
	blind cover	■ 9			

Photometric data: 4 ft, 4000K, CRI 90, 65°, white reflector



ERGO GDAŃSK TRZOP ARCHITEKCI





Screen Glow



EN Screen Glow is a hanging office divider equipped with a linear luminaire in a mini version. It is designed to not only absorb office noise but also illuminate and casting a gentle glow across the office floor. Screen Glow can be easily hung in various places throughout your workspace, making it a flexible solution to adapt to changing office layouts. Make Screen Glow uniquely yours! Screen Glow can be personalized with various designs or motivational notes using a plotter machine, adding a touch of inspiration and creativity to your workspace.

Screen Glow serves a dual purpose by providing effective acoustic separation between workstations while creating a soothing ambiance through its integrated linear luminaire.

DE Screen Glow ist ein hängender Raumtrenner, der mit einer linearen Leuchte ausgestattet ist. Er ist so konzipiert, dass er nicht nur die Geräusche im Büro absorbiert, sondern auch ein sanftes Licht auf den Büroboden wirft. Screen Glow kann leicht an verschiedenen Stellen in Ihrem Arbeitsbereich aufgehängt werden und ist somit eine flexible Lösung, die sich an wechselnde Büroaufteilungen anpassen lässt. Kreieren Sie selbst ein Einzigartiges Produkt! Screen Glow kann mit Hilfe eines Plotters mit verschiedenen Motiven oder motivierenden Sprüche personalisiert werden, was Ihrem Arbeitsplatz einen Hauch von Inspiration und Kreativität verleiht.

Screen Glow erfüllt einen doppelten Zweck, indem es für eine effektive akustische Trennung zwischen den.

Example

Screen Glow

↑

2154

↓

pattern 01

standard power

↑

01

↓

DALI

3000K

↑

8

↓

luminaire black 9005

opal

↑

3

↓

pendant down

ARCHI felt color 1201 Cloud

↑

10

↓

archi1201

Quickinfo

	Screen Glow	■ 01-99	see page 271
luminaire size	900 × 2065 × 28		
system power	↑14.7W ↓14.7W		
luminous flux	↑1406lm ↓1406lm		

Technical information












lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	pendant down	☾ 2		
	pendant up & down	☾ 3		
	pendant up	☾ 9		
light distribution – up	120° opal			
light distribution – down	120° opal			
luminous efficiency	LO	ST	HI	
	up 99lm/W	95lm/W	91lm/W	*
	down 99lm/W	95lm/W	91lm/W	*
electrical control	ON / OFF	▲ 9		
	DALI	▲ 8		
color temperature	3000K	● 3		
	4000K	● 4		
	on request: TUNABLE WHITE	● 9		
luminaire color	black 9005	◆ 01		
	white 9010	◆ 02		
	on request: RAL color palette	◆ 99		
fabric color	ARCHI felt ecoPET color palette	◆ archixxx		
	archixxx – choose color from page 304			


Photometric data: opal 3 ft, 4000 K, CRI 90

Create my unique code!

2154 - ■ - ~ - ▲ - ● - ◆ - 10 - ☾ - ◆



For available patterns, please refer to page 271




Ceiling Collection

The quality of lighting and acoustic has an enormous influence on office workers' well-being and is a high priority in workplace design. We present a range of ceiling acoustic luminaires that reduce ambient noise and illuminate the room homogeneously. Choose the perfect one from PET Ceilings that focuses on human needs in changing working environments and, last but not least, is made from recycled PET bottles.



176
PET
BOTTLES

up to
6.64 m²
ACOUSTIC
SURFACE



Pyramid Ceiling

EN Pyramid Ceiling is a multifunctional suspended ceiling system that provides top-quality direct lighting and effective sound damping, which is sought-after in the office sector. It is distinguished by a pyramidal arrangement of acoustic baffles arranged alternately lengthwise and crosswise design. The unlit acoustic baffles complement the linear luminaires and add a sound-dampening cover to large ceiling expanses. These stunning sound management solutions use two 4-foot Line 43 linear luminaires. The modern, eco-friendly linear housings are available in fourteen high-quality optics and three color temperatures.

DE Pyramid Ceiling ist ein multifunktionales abgehängtes Deckensystem, das eine erstklassige direkte Beleuchtung und effektive Schalldämmung bietet, die im Bürobereich gefragt ist. Es zeichnet sich durch eine pyramidenförmige Anordnung von Schallwänden aus, die abwechselnd längs und quer angeordnet sind. Die unbelebten Akustikbaffeln ergänzen die Langfeldleuchten und fügen großen Deckenflächen eine schalldämpfende Hülle hinzu. Diese atemberaubenden Soundmanagement-Lösungen verwenden zwei 4-Fuß-Line 43-Linearleuchten. Die modernen, umweltfreundlichen Lineargehäuse gibt es in vierzehn hochwertigen Optiken und drei Farbtemperaturen.


Example

Piramid Ceiling standard power 4000 K dark optics 80° with black reflector ARCHI felt color 1201 Cloud
 ↑ ↑ ↑ ↑ ↑
 2140 - 00 - 2 - 8 - 4 - 01 - 40 - 2 - archi1201
 ↓ ↓ ↓ ↓
 one size DALI luminaire black 9005 pendant

Quickinfo

luminaire size	1190×1480×210
light source size	2 × 1136×43
system power	2 × ↓19.6W*
luminous flux	2 × ↓2234lm*

Technical information





light distribution – down	120° opal	
	60° microprismatic	
	80° / 50° / 35° dark optics	
luminous efficiency	117lm/W*	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	on request: TUNABLE WHITE	● 9
luminaire color	black 9005	■ 01
	white 9010	■ 02
on request:	RAL color palette	■ 99
optics	opal	★ 10
	microprismatic	★ 11
	dark optics 80° (black reflector)	★ 40
	dark optics 80° (white reflector)	★ 41
	dark optics 80° (silver reflector)	★ 42
	dark optics 50° (black reflector)	★ 43
	dark optics 50° (white reflector)	★ 44
	dark optics 50° (silver reflector)	★ 45
	dark optics 35° (black reflector)	★ 46
	dark optics 35° (white reflector)	★ 47
	dark optics 35° (silver reflector)	★ 48
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304	◆ archixxx

* Photometric data: dark optics 80°, white reflector, 4000K

Create my unique code!


2140 - 00 - ~ - ▲ - ● - ♠ - * - 2 - ♦



178
PET
BOTTLES

up to
6.70m²

ACOUSTIC
SURFACE



Simple Ceiling 2.0

EN The pendant luminaire Simple Ceiling 2.0 represents an exquisite and effective union of environmentally conscious room acoustics with aesthetic design. The linear light source of this direct and indirect luminaire is suspended between twelve U-shaped ecoPET panels, leaving a layer of air between the components to help with sound absorption. The fixture has a noise reduction coefficient of one and utilizes a microstructure diffuser to eliminate glare.

DE Die Pendelleuchte Simple Ceiling 2.0 steht für eine exquisite und wirkungsvolle Verbindung umweltbewusster Raumakustik mit ästhetischem Design. Die lineare Lichtquelle dieser Direkt- und Indirektleuchte ist zwischen zwölf U-förmigen ecoPET-Paneele aufgehängt, wodurch eine Luftschicht zwischen den Komponenten verbleibt, um die Schallabsorption zu unterstützen. Die Leuchte hat einen Rauschunterdrückungskoeffizienten der Stufe eins und verwendet einen Mikrostruktur-Diffusor, um Blendung zu eliminieren.

Quickinfo

luminaire size	1195 x 1195 x 158
light source size	2 x 1136 x 43
system power	2 x 19.6W*
luminous flux	2 x 2312lm*

Technical information



light distribution - down	120° opal	
	60° microprismatic	
	80° / 50° / 35° dark optics	
luminous efficiency	117lm/W*	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	on request: TUNABLE WHITE	● 9
luminaire color	black 9005	◆ 01
	white 9010	◆ 02
	on request: RAL color palette	◆ 99
optics	opal	* 10
	microprismatic	* 11
	dark optics 80° (black reflector)	* 40
	dark optics 80° (white reflector)	* 41
	dark optics 80° (silver reflector)	* 42
	dark optics 50° (black reflector)	* 43
	dark optics 50° (white reflector)	* 44
	dark optics 50° (silver reflector)	* 45
	dark optics 35° (black reflector)	* 46
	dark optics 35° (white reflector)	* 47
fabric color	ARCHI felt ecoPET color palette	◆ archixxx
	archixxx - choose color from page 304	

* Photometric data: dark optics 80°, white reflector, 4000K

Create my unique code!

2139 - 00 - ~ - ▲ - ● - ◆ - * - 2 - ◆

Example



Simple Ceiling 2.0
↑
2139 - 00 - 2 - 8 - 4 - 01 - 40 - 2 - archi1201

standard power
↑
↓
one size

4000K
↑
↓
DALI

dark optics 80° with black reflector
↑
↓
luminaire black 9005

ARCHI felt color 1201 Cloud
↑
↓
pendant



178
PET
BOTTLES

up to
6.70m²
ACOUSTIC
SURFACE



Systema Ceiling

EN This modular acoustic ceiling system inspires with various shapes, sizes, and finishes, encouraging creative lighting in the office space. The wide range of modules thus enables different combinations that offer full functionality, provide maximum lighting comfort, and, most importantly, reduce ambient noise. Interior designers can choose from a wide range of longitudinal, oval, and circular acoustic panels but also modules with a flushed linear luminaire that gives direct light. The multifunctional ceiling system can be expanded as desired and linked with smart lighting control technology.

DE Dieses modulare Akustikdeckensystem begeistert mit verschiedenen Formen, Größen und Ausführungen, und fördert die kreative Beleuchtung im Bürobereich. Die große Auswahl an Modulen ermöglicht somit unterschiedliche Kombinationen, die volle Funktionalität bieten, für maximalen Lichtkomfort sorgen und vor allem Umgebungsgeräusche reduzieren. Innenarchitekten können aus einer breiten Palette von länglichen, ovalen und runden Akustikplatten wählen, aber auch aus Modulen mit einer bündigen Langfeldleuchte, die direktes Licht spendet. Das multifunktionale Deckensystem lässt sich beliebig erweitern und mit smarter Lichtsteuerungstechnik verknüpfen.

Example

Systema Ceiling

↑

2132 - 00 - 2 - 8 - 4 - 01 - 40 - 2 - archi1201

↓

one size

standard power

↑

4000K

↓

DALI

dark optics 80° with black reflector

↑

ARCHI felt color 1201 Cloud

↓

luminaire black 9005

pendant

↑

archi1201

↓

pendant

Don't forget:
Choose your luminaire panel (smooth or vcut) and acoustic panel set (A, B, C, D, E) from the next page!



Quickinfo	
luminaire size	1200×1224×190
light source size	2 × 1136×43
system power	2 × 19.6W*
luminous flux	2 × 2312lm*

Technical information

light distribution - down	120° opal	
	60° microprismatic	
	80° / 50° / 35° dark optics	
	asymetric - wall washer	
luminous efficiency	117lm/W*	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	on request: TUNABLE WHITE	● 9
luminaire color	black 9005	◆ 01
	white 9010	◆ 02
	on request: RAL color palette	◆ 99
optics	opal	★ 10
	microprismatic	★ 11
	dark optics 80° (black reflector)	★ 40
	dark optics 80° (white reflector)	★ 41
	dark optics 80° (silver reflector)	★ 42
	dark optics 50° (black reflector)	★ 43
	dark optics 50° (white reflector)	★ 44
	dark optics 50° (silver reflector)	★ 45
	dark optics 35° (black reflector)	★ 46
	dark optics 35° (white reflector)	★ 47
fabric color	dark optics 35° (silver reflector)	★ 48
	wall washer	★ 49
	ARCHI felt ecoPET color palette	◆ archixxx
	archixxx - choose color from page 304	


* Photometric data: dark optics 80°, white reflector, 4000K

Create my unique code!
2132 - 00 - ~ - ▲ - ● - ◆ - ★ - 2 - ◆




Create out unique Systema Ceiling!

Every Systema Ceiling starts with a base:




Create my unique code!
2132 - 00 - 2 - ▲ - ● - ◆ - * - 2 - ◆

STEP 1 Choose the luminaire panel:



Smooth luminaire panel
Order code: 2133



Vcut luminaire panel
Order code: 2134

STEP 2 Choose the layout of the wide acoustic panels:

Acoustic panel set A
Order code: 2135


Acoustic panel set B
Order code: 2136

Acoustic panel set C
Order code: 2137

Acoustic panel set D
Order code: 2138

176 PET BOTTLES

up to 6.66m² ACOUSTIC SURFACE



Verti Ceiling 2.0

EN Verti Ceiling 2.0 is the aesthetically appealing ceiling-light combination comprising the fourteen vertical acoustic baffles and integrated linear luminaire that delivers an unlimited range of design options. This pendant ceiling luminaire reduces the sound level in spacious offices and exudes a presence that impresses beholders with its dynamic appeal. Application of high-performance linear luminaire Line 43 offers superior performance, and all fourteen versions of available optics provide uniform illumination. Four feet long light source is hidden between the baffles to redirect light downwards and to create ambient, glare-free from any angle illumination.

DE Verti Ceiling 2.0 ist die ästhetisch ansprechende Decken-Licht-Kombination aus vierzehn vertikalen Akustiklamellen und integrierter Langfeldleuchte, die unbegrenzte Gestaltungsmöglichkeiten bietet. Diese Decken-Pendelleuchte reduziert den Schallpegel in großzügigen Büros und strahlt eine Präsenz aus, die durch ihre dynamische Anmutung beeindruckt. Der Einsatz der Hochleistungs-Langfeldleuchte Line 43 bietet überlegene Leistung, und alle vierzehn Versionen der verfügbaren Optiken sorgen für eine gleichmäßige Beleuchtung. Eine 1,20 m lange Lichtquelle ist zwischen den Blenden verborgen, um das Licht nach unten umzulenken und eine Umgebungsbeleuchtung zu schaffen, die aus jedem Winkel blendfrei ist.

Example

Verti Ceiling 2.0

↑

2141

↓

one size

standard power

↑

00

↓

DALI

4000K

↑

2

↓

luminaire black 9005

dark optics 80° with black reflector

↑

8

↓

pendant

ARCHI felt color 1201 Cloud

↑

4

↓

↑

01

↓

↑

40

↓

↑

2

↓

↑

archi1201

↓



Quickinfo	
luminaire size	1195×1195×150
light source size	2 × 1136×43
system power	2 × ↓19.6W*
luminous flux	2 × ↓2312lm*

Technical information	
light distribution - down	120° opal 60° microprismatic 80° dark optics 50° dark optics 35° dark optics
luminous efficiency	117lm/W*
electrical control	ON / OFF ▲ 9 DALI ▲ 8
color temperature	3000K ● 3 4000K ● 4 on request: TUNABLE WHITE ● 9
luminaire color	black 9005 ★ 01 white 9010 ★ 02 on request: RAL color palette ★ 99
optics	opal ★ 10 microprismatic ★ 11 dark optics 80° (black reflector) ★ 40 dark optics 80° (white reflector) ★ 41 dark optics 80° (silver reflector) ★ 42 dark optics 50° (black reflector) ★ 43 dark optics 50° (white reflector) ★ 44 dark optics 50° (silver reflector) ★ 45 dark optics 35° (black reflector) ★ 46 dark optics 35° (white reflector) ★ 47 dark optics 35° (silver reflector) ★ 48
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

* Photometric data: dark optics 80°, white reflector, 4000K

Create my unique code!

2141 - 00 - ~ - ▲ - ● - ★ - * - 2 - ◆



Acoustic felt

EN The Acoustic felt lighting fittings line was designed with high-quality natural felt – 100% Merino Wool. Organic wool felt is one of the oldest textile materials in the world; it combines excellent acoustic and thermal insulation properties and is easy to use and maintain. We obtain felts available in our offer only from producers with a cruelty-free certificate.

DE Die Akustikfilz-Leuchtenlinie wurde aus hochwertigem Naturfilz – 100% Merinowolle – entworfen. Bio-Wollfilz ist eines der ältesten Textilmaterialien der Welt; Es kombiniert hervorragende akustische und thermische Isoliereigenschaften und ist einfach zu verwenden und zu warten. Die in unserem Angebot verfügbaren Filze beziehen wir nur von Produzenten mit Tierversuchsfreiheit-Zertifikat.





Cone



EN Thanks to the bold combination of an industrial shade and acoustic fabric, an unusual model of office luminaire was created. The top quality design, noise attenuation and, above all, excellent technical parameters – all these are the features of a luminaire ideal for work. The product offers the possibility of personalizing the color of the fabric based on the M&K Filze color palette.

The Cone lamp has been awarded with the global sign of exceptional design – iF DESIGN AWARD 2022. It was also nominated for the German Design Award 2021 in the Excellent Product Design category.


DE Dank der kühnen Kombination eines industriellen Lampenschirms mit einem akustischen Stoff wurde ein ungewöhnliches Modell einer Büroleuchte geschaffen. Design höchster Qualität, Geräuschunterdrückung und vor allem hervorragende technische Parameter – all dies sind die Merkmale der Leuchte, die sich ideal für die Arbeit eignet. Die Farbe des Stoffes kann, basierend auf der Farbpalette der M&K, personalisiert werden.

Die Cone wurde mit dem globalen Zeichen für außergewöhnliches Design ausgezeichnet – dem iF DESIGN AWARD 2022. Zudem wurde die Leuchte für den German Design Award 2021 in der Kategorie Excellent Product Design nominiert.

Quickinfo

	Cone L ■ 03	Cone XL ■ 04
luminaire size	Ø1070×150	Ø1430×200
light source size	Ø450×82	Ø600×82
system power	30W (±9W ±21W)	48W (±14W ±34W)
luminous flux	↑1100lm ±2200lm	↑1960lm ±3800lm
UGR	<18	<17

Technical information



light distribution – up	100°	100°
light distribution – down	95°	95°
luminous efficiency	110lm/W	120lm/W
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black	◆ 01
	white	◆ 02
frame color	black 9005	* 01
	white 9010	* 02
	on request: RAL color palette	* 99
fabric color	flexxica wool felt color palette	◆ FWxxxx
	FWxxxx – choose color from page 305	
	on request: flexxica felt color palette	◆ FFxxxx
	FFxxxx – choose color from page 305	

Example



Cone
↑
2100 – 03 – 2 – 8 – 4 – 01 – 01 – 3 – FW2318
↓
size L DALI luminaire black pendant up & down

Create my unique code!

2100 – ■ – 2 – ▲ – ● – ◆ – * – 3 – ◆



EOS POLAND TRZOP ARCHITEKCI





Cone Square

EN Acoustic Cone Square is an industrial office lamp made of sound-absorbing felt material with a unique and modern design focusing on workplace functionality and acoustic performance. The lampshade is made of a 5mm thick, high-quality felt material designed to absorb sound waves and reduce ambient noise in the office space. Acoustic Cone Square lamp is ideal for busy office environments or other areas where noise reduction is essential. The lamp frame is made of a sturdy powder-coated metal material, providing a stable foundation for the lampshade. The overall aesthetic of the Acoustic Cone Square lamp is sleek and minimalist, felt material adds an extra layer of texture and depth to the design.

DE Acoustic Cone Square ist eine industrielle Büroleuchte aus schallabsorbierendem Filzmaterial mit einem einzigartigen und modernen Design, das sich auf die Funktionalität des Arbeitsplatzes und die akustische Leistung konzentriert. Der Lampenschirm besteht aus einem 5 mm dicken, hochwertigen Filzmaterial, das Schallwellen absorbiert und den Umgebungslärm im Büro reduziert. Die Acoustic Cone Square Lampe ist ideal für belebte Büroumgebungen oder andere Bereiche, in denen Geräuschreduzierung wichtig ist. Das Gestell der Leuchte besteht aus robustem, pulverbeschichtetem Metall und bietet eine stabile Basis für den Lampenschirm. Die Gesamästhetik der Acoustic Cone Square Lampe ist schlicht und minimalistisch, das Filzmaterial verleiht dem Design eine zusätzliche Schicht aus Textur und Tiefe.

Example

Cone Square

standard power

4000K

frame white

flexxica wool felt color 2318

2161 - 01 - 2 - 8 - 4 - 02 - 02 - 2 - FW2318

size L

DALI


luminaire white 9010

pendant

Quickinfo	Cone Square L ■ 01	Cone Square XL ■ 02
luminaire size	1070×1070×153	1400×1400×208
light source size	450×450×31	600×600×31
system power	↓28W	↓40W
luminous flux	↓2000lm	↓4500lm
UGR		<19
light distribution - down	110°	90°
luminous efficiency	80lm/W	110lm/W
electrical control	ON / OFF ▲ 9	ON / OFF ▲ 9
		DALI ▲ 8
luminaire color		black ● 01
	white ★ 02	white ★ 02

Technical information	
    	
color temperature	3000K ● 3 4000K ● 4
frame color	black 9005 ★ 01 white 9010 ★ 02 on request: RAL color palette ★ 99
fabric color	flexxica wool felt color palette ◆ FWxxxx FWxxxx – choose color from page 305 on request: flexxica felt color palette ◆ FFxxxx FFxxxx – choose color from page 305

Create my unique code!
2161 - ■ - 2 - ▲ - ● - ★ - * - 2 - ◆





Team



reddot winner 2021
best of the best

EN A modular lamp made of three different components that can be combined in different ways. Thanks to the domedshade and the pressed fabric, the lamp absorbs some of the ambient sound. These features make it perfect for office environments, such as open-plan offices. Thanks to its excellent design, it creates a warm atmosphere in any interior. Recycled plastic bottles have been used to make the shade. The luminaire is available in two lighting options – for ambient lighting and for work. The color of the shade can be customized.

The lamp was awarded the Red Dot Award: Best of the Best 2021, designed by Kabo & Pydo – Design Studio.

DE Modullampe mit drei verschiedenen Elementen, die beliebig kombiniert werden können. Die Kuppelform des Lampenschirms und das gepresste Material sorgen dafür, dass die Lampe einen Teil der Umgebungsgeräusche absorbiert. Deshalb eignet sich das Modell perfekt für Büroarbeitsplätze, wie etwa in Open Space-Büros. Dank des ausgezeichneten Designs bringt sie eine warme Stimmung in den Raum. Bei der Herstellung des Lampenschirms wurden recycelte Plastikflaschen verarbeitet. Die Lampe ist in zwei Beleuchtungsvarianten erhältlich – als Deko-Leuchte und zur Arbeit. Möglichkeit zur Personalisierung der Farbe des Lampenschirms.

Die Lampe wurde mit der Auszeichnung Red Dot: Best of the Best 2021 ausgezeichnet, Entw. Kabo & Pydo – Design Studio.

Create my unique code!

2142 - ■ - 2 - ▲ - ● - ◆ - * - 2 - ◆

Example

Team	standard power	4000K	dark optics 80° with black reflector	Antrazit
↑	↑	↑	↑	↑
2142	01	2	8	4
↓	↓	↓	↓	↓
size M	DALI	luminaire black 9005	pendant	TAN

Quickinfo

		Team M Team L	■ 01 ■ 02	Team XL Team XXL	■ 03 ■ 04
luminaire size		M 1150×250×125 L 2050×250×125		XL 2950×250×125 XXL 3850×250×125	
light source size		↓light		system power standard	luminous flux 4000 K, opal
M	856 mm	■ 01	3 ft	↓14.7W	↓1406lm
L	1829 mm	■ 02	6 ft + blind covers	↓29.4W	↓2811lm
XL	2757 mm	■ 03	9 ft + blind covers	↓44.1W	↓4217lm
XXL	3657 mm	■ 04	13 ft	↓58.8W	↓5622lm
luminous efficiency		↓117lm			

Technical information


		>90 CRI icon"/>	<19 UGR icon"/>		
--	--	-----------------	-----------------	--	--

light distribution - down	120° opal 60° microprismatic 80° / 50° / 35° dark optic
electrical control	ON/OFF ▲ 9 DALI ▲ 8
color temperature	3000K ● 3 4000K ● 4
luminaire color	black 9005 ★ 01 white 9003 ★ 02 on request: RAL color palette ★ 99
optics	opal ★ 10 microprismatic ★ 11 dark optics 80° (black reflector) ★ 40 dark optics 80° (white reflector) ★ 41 dark optics 80° (silver reflector) ★ 42 dark optics 50° (black reflector) ★ 43 dark optics 50° (white reflector) ★ 44 dark optics 50° (silver reflector) ★ 45 dark optics 35° (black reflector) ★ 46 dark optics 35° (white reflector) ★ 47 dark optics 35° (silver reflector) ★ 48
fabric color	Antrazit ◆ TAN Light Grey ◆ TLG Blue ◆ TBL Green ◆ TGR Coral ◆ TCO





EOS POLAND TRZOP ARCHITEKCI

Available colors



* Original product colors may vary from those illustrated.





EN Acoustic lamp with an extraordinary shape. The modern wire processing techniques allowed us to achieve the unique industrial design of the lampshade. Woven with acoustic fabric, its new features include a warmer look and sound absorption. The color of the fabric is fully customisable, so you can select the one that complements your interior design. With the top-quality lighting components, the luminaire is an excellent choice for the office, especially for open-plan spaces.


DE Akustiklampe mit außergewöhnlicher Form. Dank moderner Drahtverarbeitungstechniken konnte eine einzigartige industrielle Form des Lampenschirms gestaltet werden. Der geflochtene Akustikstoff sorgt nicht nur für einen wärmeren Look, sondern auch für die Schallabsorption. Die Farbe des Stoffes ist vollständig personalisiert. Einfach entsprechend Ihrer Raumgestaltungspläne auswählen. Die Leuchte eignet sich dank der hochwertigen Beleuchtungskomponenten ideal für Büros, insbesondere für Open Space-Flächen.

	Shade M ■ 01	Shade L A ■ 02	Shade L B ■ 03	
luminaire size	Ø 410 × 220	Ø 805 × 430	Ø 805 × 430	
light source size	Ø 95 × 152	Ø 450 × 82	Ø 320 × 57	
system power	↓ 10W ↓ 15W	≈ 2 ≈ 3 30W (↑ 9W ↓ 21W)	↓ 10W ↓ 15W ↓ 20W	≈ 1 ≈ 2 ≈ 3
luminous flux	↓ 950lm ↓ 1355lm	↑ 1000lm ↓ 2100lm	↓ 1200lm ↓ 1800lm ↓ 2400lm	
luminous efficiency	95lm/W 90lm/W	103lm/W	120lm/W	
mounting type	pendant ◐ 2	pendant up & down ◐ 3	pendant ◐ 2	
UGR	< 19	< 18	–	
lighting power	standard	standard		
light distribution - up	–	100°	–	
light distribution - down	40°	95°	150°	
color temperature	3000K ◐ 3 4000K ◐ 4	3000K ◐ 3 4000K ◐ 4	3000K ◐ 3 4000K ◐ 4 6000K ◐ 5	

electrical control	ON / OFF	▲ 9
	DALI	▲ 8
luminaire color	black	■ 01
	white	■ 02
frame color	black 9005 (01/02)	* 01
	white 9010	* 02
	on request: RAL color palette	* 99
fabric color	flexxica wool felt color palette FWxxxx – choose color from page 305	◆ FWxxxx
	on request: flexxica felt color palette FFxxxx – choose color from page 305	◆ FFxxxx

2101 - ■ - ~ - ▲ - ○ - ♠ - * - (- ◆

Shade standard power 4000K frame black 9005 flexica wool felt color 2318
 ↑ ↑ ↑ ↑ ↑
 2101 - 02 - 2 - 8 - 4 - 01 - 01 - 3 - FW2318
 ↓ ↓ ↓ ↓
 size LA DALI luminaire black pendant up & down

**ING KATOWICE MAŁECCY BIURO PROJEKTOWE**



EN A lamp consisting of independent four acoustic quadrants with an industrial-style frame. Its color and frame are fully customisable – you can choose from our color palette to match your design. Made of soft materials, it absorbs sounds that reach its surface. With its top-quality lighting components, it is perfect for offices, especially the open-plan type.

DE Eine Lampe aus vier unabhängigen Akustikvierteln mit industriellem Rahmen. Unbegrenzte Möglichkeiten zur Personalisierung der Farbe des Stoffs und Rahmen – je nach Projekt kann aus unserer Farbpalette gewählt werden. Dank der verwendeten weichen Materialien absorbiert das Modell die Geräusche, die den Lampenschirm erreichen. Aufgrund der hochwertigen Beleuchtungskomponenten eignet sich die Lampe ideal für Büroräume, insbesondere für Open Space-Flächen.

	Quadro M ■ 01	Quadro L ■ 02
luminaire size	710×630×300	910×830×300
light source size	Ø450×82	Ø600×82
system power	30W (±9W ↓21W)	48W (±14W ↓34W)
luminous flux	↑1000lm ↓2100lm	↑1750lm ↓3500lm
UGR	<18	<17

		IP20	>90 CRI	SDCM 3	~230V
--	--	-------------	----------------------	------------------	--------------

light distribution - up	100°	
light distribution - down	95°	
luminous efficiency	110lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	black	■ 01
	white	■ 02
frame color	black 9005	* 01
	white 9010	* 02
on request:	RAL color palette	* 99
fabric color	flexxica wool felt color palette FWxxxx – choose color from page 305	◆ FWxxxx
on request:	flexxica felt color palette FFxxxx – choose color from page 305	◆ FFxxxx

Quadro **standard power** **4000K** **frame black 9005** **flexica wool felt color 2318**



↑ ↑ ↑ ↑ ↑

2102 - 02 - 2 - 8 - 4 - 01 - 01 - 3 - FW2318

↓ ↓ ↓ ↓ ↓

size L **DALI** **luminaire black** **pendant up & down**

2102 - ■ - 2 - ▲ - ● - ♠ - * - 3 - ♦



Bloom Collection





Ivy



EN Ivy is a felt-made sculptural lighting fixture, functioning as a luminaire, a sound-absorbing element, and a piece of art within the office. The Ivy Bloom design follows trends in the world of lighting and modern office architecture, where more and more functionalities are combined into one solution: give professional light, absorb noise, and bring more character into your office. The result is an interior's more uniform and integrated look and feels. The Bloom Collection was designed in cooperation with Anna Spakowska.

DE Ivy ist eine aus Filz gefertigte skulpturale Leuchte, die als Beleuchtung, schallabsorbierendes Element und Kunstwerk im Büro fungiert. Das Design von Ivy Bloom folgt Trends in der Welt der Beleuchtung und der modernen Büroarchitektur, wo immer mehr Funktionalitäten in einer Lösung kombiniert werden: professionelles Licht spenden, Lärm dämpfen und Ihrem Büro mehr Charakter verleihen. Das Ergebnis ist ein einheitlicherer und integrierterer Look und Haptik eines Interieurs. Die Bloom Collection wurde in Zusammenarbeit mit Anna Spakowska entworfen.

Quickinfo

	Ivy M Ivy L	■ 01 ■ 02	Ivy XL	■ 03
luminaire size	M Ø800×350 L Ø1000×420		XL Ø1200×450	
light source size	Ø140		Ø300	
system power	↓15 W standard ↓20 W high		↓8 W	
luminous flux	↓1155 lm / ↓1508 lm		↓1050 lm	
UGR	<19		–	
light distribution – down	40°		150°	

Technical information



luminous efficiency	77 lm/W	
electrical control	ON / OFF	▲ 9
	DALI (size M / L)	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	black (size M / L)	◆ 01
	white (size M / L)	◆ 02
reflector color	black 9005 (size M / L)	* 01
	white 9010 (size M / L)	* 02
	silver	* 04
	gold	* 05
fabric color	flexxica wool felt color palette FWxxxx – choose color from page 305	◆ FWxxxx



Create my unique code!

2126 - ■ - 2 - ▲ - ● - ◆ - * - 2 - ◆

Example

Ivy
↑
2126 - 01 - 2 - 8 - 4 - 01 - 01 - 2 - FW2318
↓ size M ↓ DALI ↓ luminaire black ↓ pendant

standard power 4000 K reflector black flexxica wool felt color 2318





Lily

EN Light and design in perfect harmony that's the essence of the Bloom Lily lighting fixture. This luminaire is made of felt, stands out with its unique appearance, gives professional light, absorbs noise, and brings more character into your office. If several lights of different colors and sizes are mounted side by side as a cloud, this creates an exciting design of the ceiling office interior. The Bloom Collection was designed in cooperation with Anna Spakowska.

DE Licht und Design in perfekter Harmonie, das ist die Essenz der Leuchte Bloom Lily. Diese Leuchte aus Filz besteht durch ihr einzigartiges Erscheinungsbild, spendet professionelles Licht, dämmt Geräusche und bringt mehr Charakter in Ihr Büro. Werden mehrere Leuchten in unterschiedlichen Farben und Größen als Wolke nebeneinander montiert, entsteht eine spannende Gestaltung des Deckenbüros. Die Bloom Collection wurde in Zusammenarbeit mit Anna Spakowska entworfen.

Example

Lily

↑

2127

↓

size M

standard power

↑

01

↓

DALI

4000K

↑

2

↓

luminaire black

reflector black

↑

8

↓

pendant

flexxica wool felt color 2318

↑

4

↓

FW2318

01

↓

black

01

↓

black

2

↓

black

FW2318

↓

black

Quickinfo

	Lily M	■ 01	Lily L	■ 02
luminaire size	600×630		900×950	
light source size	Ø140		Ø300	
system power	↓15W standard ↓20W high		↓8W	
luminous flux	↓1155lm / ↓1508lm		↓1050lm	
UGR	<19		–	
color consistency	SDCM 3		SDCM 5	
light distribution – down	40°		150°	

Technical information




luminous efficiency	77lm/W	
electrical control	ON / OFF	▲ 9
	DALI (size M)	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black (size M)	◆ 01
	white (size M)	◆ 02
reflector color	black (size M)	* 01
	white (size M)	* 02
	silver (size M)	* 04
	gold (size M)	* 05
fabric color	flexxica wool felt color palette FWxxxx – choose color from page 305	◆ FWxxxx

Create my unique code!


2127 - ■ - 2 - ▲ - ● - ◆ - * - 2 - ◆




M



L



M



Daisy



EN This pendant felt-made luminaire meets sophisticated user demands by combining sound-absorbing properties with contemporary lighting comfort in every modern office interior. Furthermore, Daisy luminaire is a handmade piece of art that gives sculptural experience when hanging in the collection. The Bloom Collection was designed in cooperation with Anna Spakowska.

DE Diese aus Filz gefertigte Pendelleuchte erfüllt anspruchsvolle Nutzeransprüche, indem sie schallabsorbierende Eigenschaften mit zeitgemäßem Lichtkomfort in jedem modernen Bürointerieur verbindet. Darüber hinaus ist die Daisy-Leuchte ein handgefertigtes Kunstwerk, das beim Aufhängen in der Kollektion ein skulpturales Erlebnis vermittelt. Die Bloom Collection wurde in Zusammenarbeit mit Anna Spakowska entworfen.

Quickinfo

	Daisy M Daisy L	■ 01 ■ 02	Daisy XL	■ 03
luminaire size	M Ø800×350 L Ø1000×400		XL Ø1200×450	
light source size	Ø140			
system power	↓15 W standard ↓20 W high			
luminous flux	↓1155 lm / ↓1508 lm			
UGR	<19			
color consistency	SDCM 3			
light distribution - down	40°			

Technical information



luminous efficiency	77 lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	black	◆ 01
	white	◆ 02
reflector color	black	* 01
	white	* 02
	silver	* 04
	gold	* 05
fabric color	flexxica wool felt color palette FWxxxx - choose color from page 305	◆ FWxxxx



Create my unique code!


2128 - ■ - 2 - ▲ - ● - ◆ - * - 2 - ◆

Example

Daisy
↑
2128 - 02 - 2 - 8 - 4 - 01 - 01 - 2 - FW2318
↓ ↓ ↓ ↓
size L DALI luminaire black pendant

standard power 4000 K reflector black flexxica wool felt color 2318





Rose



EN Rose is a pendant luminaire made from wool felt to achieve practical sound-absorbing qualities. The seemingly floating light source is discreetly integrated into the richly-textured felt shade to accomplish a unique contemporary feel. The luminaire contour exudes timeless aesthetics by pushing the felt material to the limit of its formability. The Bloom Collection was designed in co-operation with Anna Spakowska.

DE Rose ist eine Pendelleuchte aus Wollfilz, um praktische schallabsorbierende Eigenschaften zu erzielen. Die scheinbar schwebende Lichtquelle ist diskret in den reich strukturierten Filzschirm integriert, um ein einzigartiges zeitgenössisches Gefühl zu schaffen. Die Leuchtenkontur strahlt eine zeitlose Ästhetik aus, indem sie das Material Filz an die Grenze seiner Formbarkeit treibt. Die Bloom Collection wurde in Zusammenarbeit mit Anna Spakowska entworfen.

Quickinfo

	Rose M Rose L	■ 01 ■ 02	Rose XL	■ 03
luminaire size	M Ø800×400 L Ø1000×450		XL Ø1200×500	
light source size	Ø140		Ø300	
system power	↓15 W standard ↓20 W high		↓8 W	
luminous flux	↓1155 lm / ↓1508 lm		↓1050 lm	
UGR	<19		–	
color consistency	SDCM 3		SDCM 5	
light distribution – down	40°		150°	

Technical information



luminous efficiency	77 lm/W	
electrical control	ON/OFF	▲ 9
	DALI (size M/L)	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	black	◆ 01
	white	◆ 02
reflector color	black	* 01
	white	* 02
	silver	* 04
	gold	* 05
fabric color	flexxica wool felt color palette FWxxxx – choose color from page 305	◆ FWxxxx

Create my unique code!



2129 – ■ – 2 – ▲ – ● – ◆ – * – 2 – ◆

Example

Rose
↑
2129 – 02 – 2 – 8 – 4 – 01 – 01 – 2 – FW2318

standard power
↑
4000 K
↑
reflector black
↑
flexxica wool felt color 2318
↑

size L
↓
DALI
↓
luminaire black
↓
pendant



Acoustic fabric

EN The Acoustic fabric series is a line of inspiring lighting fixtures upholstered Synergy Camira fabrics and selected Gabriel fabrics. The selected materials are the epitome of the natural simplicity of textiles combined with rich texture. We also choose the highest quality fabrics with the addition of wool, which are irresistibly soft and highly efficient simultaneously. They are perfect for creating interiors with character where acoustic balance is the foremost priority.

DE Die Acoustic-Stoffserie ist eine Reihe inspirierender Leuchten, die mit Synergy Camira-Stoffen und ausgewählten Gabriel-Stoffen bezogen sind. Die ausgewählten Materialien sind der Inbegriff der natürlichen Schlichtheit von Textilien in Kombination mit reicher Textur. Wir wählen auch die hochwertigsten Stoffe mit dem Zusatz von Wolle, die unwiderstehlich weich und gleichzeitig hocheffizient sind. Sie eignen sich perfekt für die Gestaltung von charaktvollen Innenräumen, in denen die akustische Ausgewogenheit an erster Stelle steht.



ING KATOWICE | MAŁECCY BIURO PROJEKTOWE

EN Acoustic Roller luminaire with an upholstered high-density acoustic lampshade. The materials used, such as a sponge, absorb a significant proportion of the sounds that reach it. Thanks to this and the high-quality lighting system used, it is an excellent choice for office workplaces, particularly in open-plan offices with considerable noise levels.

Create my unique code!

Example



Roller
↑
2112 - 01 - 2 - 8 - 4 - 01 - 01 - 3 - G64124
↓
size MA DALI luminaire black pendant up & down

Roller M A ■ 01 Roller L A ■ 02 Roller XXL A ■ 04
Roller M B ■ 06 Roller L B ■ 07 Roller XXL B ■ 09
Roller XL A ■ 03 Roller XXXL A ■ 05
Roller XL B ■ 08 Roller XXXL B ■ 10

luminaire size	Roller M Ø800×350	Roller L Ø1000×415	Roller XXL Ø1500×500
		Roller XL Ø1200×500	Roller XXXL Ø1950×500
light source size	A Ø450×82 B Ø320×57	Ø600×82 Ø320×57	Ø900×82 Ø600×82
UGR	<18	<17	<15

		IP20	>90 CRI	SDCM 3	~230V
---	---	-------------	----------------------	------------------	-------

system power	A	30W ↑9W ↓21W	~ 2	48W ↑14W ↓34W	~ 2	80W ↑24W ↓56W	~ 2
	B	↓10W ↓15W ↓20W	~ 1 ~ 2 ~ 3	↓10W ↓15W ↓20W	~ 1 ~ 2 ~ 3		
luminous flux	A	↑1000lm ↓2100lm		↑1750lm ↓3500lm		↑3400lm ↓5600lm	
	B	↓1200lm ↓1800lm ↓2400lm		↓1200lm ↓1800lm ↓2400lm			
light distribution – up		100°					
light distribution – down		95°					
luminous efficiency		110lm/W					
electrical control		ON/OFF				▲ 9	
		DALI				▲ 8	
color temperature		3000K				● 3	
		4000K				● 4	
luminaire color		black (01/02/03/04/05)				◆ 01	
		white				◆ 02	
frame color		black 9005				* 01	
		white 9010				* 02	
fabric color		Synergy by Camira color palette LDSxxx – choose color from page 306				◆ LDSxxx	
		Gabriel color palette Gxxx – choose color from page 307 – 310				◆ Gxxx	

**ING KATOWICE** MAŁECCY BIURO PROJEKTOWE

Cubber

EN The Acoustic Fabric Cubber Ceiling Lamp, a compact counterpart to the renowned flexxica Roller, is a finely crafted luminaire. Upholstered in a wide selection of colors and fabrics, it boasts exceptional sound absorption capabilities, thanks to a premium acoustic sponge filling within the shade. This innovative design effectively absorbs a significant portion of incoming sounds. With an excellent lighting system, the lamp is particularly well-suited for office workspaces. Available in square sizes ranging from 80 cm to 150 cm, it caters to diverse office layout requirements, offering flexibility and adaptability.

DE Die Acoustic Fabric Cubber Ceiling Lamp, ein kompaktes Gegenstück zur bekannten flexxica Roller, ist eine fein gearbeitete Leuchte. Sie ist in einer großen Auswahl an Farben und Stoffen erhältlich und verfügt über außergewöhnliche Schallabsorptionseigenschaften dank einer hochwertigen Akustikschwammfüllung im Schirm. Dieses innovative Design absorbiert effektiv einen großen Teil der eingehenden Geräusche. Mit einem ausgezeichneten Beleuchtungssystem eignet sich die Leuchte besonders gut für Büroarbeitsplätze. Die Leuchte ist in quadratischen Größen von 80 cm bis 150 cm erhältlich und bietet Flexibilität und Anpassungsfähigkeit für die unterschiedlichsten Anforderungen an die Büroeinrichtung.

Create my unique code!

2165 - ■ - ~ - ▲ - ● - ★ - ✱ - 2 - ◆

Example

Cubber

↑

2165

standard power

↑

01

4000K

↑

2

frame black 9005

↑

8

4

↓

size M B

01

↓

DALI

01

↓

luminaire black

2

↓

pendant

Gabriel color 64124

↑

01

2

↓

luminaire black

G64124

↑

01



Quickinfo

	Cubber S A ■ 01 Cubber S B ■ 02 Cubber S C ■ 03	Cubber M A ■ 04 Cubber M B ■ 05 Cubber M C ■ 06	Cubber L A ■ 11 Cubber L B ■ 07 Cubber L C ■ 08	Cubber XL A ■ 12 Cubber XL B ■ 09 Cubber XL C ■ 10
luminaire size	800×800×350	1000×1000×415	1200×1200×500	1500×1500×500
light source size	A 320×320×57 B 600×600×31 C Ø450×82	320×320×57 600×600×31 Ø600×82	320×320×57 600×600×31 Ø600×82	320×320×57 600×600×31 Ø900×82
UGR	B <19 C <18	<19 <17	<19 <17	<19 <15

Technical information



	S	M / L	XL
system power	A ±10W ±15W ±20W B 40W C 30W (±9W ±21W)	±10W ±15W ±20W 40W 48W (±14W ±34W)	±10W ±15W ±20W 40W 80W (±24W ±56W)
luminous flux	A ±1200lm ±1800lm ±2400lm B ±4500lm C ±1000lm ±2100lm	±1200lm ±1800lm ±2400lm ±4500lm ±1750lm ±3500lm	±1200lm ±1800lm ±2400lm ±4500lm ±3400lm ±5600lm
light distribution - down	A S / M / L / XL B S / M / L / XL C S / M / L / XL	150° 90° 95°	
light distribution - up	C S / M / L / XL	100°	
luminous efficiency	A S / M B C S / M / L / XL	120lm/W 110lm/W	
electrical control		ON / OFF DALI	▲ 9 ▲ 8
color temperature	A S / M B C S	3000K 4000K 6000K 3000K 4000K	● 3 ● 4 ● 6 ● 3 ● 4
luminaire color	C A B C	black white	★ 01 ★ 02
frame color		black 9005 white 9010	★ 01 ★ 02
fabric color		Synergy by Camira color palette LD5xxx - choose color from page 306 Gabriel color palette Gxxxxx - choose color from page 307 - 310	◆ LD5xxx ◆ Gxxxxx





Roller Floor

EN Roller Floor is a free-standing lamp that brings acoustic balance and creates comfortable illumination for occupants below. Thanks to its impressive size and usage of an upholstered lampshade, we created a luminaire with exceptional sound absorption properties. It's an imposing floor lamp with a solid base, round and square to choose from, and a fancifully curved arm that holds the light source. High-performance LED light sources to offer superior performance, and a micro prismatic diffuser provides uniform illumination. Roller Floor fits perfectly into modern co-working spaces where unconventional design and maximum flexibility are in demand.

DE Roller Floor ist eine freistehende Leuchte, die ein akustisches Gleichgewicht schafft und eine angenehme Beleuchtung für die Bewohner darunter schafft. Dank ihrer beeindruckenden Größe und der Verwendung eines gepolsterten Lampenschirms haben wir eine Leuchte mit außergewöhnlichen schallabsorbierenden Eigenschaften geschaffen. Es ist eine imposante Stehlampe mit einem soliden Sockel, rund und quadratisch zur Auswahl, und einem fantasievoll geschwungenen Arm, der die Lichtquelle hält. Hochleistungs-LED-Lichtquellen für hervorragende Leistung und ein mikroprismatischer Diffusor für eine gleichmäßige Beleuchtung. Roller Floor fügt sich perfekt in moderne Co-Working Spaces ein, in denen unkonventionelles Design und maximale Flexibilität gefragt sind.

Example

Roller Floor	standard power	4000K	black 9005	Gabriel color 100
↑	↑	↑	↑	↑
2131 - 01 - 2 - 8 - 4 - 01 - 01 - 8 - G100				
↓	↓	↓	↓	↓
round base	DALI	luminaire black	floor	

Quickinfo

	Roller A ■ 01	Roller B ■ 02
luminaire size	1200×2111×1000	
light source size	Ø600×82	
system power	48W (↑14W ↓34W)	
luminous flux	↑1750lm ↓3500lm	
UGR	<17	


Technical information

		IP20	>90 CRI	SDCM 3	~230V
--	--	------	---------	--------	-------


light distribution - up	100°
light distribution - down	95°
luminous efficiency	110lm/W
electrical control	ON / OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black ● 01
	white ● 02
frame color	black 9005 * 01
	white 9010 * 02
fabric color	Synergy by Camira color palette ◆ LDSxxx
	LDSxxx - choose color from page 306
	Gabriel color palette ◆ Gxxx
	Gxxx - choose color from page 307 - 310

Create my unique code!



2131 - ■ - 2 - ▲ - ● - ● - * - 8 - ◆



round base
Roller A



square base
Roller B





EN Acoustic luminaire shaped like a large circle. The lamp consists of a band-shaped light component around a soft panel. Due to its size, the lamp will work well in office spaces such as conference rooms. It will perfectly illuminate such spaces, giving them a touch of elegance and increasing the comfort of work.

DE Große kreisförmige Akustikleuchte. Die Lampe besteht aus einem bandförmigen Leuchtabschnitt rund um ein weiches Paneel. Aufgrund ihrer Größe eignet sich die Lampe perfekt für Büroräume und Konferenzsäle. Das Modell beleuchtet derartige Räume perfekt, verleiht ihnen Eleganz und erhöht dabei den Arbeitskomfort.

	Ring L	■ 01	Ring XL	■ 02	Ring XXL	■ 03
luminaire size	Ø900×70		Ø1200×70		Ø1500×70	

		IP20	>90 CRI	SDCM 3	~230V
---	---	-------------	----------------------	------------------	--------------

system power	±55W / ±82W / ±100W	
luminous flux	±5200lm / ±7800lm / ±9000lm	
UGR	<19	
light distribution - down	symetric	
luminous efficiency	95lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
	on request: TUNABLE WHITE	● 9
luminaire color	black 9005	◆ 01
	white 9010	◆ 02
fabric color	Synergy by Camira color palette LDSxxx – choose color from page 306	◆ LDSxxx
	Gabriel color palette Gxxx – choose color from page 307 – 310	◆ Gxxx
	on request: flexxica wool felt color palette FWxxxx – choose color from page 305	◆ FWxxxx
	on request: flexxica felt color palette FFxxxx – choose color from page 305	◆ FFxxxx

2103 - ■ - 2 - ▲ - ● - ♠ - 00 - 2 - ♦

Ring
 ↑
 2103 - 01 - 2 - 8 - 4 - 01 - 00 - 2 - G123
 ↓
 size L

standard power
 ↑
 2103 - 01 - 2 - 8 - 4 - 01 - 00 - 2 - G123
 ↓
 DALI


4000K
 ↑
 2103 - 01 - 2 - 8 - 4 - 01 - 00 - 2 - G123
 ↓
 luminaire black 9005

no frame
 ↑
 2103 - 01 - 2 - 8 - 4 - 01 - 00 - 2 - G123
 ↓
 pendant


Gabriel color 123
 ↑
 2103 - 01 - 2 - 8 - 4 - 01 - 00 - 2 - G123



VODENO TRZOP ARCHITEKCI



On request we can produce it in other sizes!





Square

EN This acoustic lamp has a geometric, slightly truncated shape. Both the inner light component and the surrounding acoustic panel are shaped like a square. The large surface area of the panel allows effective absorption of ambient sounds. The color of the panel is customisable. These features make the lamp a perfect choice for office workplaces, especially open-plan offices.

DE Akustiklampe in geometrischer, leicht geschnittener Form. Sowohl das Leuchtelement innen als auch das Akustikpaneel haben eine quadratische Form. Die große Oberfläche des Paneels sorgt für eine effektive Absorption der Umgebungsgeräusche. Möglichkeit zur Personalisierung der Paneelfarbe. Dank dieser Eigenschaften ist die Lampe ideal für Büroarbeitsplätze geeignet, insbesondere für Open Space-Flächen.

Quickinfo

	Square A ■ 01
	Square B ■ 02
on request:	Square C ■ 03
on request:	Square D ■ 04
luminaire size	1400×1400×55
light source size	600×600
system power	40 W
luminous flux	4512 lm
UGR	<19

Technical information



light distribution - down	90°	
luminous efficiency	114 lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	4000 K	● 4
luminaire color	white	
fabric color	Synergy by Camira color palette LDSxxx - choose color from page 306	◆ LDSxxx
	Gabriel color palette Gxxx - choose color from page 307-310	◆ Gxxx

Example

Square **standard power** **4000 K** **no frame** **Gabriel color 123**

↑ ↑ ↑ ↑ ↑

2104 - 01 - 2 - 8 - 4 - 02 - 00 - 2 - G123

↓ ↓ ↓ ↓ ↓


rounded corners & rounded edges **DALI** **luminaire white** **pendant**

Create my unique code!


2104 - ■ - 2 - ▲ - ● - 02 - 00 - 2 - ◆



HL TECH TRZOP ARCHITEKCI



On request we can produce it in other sizes!





Round


EN Round lamp with upholstered acoustic panel. Equipped with a round light panel with excellent light characteristics, with a choice of light color and up/down lightning direction. The color of the lamp panel can be fully adjusted. Thanks to the materials used it absorbs a large proportion of the sounds that reach it. Combined with high-quality lighting components, it is ideal for office spaces, especially open plan offices.

DE Runde Lampe mit gepolstertem Akustikpaneel. Ausgestattet mit einem runden Leuchtpaneel mit hervorragenden Beleuchtungsparametern und der Möglichkeit, die Lichtfarbe und die Beleuchtungsrichtung nach oben/unten zu wählen. Die Farbe des Lampenpaneels kann vollständig angepasst werden. Dank den verwendeten Materialien absorbiert die Lampe einen Großteil des Schalls, der sie erreicht. In Kombination mit hochwertigen Lichtkomponenten ist sie ideal für Büroräume, insbesondere Großraumbüros.

Quickinfo

	Round M45	■ 01	Round L60	■ 04
	Round L45	■ 02	Round XL60	■ 05
	Round XL45	■ 03	Round XXL60	■ 06
luminaire size	M45 Ø800×55		L60 Ø1000×55	
	L45 Ø1000×55		XL60 Ø1180×55	
	XL45 Ø1180×55		XXL60 Ø1400×55	
light source size	Ø450×82		Ø600×82	
system power	30W (↑9W ↓21W)		48W (↑14W ↓34W)	
luminous flux	↑1000lm ↓2100lm		↑1750lm ↓3500lm	
UGR	<18		<17	

Technical information





light distribution - up	100°	
light distribution - down	95°	
luminous efficiency	110lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black	◆ 01
	white	◆ 02
fabric color	Synergy by Camira color palette	◆ LDSxxx
	LDSxxx – choose color from page 306	
	Gabriel color palette	◆ Gxxx
	Gxxx – choose color from page 307 – 310	

Example

Round	standard power	4000K	no frame	Gabriel color 123
↑	↑	↑	↑	↑
2105	01	2	8	4
↓	↓	↓	↓	↓
M45	DALI	luminaire black	pendant up & down	G123
rounded edges				

Create my unique code!

2105 - ■ - 2 - ▲ - ● - ◆ - 00 - 3 - ◆





Island

EN Acoustic luminaire in XXL size. With its large surface panel, it is suitable for open-plan offices or conference rooms. It absorbs a significant amount of the surrounding sound. The full panel creates an eye-catching feature in the space. Panel sizes and colors are fully customisable.

DE Akustiklampe im XXL-Format. Dank des großflächigen Panels eignet sich das Modell perfekt für Open Space-Büros oder Konferenzräume. Die Lampe absorbiert einen großen Teil der Geräusche aus der unmittelbaren Umgebung. Vollständiges Panel – interessantes Element im Raum. Passen Sie Größe und Farbe des Panels an die Anforderungen Ihres Projekts an.

Quickinfo

luminaire size	1500×600×55	1500×600×55
light source size	83×83	83×83
system power	2 × 10W ■ 01	2 × 15W ■ 02
luminous flux	2 × 1060lm	2 × 1530lm
UGR	<16	<16

Technical information



on request

light distribution – down	80°
luminous efficiency	100lm/W
electrical control	ON/OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
on request:	TUNABLE WHITE ● 9
luminaire color	black 9005 ◆ 01
on request:	RAL color palette ◆ 99
fabric color	Synergy by Camira color palette ◆ LDSxxx
	LDSxxx – choose color from page 306
	Gabriel color palette ◆ Gxxx
	Gxxx – choose color from page 307 – 310

Create my unique code!

2106 – ■ – 2 – ▲ – ● – ◆ – 00 – 2 – ◆

Example

Island

↑

2106

↓

2×10W

standard power

↑

01

↓

DALI

4000K

↑

2

↓

luminaire black 9005

no frame

↑

8

↓

pendant

Gabriel color 123

↑

4

↓

↑

01

↓

↑

00

↓

↑

2

↓


↑

G123


↓



SHOWROOM HUMAN OFFICE



On request we can produce it in other sizes and with more light sources!



Gap Round


EN Round lamp with an upholstered acoustic panel. The distinctive cut-out gives it a unique designer look. The panel color is fully customisable. The materials absorb a considerable part of the surrounding sounds. This, with its high-quality lighting components, makes it perfect for offices, particularly in open-plan spaces.

DE Runde Lampe mit gepolstertem Akustikpaneel. Die charakteristische Kerbe sorgt für einen einzigartigen Designer-Look. Unbegrenzte Möglichkeiten zur Personalisierung der Paneelfarbe. Dank der verwendeten Materialien absorbiert die Lampe einen großen Teil der Geräusche, die sie erreichen. Aufgrund der hochwertigen Beleuchtungskomponenten eignet sich die Lampe ideal für Büroräume, insbesondere für Open Space-Flächen.

Quickinfo

	M45	■ 01	L60	■ 04
	L45	■ 02	XL60	■ 05
	XL45	■ 03	XXL60	■ 06
luminaire size	M45	Ø800×55	L60	Ø1000×55
	L45	Ø1000×55	XL60	Ø1180×55
	XL45	Ø1180×55	XXL60	Ø1400×55
light source size	Ø450×82		Ø600×82	
system power	30W (±9W ±21W)		48W (±14W ±34W)	
luminous flux	±1000lm ±2100lm		±1750lm ±3500lm	
UGR	<18		<17	

Technical information



light distribution - up	100°
light distribution - down	95°
luminous efficiency	110lm/W
electrical control	ON/OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black ★ 01
	white ★ 02
fabric color	Synergy by Camira color palette ◆ LDSxxx - choose color from page 306
	Gabriel color palette ◆ Gxxx - choose color from page 307 - 310

Example


Gap Round standard power 4000K no frame Gabriel color 123
↑ ↑ ↑ ↑ ↑
2108 - 01 - 2 - 8 - 4 - 01 - 00 - 3 - G123
 ↓ ↓ ↓ ↓
 M45 DALI luminaire black pendant up & down

Create my unique code!


2108 - ■ - 2 - ▲ - ● - ★ - 00 - 3 - ◆



ING KATOWICE MAŁECCY BIURO PROJEKTOWE



On request we can produce it in other sizes!





Gap Triangle


EN Triangular lamp with an upholstered acoustic panel. The distinctive cut-out gives it a unique designer look. The panel color is fully customisable. The materials absorb a considerable part of the surrounding sounds. This, with its high-quality lighting components, makes it perfect for offices, particularly in open-plan spaces.

DE Dreieckige Lampe mit gepolstertem Akustikpaneel. Die charakteristische Kerbe sorgt für einen einzigartigen Designer-Look. Unbegrenzte Möglichkeiten zur Personalisierung der Paneel-farbe. Dank der verwendeten Materialien absorbiert die Lampe einen großen Teil der Geräusche, die sie erreichen. Aufgrund der hochwertigen Beleuchtungskomponenten eignet sich die Lampe ideal für Büroräume, insbesondere für Open Space-Flächen.

Quickinfo

luminaire size	1007×71
light source size	496×71
system power	↓50 W
luminous flux	↓4200lm
UGR	<19

Technical information




light distribution – down	60°
luminous efficiency	84lm/W
electrical control	ON/OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
on request:	TUNABLE WHITE ● 9
luminaire color	black ● 01
	white ● 02
fabric color	Synergy by Camira color palette ◆ LDSxxx
	LDSxxx – choose color from page 306
	Gabriel color palette ◆ Gxxx
	Gxxx – choose color from page 307–310

Example

Gap Triangle	standard power	4000K	no frame	Gabriel color 123
↑	↑	↑	↑	↑
2109 – 00 – 2 – 8 – 4 – 01 – 00 – 2 – G123				
↓	↓	↓	↓	
one size	DALI	luminaire black	pendant	

Create my unique code!

2109 – 00 – 2 – ▲ – ● – ● – 00 – 2 – ◆



On request we can produce it in other sizes!



Gap Island

EN Acoustic luminaire in XXL size. With its large surface panel, it is suitable for open-plan offices or conference rooms. It absorbs a significant amount of the surrounding sound. The panel has a characteristic cut-out, which is an eye-catching detail that adds lightness to the lamp. Panel sizes and colors are fully customisable.

DE Akustiklampe im XXL-Format. Dank des großflächigen Panels eignet sich das Modell perfekt für Open Space-Büros oder Konferenzräume. Die Lampe absorbiert einen großen Teil der Geräusche aus der unmittelbaren Umgebung. Das Panel hat eine charakteristische Kerbe – ein auffälliges Detail, das der Lampe Leichtigkeit verleiht. Passen Sie Größe und Farbe des Panels an die Anforderungen Ihres Projekts an.

Quickinfo

	L	■ 01	XL	■ 02
luminaire size	1700×1000×35		2300×1000×35	
light source size	1200×240×33		1800×240×33	
system power	50W (↑20W ↓30W)		80W (↑32W ↓48W)	
luminous flux	↑2700lm ↓3650lm		↑4320lm ↓5840lm	
UGR	<19		<19	

Technical information



light distribution - up	115°	
light distribution - down	80°	
luminous efficiency	125lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
	on request: TUNABLE WHITE	● 9
luminaire color	black	◆ 01
	white	◆ 02
fabric color	Synergy by Camira color palette LDSxxx – choose color from page 306	◆ LDSxxx
	Gabriel color palette Gxxx – choose color from page 307–310	◆ Gxxx

Create my unique code!

2110 - ■ - 2 - ▲ - ● - ◆ - 00 - 3 - ◆

Example

Gap Island

↑

2110

↓

size L

standard power

↑

01

↓

DALI

4000K

↑

2

↓

luminaire black

no frame

↑

8

↓

pendant up & down

Gabriel color 100

↑

4

↓

↑

01

↓

↑

00

↓

↑

2

↓



↑

G100

↓



ING KATOWICE MAŁECCY BIURO PROJEKTOWE





Gaya

EN A distinctive lamp inspired by biophilic design. The lamp consists of two acoustic panels, a light component and an inner shield shaped like a plant pot to plant anything. The luminaire not only perfectly illuminates the workplace but also enhances the visual value of the interior and gives it a classy character. The color of all the components of the lamp is customisable.

The lamp was designed in collaboration with Trzop Architekci, arch. Małgorzata Szlązek.

DE Charakteristische Lampe im Biophilic Design-Look. Die Lampe besteht aus zwei Akustikpaneels, einem Leuchtelement und einem Innenschirm in Form eines Blumentopfes für Pflanzen. Die Lampe beleuchtet nicht nur den Arbeitsplatz perfekt, sondern erhöht auch den visuellen Wert des Raums und verleiht ihm ein elegantes Flair. Möglichkeit zur Personalisierung der Farbe aller Komponenten der Lampe.

Die Lampe wurde in Zusammenarbeit mit Trzop Architekci, arch. Małgorzata Szlązek.

Example

Gaya	standard power	4000K	frame cooper	Gabriel color 100
↑	↑	↑	↑	↑
2111 - 00 - 2 - 8 - 4 - 01 - 03 - 2 - G100				
↓	↓	↓	↓	
one size	DALI	luminaire black 9005	pendant	

Quickinfo	
luminaire size	826×241×248
system power	↓35W
luminous flux	↓2000lm


Technical information

light distribution - down	60°	
luminous efficiency	60lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black 9005	● 01
	white 9010	● 02
frame color	black 9005	★ 01
	white 9010	★ 02
	copper	★ 03
fabric color	Synergy by Camira color palette LDSxxx - choose color from page 306	◆ LDSxxx
	Gabriel color palette Gxxx - choose color from page 307-310	◆ Gxxx

Create my unique code!
2111 - 00 - 2 - ▲ - ● - ● - ★ - 2 - ◆



VODENO TRZOP ARCHITEKCI





Sphere

EN Round lamp with upholstered acoustic panel. The distinctive hanging sphere in the center of the panel gives it a unique, designer look. The color of the lamp panel can be fully customized. Thanks to the materials used, it absorbs a large proportion of the sound that reaches it. Paired with high-quality light components, it is ideal for office spaces, especially for open-plan offices.

DE Runde Lampe mit gepolstertem Akustikpaneel. Die charakteristische hängende Kugel in der Mitte des Paneels verleiht ihr einen einzigartigen Designerlook. Bei dieser Lampe kann die Farbe des Paneels beliebig personalisiert werden. Dank der verwendeten Materialien absorbiert das Modell einen erheblichen Teil der Umgebungsgeräusche. Angesichts der gleichzeitigen Verwendung hochwertiger Beleuchtungskomponenten eignet sich die Lampe ideal für Büroräume, und insbesondere für Open Space-Flächen.

Quickinfo	
luminaire size	Ø800×400
light source size	Ø400×400
system power	3 × 48 W
light source flux	3 × 1050 lm

Technical information




IP40

>90
CRI

SDCM
3

~230V


light distribution – up	150°	
light distribution – down	150°	
electrical control	ON / OFF	▲ 9
on request: DALI		▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	chrome	
fabric color	Synergy by Camira color palette LDSxxx – choose color from page 306	◆ LDSxxx
	Gabriel color palette Gxxx – choose color from page 307 – 310	◆ Gxxx

Example	
Sphere	standard power
↑	↑
2116 – 00 – 2 – 8 – 4 – 21 – 00 – 2 – G100	4000 K
↓	↑
one size	DALI
	luminaire chrome
	pendant


Create my unique code!
2116 – 00 – 2 – ▲ – ● – 21 – 00 – 2 – ◆



CMS LAW FIRM TRZOP ARCHITEKCI



On request we can produce it in other sizes!



Acoustic Panel


EN Luminaire is designed using a lightweight acoustic composite. With its simple form and large surface area, the lamp absorbs most of the sounds reaching its surface. The composite in its honeycomb pattern and structure adds depth to the simple geometric design of the luminaire. The composite also provides excellent light diffusion, making the lamp perfect for office workspaces. The lamp has a modular form and allows any combination and duplication of the shape of a single component.

DE Entwickelt auf Basis eines leichten akustischen Verbundwerkstoffs. Dank der schlichten Form und großen Oberfläche absorbiert die Lampe die meisten Geräusche in der unmittelbaren Umgebung. Der Verbundstoff mit Wabenmuster und -struktur verleiht der einfachen geometrischen Struktur besondere Tiefe. Der Verbundstoff sorgt für die perfekte Streuung des Lichts und macht die Lampe zur idealen Wahl für Büroarbeitsplätze. Die Lampe hat eine modulare Form – beliebige Kombinationsmöglichkeiten und Vervielfältigung der Form eines einzelnen Elements.

Quickinfo

	S31	■ 01
	L31	■ 02
	S58	■ 03
	M58	■ 04
	L58	■ 05
luminaire size	S31	310×580×70
	L31	310×1120×70
	S58	580×580×70
	M58	580×850×70
	L58	580×1120×70
system power	↓65W*	
luminous flux	↓6700lm*	
UGR	<19	

Technical information



light distribution – down	91°
luminous efficiency	104lm/W*
electrical control	ON / OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	white 9010

* Photometric data for L58 size.

Example

Panel	standard power	4000K	no frame	no textil
↑	↑	↑	↑	↑
2115	01	2	8	4
↓	↓	↓	↓	↓
size M28	DALI	luminaire white 9010	pendant	

Create my unique code!

2115 - ■ - 2 - ▲ - ● - 02 - 00 - 2 - 00



Design



CMS LAW FIRM TRZOP ARCHITEKCI

Wire Medusa



reddot winner 2021

This product introduces new quality of visual and spatial experience in its class.

Wire medusa's form refers to the classic archetype of the chandelier. A clear dimensional shape is composed of individual segments of bent wire. Despite its size it feels airy and light. The wire is bent perpendicularly. The parallax effect accentuated by the light emanating from the lamp's centre, creates a sculptural spectacle. It is an engaging experience in space. By moving around it, we can see the interplay of shapes and light. Shadows cast onto walls, give off a mysterious and sophisticated feel.

Every lampshade is made of identical segments that are arranged around the light source.

Wire Medusa



reddot winner 2021

EN This light fixture offers a new quality of visual experience in its class. The shape of the Wire Medusa luminaire is based on a classic chandelier. The distinctive spacious shape consists of individual pieces of wire. Despite its size, it appears lightweight and open. The parallax effect, emphasized by the light emanating from the center of the lamp, creates a sculptural spectacle. As you walk around the lamp, you can see the interplay of shapes and light.

Wire Medusa was awarded the prestigious Red Dot Award: Product Design 2021


Designed by Kabo & Pydo – Design Studio

DE Dieses Beleuchtungsprodukt führt eine neue Qualität der visuellen Eindrücke in seiner Klasse ein. Die Form der Wire Medusa-Lampe knüpft an klassische Kronleuchter an. Die klare räumliche Form besteht aus einzelnen Drahtelementen. Trotz ihrer Größe wirkt die Lampe leicht und einladend. Der Parallaxen-Effekt, der durch das aus der Mitte der Lampe ausgehende Licht verstärkt wird, schafft ein skulpturartiges Spektakel. Wenn Sie um die Lampe herumgehen, sehen Sie ein beeindruckendes Zusammenspiel von Formen und Licht.

Die Wire Medusa Leuchte wurde mit der prestigeträchtigen Auszeichnung Red Dot: Product Design 2021 ausgezeichnet

Entw. Kabo & Pydo – Design Studio


Example



Quickinfo


	Long A	■ 01
	Long B	■ 02
	Wide A	■ 03
	Wide B	■ 04
luminaire size	Long A & Long B – 444×1008 Wide A & Wide B – 702×809	
system power	±13.5W	
luminous flux	±1080lm	

Technical information



light distribution – down	90°	
luminous efficiency	80lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	RAL 1011 Brown Beige	◆ 08
	RAL 1014 Ivory	◆ 09
	RAL 2001 Red Orange	◆ 10
	RAL 3012 Beige Red	◆ 11
	RAL 5002 Ultramarine Blue	◆ 12
	RAL 6013 Reed Green	◆ 13
	RAL 7032 Pebble Grey	◆ 14

RAL colors





* Original product colors may vary from those illustrated.

Create my unique code!


5101 – ■ – 2 – ▲ – ● – ◆ – 00 – 2 – 00



CMS LAW FIRM TRZOP ARCHITEKCI



Boya



reddot winner 2021

Boya is a decorative hanging fitting. It may function as a single piece, but multiplied creates a pleasing collection. It is an exquisite mix of traditional handicraft and cutting-edge technology. When placed in the interior, it becomes its centerpiece, bringing a new level of elegance. Its light is soft and atmospheric, perfect for cosy spaces such as chill and lounge rooms.

The hanging system was designed to give the architects the freedom to compose it in dynamic arrangements, and nonchalant wiring gives it a playful character.

The warmth of the diffused light sets a calming, inviting mood to any space where the lamp is located.

GN BITCREATIVE



MILKY



SETTA



DARK



reddot winner 2021

Boya

Shade finishings

Boya comes in 3 diverse shade finishings



Boya



reddot winner 2021

EN Boya is a decorative pendant luminaire. It can be used as a single element or, when hung in a cluster, it can create an interesting constellation. It is a combination of handicraft and state-of-the-art technologies. The lamp shade is made in the traditional blown-glass technology. The suspended system is designed to give you the freedom to compose it in dynamic arrangements, while the nonchalant cabling adds to its character. The color of the glass and the cable wrap can be customized.

Boya was awarded the prestigious Red Dot Award 2021.


DE Boya ist eine dekorative Hängelampe. Sie kann einzeln oder als interessantes Ensemble in mehrfacher Ausführung verwendet werden. Eine Kombination von Handwerk und modernster Technologie. Der Lampenschirm wird in traditioneller Technik aus geblasenem Glas hergestellt. Das Hängesystem ist so konzipiert, dass es die Möglichkeit bietet, die Lampe in dynamischen Arrangements zu komponieren, und die nonchalante Verkabelung trägt zu ihrem Charakter bei. Bei dieser Lampe können die Glasfarbe und das Kabelgeflecht farblich personalisiert werden.

Die Boya-Lampe erhielt die prestigeträchtige Red Dot Award 2021.

Quickinfo

	Boya A	■ 01
	Boya B	■ 02
	Boya C	■ 03
	Boya D	■ 04
luminaire size	600×174	
light source size	600×130	
system power	↓↑20W	
luminous flux	↓↑923lm	
standard cable lenght	up to 2 meters	

Technical information



light distribution – up	180°	
light distribution – down	180°	
luminous efficiency	47lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	milky	◆ 05
	setta	◆ 06
	dark	◆ 07

Create my unique code!



5102 – ■ – 2 – ▲ – ● – ◆ – 00 – 2 – 00

Example

Boya	standard power	4000K	no frame	no textil
↑	↑	↑	↑	↑
5102	– 02	– 2	– 8	– 4
	↓	↓	↓	↓
	Long wire	DALI	luminaire dark	pendant
				– 00



EOS POLAND TRZOP ARCHITEKCI



Jungle





Jungle



EN This decorative lamp invites more nature into the interior, which is the primary goal of the biophilic design trend. It can be used both as a lamp and a plant pot. The simple form of the luminous vessel provides the perfect background to emphasise the beauty of the plant. The lamp emits a soft, silky-smooth light that creates a relaxing ambiance, perfect for such areas as chill-out zones. The luminaire is suspended on two bands of fabric, available in a wide range of colors. The rotomoulded lampshade makes the lamp completely waterproof.

The Jungle lamp was awarded with Gold at the German Design Award 2022.

DE Dekorative Lampe, die einen Hauch von freier Natur in den Raum bringt, was das Hauptziel des Biophilic Design-Trends ist. Lampe und Blumentopf in einem. Die schlichte Form des leuchtenden Gefäßes ist ein perfekter Hintergrund, der die Pracht der Pflanze betont. Die Lampe strahlt ein weiches, seidenweiches Licht aus, das eine entspannende Atmosphäre schafft – die ideale Lösung für Orte wie die Chill-out-Zone. Die Leuchte ist an zwei Stoffstreifen aufgehängt, die in verschiedenen Farben bestellbar sind. Der rotationsgeformte Schirm macht die Lampe rundum wasserdicht.

Die Jungle Leuchte wurde beim German Design Award 2022 mit Gold ausgezeichnet.

Quickinfo


	100 cm	■ 10
	150 cm	■ 15
	200 cm	■ 20
	250 cm	■ 25
	300 cm	■ 30
luminaire size	Ø400×400	
system power	↓38W	
luminous flux	↓3251lm	

Technical information



light distribution – down	240°	
luminous efficiency	85lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	white	
fabric color	Dark Grey 2543	◆ J2543
	Grey 2544	◆ J2544
	Light Grey 2545	◆ J2545
	Beige 2532	◆ J2532
	Dark Blue 2554	◆ J2554

Stripes colors



* Original product colors may vary from those illustrated.

Create my unique code!

5103 – ■ – 2 – ▲ – ● – 02 – 00 – 2 – ◆

Example

Jungle

↑

5103 – 30 – 2 – 8 – 4 – 02 – 00 – 2 – J2544

↓

bands 300 cm

standard power

↑

4000K

↓

DALI

no frame

↑

grey stripes



↓

luminaire white

pendant



PKO BP TRZOP ARCHITEKCI (press materials of PKO Bank Polski)




Blanket

Original lamp form resembles weaved fabric, but magnified to gigantic scale. Fabric's "warp" is made of bent aluminium tubes, and "weft" is made from thick, foam enhanced wool.

It's oversized structure was chosen specifically to divide space optically and acoustically. Areas divided by the lamp are not closed off completely, space can be sensibly manipulated, giving more privacy where it's needed.

Metal used for construction can be completely recycled. The fitting comes preassembled, despite its large size, it is flat, which makes it easy to stack during transport. The packaging is made of cardboard, and can be completely recycled.




Blanket



EN The lamp resembles fabric in texture but it has been enlarged to a giant scale. The “warp” is made of folded aluminum tubes and the “weft” is made of thick wool fortified with foam. This over-scaled lighting design has been specially chosen to allow for the division of optical and acoustic space. At the same time, it does not close the space completely, because it is openwork. When dimmed, it can be used to provide mood lighting in spaces for relaxing.

DE Die Lampe erinnert in ihrer Struktur an Gewebe, jedoch in einen gigantischem Maßstab vergrößert. Der „Kettfaden“ des Gewebes besteht aus gebogenen Aluminiumrohren und der „Schuss“ aus dicker, mit Schaumstoff angereicherter Wolle. Diese maßstabsgetreue Beleuchtungsstruktur wurde gezielt gewählt, um eine optische und akustische Teilung des Raumes zu ermöglichen. Gleichzeitig verschließt sie ihn nicht vollständig, da sie durchbrochen ist. Gedimmt kann sie als Stimmungslicht in Chill Out-Zonen eingesetzt werden.


Example



Quickinfo


	M	■ 02	XL	■ 04
luminaire size	M 590×590		XL 1195×590	
system power	±12.5 W – 10 x ±1 W		±25 W – 20 x ±1 W	
luminous flux	±950 lm		±1900 lm	
UGR	<19		<19	

Technical information



light distribution – down	30°
luminous efficiency	76 lm/W
electrical control	ON / OFF ▲ 9 DALI ▲ 8
color temperature	3000 K ● 3 5000 K ● 5
luminaire color	RAL 3012 Beige Red ★ 11 RAL 7015 Slate Grey ★ 20 RAL 7046 Telegrey 2 ★ 21 RAL 9001 Cream ★ 22 RAL 1002 Sand Yellow ★ 23 RAL 8004 Copper Brown ★ 24



RAL colors



* Original product colors may vary from those illustrated.

Create my unique code!

5104 – ■ – 2 – ▲ – ● – ★ – 00 – 2 – 00



Team System



reddot winner 2021
best of the best

Acoustic Team is a system of four lamps with decorative accent lighting.

Its form enriches the interior by creating a cosy atmosphere, different forms and colors may be mixed together to create an eye-catching composition.

The fitting is perfect for spaces that will be enhanced by a piece that has a strong presence, and accentuates the mood with decorative light.




Configuration manual


These 3 segments allow to create various combinations adjusting it to our space.

 connector set


Create my unique code!
1062 - 05 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1032 - 02 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1040 - 04 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1240 - 06 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1022 - 01 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1142 - 04 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1102 - 00 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆




Create my unique code!
1102 - 01 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆



Create my unique code!
1302 - 02 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆



Create my unique code!
1402 - 03 - 2 - ▲ - ● - ◆ - 00 - 2 - ◆



Team System



reddot winner 2021
best of the best


EN A modular lamp made of three different components that can be combined in different ways. Thanks to the domedshade and the pressed fabric, the lamp absorbs some of the ambient sound. These features make it perfect for office environments, such as open-plan offices. Thanks to its excellent design, it creates a warm atmosphere in any interior. Recycled plastic bottles have been used to make the shade. The luminaire is available in two lighting options – for ambient lighting and for work. The color of the shade can be customized.

The lamp was awarded the Red Dot Award: Best of the Best 2021, designed by Kabo & Pydo – Design Studio.

DE Modullampe mit drei verschiedenen Elementen, die beliebig kombiniert werden können. Die Kuppelform des Lampenschirms und das gepresste Material sorgen dafür, dass die Lampe einen Teil der Umgebungsgeräusche absorbiert. Deshalb eignet sich das Modell perfekt für Büroarbeitsplätze, wie etwa in Open Space-Büros. Dank des ausgezeichneten Designs bringt sie eine warme Stimmung in den Raum. Bei der Herstellung des Lampenschirms wurden recycelte Plastikflaschen verarbeitet. Die Lampe ist in zwei Beleuchtungsvarianten erhältlich – als Deko-Leuchte und zur Arbeit. Möglichkeit zur Personalisierung der Farbe des Lampenschirms.

Die Lampe wurde mit der Auszeichnung Red Dot: Best of the Best 2021 ausgezeichnet, Entw. Kabo & Pydo – Design Studio.


Example



Quickinfo


code	Straight	100	Arc	010	End	001
connector sets	one set two sets three sets x sets	■ 01 ■ 02 ■ 03 ■ xx	one set two sets three sets x sets	■ 01 ■ 02 ■ 03 ■ xx		
luminaire size	900x250		590x590		125x250	
light source size	900		900			
system power	↓24W		↓18W			
luminous flux	↓2700lm		↓2100lm			
UGR	<19		<19			
luminous efficiency	112lm/W		116lm/W			

Technical information



light distribution – down	60°	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	black 9005	◆ 01
	white 9010	◆ 02
	on request: RAL color palette	◆ 99
fabric color	Antrazit	◆ TAN
	Light Grey	◆ TLG
	Blue	◆ TBL
	Green	◆ TGR
	Coral	◆ TCO


Available colors



* Original product colors may vary from those illustrated.



BAT DBS THE DESIGN GROUP



Ribbon

EN The luminaires from this line were inspired by classic, woven lampshades. Due to its size, each of luminaires creates an intimate space. The lamp is filigree in details and vast in size. The luminaire is based on two shades, external and internal. The whole is based on a welded structure made of powder-coated steel rods. Customers can choose from a luminaire in the shape of a circle or a rectangle with rounded corners.

DE Inspiration für die Leuchten dieser Linie waren klassische, gewebte Lampenschirme. Jede der Leuchten definiert aufgrund ihrer Größe einen intimen Raum. Die Leuchte ist filigran im Detail und maßgebend in der Größe. Die Leuchte basiert auf zwei Lampenschirmen – einem äußeren und einem inneren. Das Ganze basiert auf einer Schweißkonstruktion aus pulverbeschichteten Stahlstäben. Kunden können eine Leuchte auf Basis eines Kreises oder eines Rechtecks mit abgerundeten Ecken wählen.

Ribbon color palette



* Original product colors may vary from those illustrated.

Example

Ribbon

↑

5105

standard power

↑

04

3000K

↑

2

black 9005 frame

↑

8

color R306

↑

3

↑

01

↑

01

↑

2

↑

R306

size XL

↓

5105

DALI

↓

04

luminaire black 7021

↓

2

pendant


↓

01

Quickinfo

	XL	■ 04	XXL	■ 05
luminaire size	Ø1100×245		2045×1100×245	
light source size	Ø450×82		2 × Ø450×82	
system power	30W (↑9W ↓21W)		2 × 30W (↑9W ↓21W)	
luminous flux	↑1000lm ↓2100lm		2 × ↑1000lm ↓2100lm	

Technical information





UGR	<18
light distribution - up	100°
light distribution - down	95°
luminous efficiency	110lm/W
electrical control	ON/OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black 7021 ◆ 01
	white 9003 ◆ 02
frame color	black 9005 * 01
	white 9010 * 02
fabric color	Ribbon 306 ◆ R306
	Ribbon 287 ◆ R287
	Ribbon 267 ◆ R267
	Ribbon 338 ◆ R338
	Ribbon 425 ◆ R425
	Ribbon 212 ◆ R212
	Ribbon 427 ◆ R427
	Ribbon 240 ◆ R240
	Ribbon 446 ◆ R446
	Ribbon 319 ◆ R319
	Ribbon 447 ◆ R447
	Ribbon 316 ◆ R316

Create my unique code!

5105 - ■ - 2 - ▲ - ● - ◆ - * - 2 - ◆



STADA THE DESIGN GROUP



Reloft

EN The industrial lamp by Mesko from the 1970s renovated to both provide light for office spaces and serve as a decorative interior element. The lamp shade has been sandblasted and repainted, which gives it more character without damaging the original form. A microprism diffuser has been added to the bottom to provide comfortable lighting.

Bring a loft feel to your design with our lamp.

DE Industrielampe der Firma Mesko aus den 1970er Jahren, die nach der Restaurierung sowohl Büroräume beleuchten, als auch als Deko-Lampe eingesetzt werden kann. Der Lampenschirm wurde sandgestrahlt und neu lackiert, was der Lampe Charakter verleiht, ohne die ursprüngliche Form zu zerstören. An der Unterseite wurde eine mikroprismatische Blende angebracht, um eine komfortable Beleuchtung zu gewährleisten.

Verleihen Sie Ihrem Projekt dank unserer Lampe echtes Loft-Flair.

Quickinfo

luminaire size	600×430× 420
system power	↓44 W
luminous flux	↓5000lm
UGR	<19

Technical information

		IP20	>90 CRI	SDCM 3	~230V
---	---	------	---------	--------	-------

light distribution – down	60°
luminous efficiency	113lm/W
electrical control	ON / OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black 9005 ♣ 01
	on request: RAL color palette ♣ 99

Example



Reloft	standard power	3000 K	no frame	no textil
↑	↑	↑	↑	↑
5106 – 00 – 2 – 8 – 3 – 01 – 00 – 2 – 00				
↓	↓	↓	↓	↓
one size	DALI	luminaire black 9005	pendant	

Create my unique code!

5106 – 00 – 2 – ▲ – ● – ♣ – 00 – 2 – 00



ERGO TRZOP ARCHITEKCI



Loft One

EN This minimalist pendant light in a contemporary, loft style features a single COB light source. The simple industrial form is perfect for both public and private spaces. The high quality workmanship and attention to detail will satisfy the most demanding customer. In addition, you can choose the color of the luminaire and the wire, the light color and the power supply method.

DE Minimalistische Hängelampe im modernen Loft-Stil, mit einer einzigen COB-Lichtquelle. Die schlichte industrielle Form ist sowohl für öffentliche Räumlichkeiten als auch für Privaträume ideal geeignet. Die hochwertige Ausführung und Liebe zum Detail stellen auch anspruchsvollste Kunden zufrieden. Zusätzlich besteht die Möglichkeit, die Farbe von Gehäuse und Kabel sowie die Lichtfarbe und die Energiequelle zu wählen.

Quickinfo

luminaire size	Ø490×350
system power	↓32W
luminous flux	↓3175lm
UGR	<19

Technical information

					
	IP20	>90 CRI	SDCM 3	~230V	

light distribution - down	60°
luminous efficiency	99lm/W
electrical control	ON / OFF ▲ 9
	DALI ▲ 8
color temperature	3000K ● 3
	4000K ● 4
luminaire color	black 9005 ★ 01
	on request: RAL color palette ★ 99

Example



Loft one	standard power	3000K	no frame	no textil
↑	↑	↑	↑	↑
5107 - 00 - 2 - 8 - 3 - 01 - 00 - 2 - 00				
↓	↓	↓	↓	↓
one size	DALI	luminaire black 9005	pendant	

Create my unique code!

5107 - 00 - 2 - ▲ - ● - ★ - 00 - 2 - 00



SOLUTIONS RENT COWORKING THE DESIGN GROUP



Urban

EN Industrial linear lamp made of stainless steel, mounted to the ceiling with cables as a pendant lamp. Urban features an attractive design, quick assembly and a low glare value of UGR<19. As an option, it can be controlled with the DALI control system. Made from high quality components from the best European manufacturers. The unique loft design and attention to detail will satisfy the most demanding customers. The product is perfect for offices, conference rooms, and passageways.

DE Industrielle Langfeldleuchte aus Edelstahl, mit Drähten als Pendelleuchte an der Decke montiert. Urban zeichnet sich durch das ästhetische Design, die schnelle Montage und eine geringe Blendung UGR<19 aus. Optionale DALI-Steuerung. Hergestellt aus hochwertigen Komponenten von besten europäischen Herstellern. Das einzigartige Loft-Design und die Liebe zum Detail stellen auch die anspruchsvollsten Kunden zufrieden. Das Produkt eignet sich perfekt für Büroräume, Konferenzsäle und Flure.

Quickinfo

luminaire size	1300x90x140
system power	↓27W
luminous flux	↓2564lm
UGR	<19

Technical information



on request

light distribution – down	60°	
luminous efficiency	97lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	inox	

Example

Urban

↑

5108 – 00 – 2 – 8 – 3 – 20 – 00 – 2 – 00

↓

one size

standard power

↑

↓

DALI

3000K

↑

↓

luminaire inox

no frame

↑

↓

pendant



no textil

↑

↓

Create my unique code!

5108 – 00 – 2 – ▲ – ● – 20 – 00 – 2 – 00



EN The modern Tube luminaire with a unique design. The shape of a transparent tube with visible technical elements gives it an industrial, loft appearance. It is characterized by high quality workmanship, the best components of European production, easy assembly and interesting design. Perfect for indoor use, especially in offices and public utility buildings.

DE Moderne Tube Leuchte mit einzigartiger Konstruktion. Die transparente Röhrenform mit sichtbaren technischen Elementen verleiht ihr einen industriellen, loftähnlichen Stil. Das Modell zeichnet sich durch hohe Ausführungsqualität, beste Komponenten europäischer Herstellung, die einfache Montage und ein interessantes Design aus. Die ideale Lösung für Innenräume und insbesondere für Büros und öffentliche Gebäuden.

Example

Tube	standard power	3000 K	no frame	no textil
↑	↑	↑	↑	↑
5109 - 00	- 2 - 8	- 3 - 04	- 00 - 2	- 00
↓	↓	↓	↓	↓
one size	DALI	luminaire silver 9006	pendant	

Quickinfo

luminaire size	1200 x Ø105
system power	↓27W
luminous flux	↓2564lm
UGR	<19

Technical information

		IP20	>90 CRI	SDCM 3	~230V
		on request			



light distribution – down	60°	
luminous efficiency	97lm/W	
electrical control	ON/OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	silver	◆ 04
on request:	RAL color palette	◆ 99

Create my unique code!


5109 - 00 - 2 - ▲ - ● - ◆ - 00 - 2 - 00



BRAIN EMBASSY MODE:LINA



Professional



CLARIANT THE DESIGN GROUP

Line

The flexxica Line series come with minimalist design, excellent material selection and production technology, exquisite appearance, and rich texture. Choose from various combinations of profile-type housing designs to make an attractive space where workers can communicate, work as a team and relax.

Need to take a closer look at our flexxica linear luminaires? Scan the QR code to view them all now!




XL CATLIN THE DESIGN GROUP

Line 28

Line 28 represents the perfect symbiosis of unlimited design options, increased uniformity, reduced glare, and decreased energy use. Create significant or minimalistic effects by combining black, white, or silver reflectors and a powder-coated frame, or tie your space together seamlessly with a single-color luminaire.

Customize your Line 28 luminaire to match your aesthetic.

Select the appropriate optics:



Opal Diffuser


Microprismatic Diffuser

Dark Optic

Blind Cover

Jet Out

... and the reflector color
if your choice was Dark Optic:



Black matte

White matte

Silver matte



Small in size,
yet significant
in light quality.

Create your individual Line 28

Line 28 down

A = min 574 mm (2 ft)
A = max 1694 mm (6 ft)




Light distribution down

A = min 2 ft, max 6 ft



Line 28 up & down

A = min 574 mm (2 ft)
A = max 1694 mm (6 ft)



Light distribution down

A = min 2 ft, max 6 ft




Light distribution up

$B = A - 1 \text{ ft}$



Line 28

A = min 1974 mm (7 ft)
A = max 3374 mm (12 ft)



Light distribution down

A = min 7 ft, max 12 ft



Line 28 Diffusers


EN Linear luminaire in the mini version, our profile width is only 28 mm. Following a minimalist design approach, the slim luminaire delivers both up and down-lighting. Line 28 combines scene-setting indirect lighting with a sophisticated direct light for conference rooms or workstations. The diffuser achieves a uniform light distribution and is available in three output levels and color temperatures. It allows an individual choice between a micro prismatic or opal diffuser. The housing can be painted any color from the RAL palette.

DE Langfeldleuchte in der Mini-Version, deren Profilbreite nur 28 mm beträgt. Die schlanke Leuchte folgt einem minimalistischen Designansatz und liefert sowohl nach oben als auch nach unten gerichtetes Licht. Line 28 kombiniert eine stimmungsvolle indirekte Beleuchtung mit einem raffinierten direkten Licht für Konferenzräume oder Arbeitsplätze. Der Diffusor erzielt eine gleichmäßige Lichtverteilung und ist in drei Leistungsstufen und Farbtemperaturen erhältlich. Es ermöglicht eine individuelle Wahl zwischen einem mikroprismatischen oder opalen Diffusor. Das Gehäuse kann in jeder Farbe aus der RAL-Palette lackiert werden.

Create my unique code!

71+□ - ■ - ~ - ▲ - ● - ◆ - 00

Example



size		↓light	↑light	system power standard	luminous flux 4000 K, opal
574 mm	■ 08	2 ft	1 ft	↓9.8 W / ↑4.9 W	↓632 lm / ↑520 lm
854 mm	■ 12	3 ft	2 ft	↓14.7 W / ↑9.8 W	↓984 lm / ↑1040 lm
1134 mm	■ 16	4 ft	3 ft	↓19.6 W / ↑14.7 W	↓1264 lm / ↑1559 lm
1414 mm	■ 20	5 ft	4 ft	↓24.5 W / ↑19.6 W	↓1580 lm / ↑2079 lm
1694 mm	■ 24	6 ft	5 ft	↓29.4 W / ↑24.5 W	↓1896 lm / ↑2599 lm
1974 mm	■ 28	7 ft	-	↓34.3 W	↓2248 lm
2254 mm	■ 32	8 ft	-	↓39.2 W	↓2528 lm
2534 mm	■ 36	9 ft	-	↓44.1 W	↓2844 lm
2814 mm	■ 40	10 ft	-	↓49 W	↓3160 lm
3094 mm	■ 44	11 ft	-	↓53.9 W	↓3476 lm
3374 mm	■ 48	12 ft	-	↓58.8 W	↓3792 lm

Technical information






UGR	<19 MPRM			
lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	pendant	+ 2		
	pendant up & down	+ 3		
light distribution - up	~145° x 100°			
light distribution - down	120° opal			
	60° mprm			
luminous efficiency	LO	ST	HI	
	mpm	65lm/W	63lm/W	60lm/W
	opal	67lm/W	64lm/W	61lm/W
	up	110lm/W	106lm/W	101lm/W
electrical control	ON/OFF		▲ 9	
	DALI		▲ 8	
color temperature	3000K		● 3	
	4000K		● 4	
	on request: TUNABLE WHITE		● 9	
housing color	black 9005		◆ 01	
	white 9010		◆ 02	
	on request: RAL color palette		◆ 99	
optics	opal		■ 1	
	microprismatic		■ 2	
	blind cover		■ 9	

* Photometric data: 4 ft, 4000 K, CRI 90



PRIVATE CLIENT THE DESIGN GROUP



EN The design concept of Line 28 with Dark Optic lenses was to create a linear luminaire profile that catches the eye even with the power switched off. This linear luminaire's construction allows us to use miniature lenses; our profile width is only 28 mm. Following a minimalist design approach, the slim luminaire delivers both up and down-lighting. The lenses achieve a uniform light distribution and are available in three output levels and color temperatures. The luminaire has interchangeable black, white, and silver lenses. The housing can be painted any color from the RAL palette.

DE Das gestalterische Konzept der Line 28 mit Dark Optic Linsen war es, ein geradliniges Leuchtenprofil zu schaffen, das auch im ausgeschalteten Zustand ins Auge fällt. Die Konstruktion dieser linearen Leuchte ermöglicht uns die Verwendung von Miniaturlinsen; die Profilbreite beträgt nur 28 mm. Die schlanke Leuchte folgt einem minimalistischen Designansatz und liefert sowohl nach oben als auch nach unten gerichtetes Licht. Die Linsen erzielen eine gleichmäßige Lichtverteilung und sind in drei Leistungsstufen und Farbtemperaturen erhältlich. Die Leuchte hat austauschbare schwarze, weiße und silberne Reflektoren. Das Gehäuse kann in jeder Farbe aus der RAL-Palette lackiert werden.

Create my unique code!

71 **+** **□** - **■** - **~** - **▲** - **○** - **⬠** - *****

Example

Example

Line 28 Dark Optics	dark optic 65°	standard power	3000 K	reflector black matte
↑	↑	↑	↑	↑
71	2	3 - 08 - 2 - 8 - 3 - 01 - 01		
	↓	↓	↓	↓
	pendant	size 574 mm	DALI	housing black 9005

size		↓light	↑light	system power standard	luminous flux 4000K, 65° white
574 mm	■ 08	2ft	1ft	↓9.8W / ↑4.9W	↓1117lm / ↑520lm
854 mm	■ 12	3ft	2ft	↓14.7W / ↑9.8W	↓1675lm / ↑1040lm
1134 mm	■ 16	4ft	3ft	↓19.6W / ↑14.7W	↓2234lm / ↑1559lm
1414 mm	■ 20	5ft	4ft	↓24.5W / ↑19.6W	↓2792lm / ↑2079lm
1694 mm	■ 24	6ft	5ft	↓29.4W / ↑24.5W	↓3351lm / ↑2599lm
1974 mm	■ 28	7ft	-	↓34.3W	↓3909lm
2254 mm	■ 32	8ft	-	↓39.2W	↓4468lm
2534 mm	■ 36	9ft	-	↓44.1W	↓5026lm
2814 mm	■ 40	10ft	-	↓49W	↓5584lm
3094 mm	■ 44	11ft	-	↓53.9W	↓6143lm
3374 mm	■ 48	12ft	-	↓58.8W	↓6702lm

Technical information






UGR	<19			
lighting power	low		~ 1	
	standard		~ 2	
	high		~ 3	
mounting type	pendant		+ 2	
	pendant up & down		+ 3	
light distribution - up	~145° x 100°			
light distribution - down	65° / 55°			
luminous efficiency	LO	ST	HI	
	65°	118lm/W	113lm/W	108lm/W
	55°	117lm/W	112lm/W	107lm/W
	up	110lm/W	106lm/W	101lm/W
electrical control	ON / OFF		▲ 9	
	DALI		▲ 8	
color temperature	3000K		● 3	
	4000K		● 4	
	on request: TUNABLE WHITE		● 9	
housing color	black 9005		● 01	
	white 9010		● 02	
	on request: RAL color palette		● 99	
reflector color	black matte		* 01	
	white matte		* 02	
	silver matte		* 04	
dark optics	dark optic 65°		■ 3	
	dark optic 55°		■ 4	
	blind cover		■ 9	

* Photometric data: 4 ft, 4000 K, CRI 90, 65°, white reflector



VODENO TRZOP ARCHITEKCI





Line 28 Jet Out

EN The linear luminaire of Line 28 with the Jet Out diffuser provides one of the most sophisticated profiles in our product range. Combining performance, aesthetics, and value, the luminaire opens opportunities for various applications. Thanks to the option to extend and retract the opal diffuser, you can find the perfect combination of lights for a specific interior according to your needs. Thanks to this variability, Line 28 Jet Out can be used in virtually any area, especially in social, public, and commercial areas. Luminaires with an extended diffuser diffuse their light into a significantly larger space, thus helping to soften the entire interior. The pendant luminaire with direct or indirect light distribution is available in three output levels and color temperatures and can be painted any color from the RAL palette.

DE Die Langfeldleuchte der Line 28 mit dem Jet Out Diffusor ist eines der anspruchsvollsten Profile in unserer Produktpalette. Durch die Kombination von Leistung, Ästhetik und Wert, eröffnet die Leuchte Möglichkeiten für verschiedene Anwendungen. Dank der Möglichkeit den opalen Diffusor aus- und einzufahren, finden Sie ganz nach Ihren Bedürfnissen die perfekte Kombination von Leuchten für ein bestimmtes Interieur. Dank dieser Variabilität lässt sich Line 28 Jet Out in nahezu allen Bereichen einsetzen, insbesondere im sozialen, öffentlichen und gewerblichen Bereich. Leuchten mit einem verlängerten Diffusor streuen ihr Licht in einen deutlich größeren Bereich und tragen so dazu bei, den gesamten Innenraum weicher zu machen. Die Pendelleuchte mit direkter oder indirekter Lichtverteilung ist in drei Leistungsstufen und Farbtemperaturen erhältlich und kann in jeder beliebigen Farbe aus der RAL-Palette lackiert werden.

Example

Line 28
Dark Optics

jet out

standard
power

3000K

no
reflector

71

2

8

08

2

8

3

01

00

pendant

size
574 mm

DALI

housing
black 9005

size		↓light	↑light	system power standard	luminous flux 4000 K, opal
574 mm	■ 08	2 ft	1 ft	↘9.8 W / ↗4.9 W	↘646 lm / ↗520 lm
854 mm	■ 12	3 ft	2 ft	↘14.7 W / ↗9.8 W	↘969 lm / ↗1040 lm
1134 mm	■ 16	4 ft	3 ft	↘19.6 W / ↗14.7 W	↘1292 lm / ↗1559 lm
1414 mm	■ 20	5 ft	4 ft	↘24.5 W / ↗19.6 W	↘1615 lm / ↗2079 lm
1694 mm	■ 24	6 ft	5 ft	↘29.4 W / ↗24.5 W	↘1938 lm / ↗2599 lm
1974 mm	■ 28	7 ft	-	↘34.3 W	↘2261 lm
2254 mm	■ 32	8 ft	-	↘39.2 W	↘2584 lm
2534 mm	■ 36	9 ft	-	↘44.1 W	↘2907 lm
2814 mm	■ 40	10 ft	-	↘49 W	↘3230 lm
3094 mm	■ 44	11 ft	-	↘53.9 W	↘3553 lm
3374 mm	■ 48	12 ft	-	↘58.8 W	↘3876 lm

Technical information

IP20

>90
CRI

SDCM
3





~230V

lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	pendant	+ 2		
	pendant up & down	+ 3		
light distribution - up	~145° x 100°			
light distribution - down	120° jet mid			
	120° jet out			
luminous efficiency	LO	ST	HI	
	jet mid	68lm/W	65lm/W	62lm/W *
	jet out	68lm/W	65lm/W	62lm/W *
	up	110lm/W	106lm/W	101lm/W *
electrical control	ON/OFF	▲ 9		
	DALI	▲ 8		
color temperature	3000K	● 3		
	4000K	● 4		
	on request:	TUNABLE WHITE ● 9		
housing color		black 9005	● 01	
		white 9010	● 02	
	on request:	RAL color palette ● 99		

* Photometric data: 4 ft, 4000 K, CRI 90

Create my unique code!

71+8 - ■ - ~ - ▲ - ● - ★ - 00





Line 28 Dot System

EN Line 28 Dot System is an imposing pendant luminaire that fascinates its sculptural look and allows for a versatile range of arrangements. While it exudes a relatively lightweight look as a single structure linked in the shape of a triangle or square, it reveals a distinctive sculptural effect when arranged in a monumental geometric hexagon scheme. The structure of each Dot System luminaire consists of three or four sections of the Line 28 profile equipped with advanced optics, which are connected in a triangle or square shape through cylindrical „Dot“ connectors. Suppose you want to improve the acoustics of your office space additionally. In that case, it is possible to fill the distance between the elements of the Dot System with a high-quality sound-absorbing panel.

DE Line 28 Dot System ist eine imposante Pendelleuchte, die durch ihre skulpturale Anmutung fasziniert und vielseitig arrangiert werden kann. Während es als einzelne Struktur die in Form eines Dreiecks oder Quadrats verbunden ist, ein relativ leichtes Aussehen ausstrahlt, zeigt es einen unverwechselbaren skulpturalen Effekt, wenn es in einem monumentalen geometrischen Hexagon-Schema angeordnet ist. Die Struktur jeder Dot System-Leuchte besteht aus drei oder vier Abschnitten des Line 28-Profiles, das mit fortschrittlicher Optik ausgestattet ist und durch zylindrische „Dot“-Verbindungsstücke in Dreiecks- oder Quadratform verbunden ist. Angenommen, Sie möchten die Akustik Ihrer Büroräume zusätzlich verbessern. In diesem Fall ist es möglich, den Abstand zwischen den Elementen des Dot-Systems mit einer hochwertigen schallabsorbierenden Paneel zu füllen.

Example

Line 28 Dot System

75

↑

2

↓

pendant

dark optic 65°

3

↑

40

↓

4 ft + Blind ↑

standard power

2

↑

8

↓

DALI

3000 K

3

↑

01

↓

reflector black matte

01

↑

↓

housing black 9005

Quickinfo	LO	ST	HI
system power	↓9.6W	↓19.6W	↓30W
luminous flux	65° ↓1141lm	↓2234lm	↓3259lm *
	55° ↓1127lm	↓2205lm	↓3217lm *
	up ↓1062lm	↓2079lm	↓3034lm *
UGR	<19		

Technical information

IP20

>90 CRI

SDCM 3

~230V


lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	pendant	+ 2		
	pendant up & down	+ 3		
light distribution – up	~145° × 100°			
light distribution – down	65° / 55°			
luminous efficiency	LO	ST	HI	
	65°	118lm/W	113lm/W	108lm/W
	55°	117lm/W	112lm/W	107lm/W
	up	110lm/W	106lm/W	101lm/W
electrical control	ON/OFF	▲ 9		
	DALI	▲ 8		
color temperature	3000K	● 3		
	4000K	● 4		
	on request: TUNABLE WHITE	● 9		
luminaire color	black 9005	◆ 01		
	white 9010	◆ 02		
	on request: RAL color palette	◆ 99		
reflector color	black matte	★ 01		
	white matte	★ 02		
	silver matte	★ 04		
dark optics	dark optic 65°	■ 3		
	dark optic 55°	■ 4		
	blind cover	■ 9		
on request: opal, microprismatic				

Photometric data: 4 ft, 4000K, CRI 90, 65°, white reflector

Photometric data: 4 ft, 4000 K, CRI 90, 65°, white reflector



ERGO GDAŃSK TRZOP ARCHITEKCI




Create your individual Line 28 Dot System

STEP 1 Choose the base shape for Dot configuration:



STEP 2 Use your imagination and set up the Dot System composition to suit your needs.




STEP 3 Create your unique Dot System code!

To order the Line 28 Dot System correctly, please submit your order codes according to the following instructions:

- FIRSTLY:** Count all the DOT connections and order the correct number.
- SECOND:** Decide if you want the Dot System with or without an acoustic panel.
Choose the color of the ecoPET from page 304.
- THIRD:** Configure lighting on each linear profile.

Example:
Dot System Triangle with acoustic panel




3 x DOT CONNECTOR:
3 x 7520-90

ACOUSTIC PANEL:
7520-91-ecoPET (select color from page 304)

LIGHTING CONFIGURATION:
Blind ↓ Blind ↑: 7523-00-2-8-3-01-01
2 ft ↓ Blind ↑: 7523-20-2-8-3-01-01
2 ft ↓ 3 ft ↑: 7523-23-2-8-3-01-01

Component code list for Line 28 Dot System:



Dot Connector 7520-90

Triangle Acoustic Panel 7520-91-ecoPET

Square Acoustic Panel 7520-92-ecoPET

Lighting configuration:

Line 28 (1200) Blind ↓ Blind ↑
Line 28 (1200) Blind ↓ 1 ft ↑
Line 28 (1200) Blind ↓ 2 ft ↑
Line 28 (1200) Blind ↓ 3 ft ↑

Line 28 (1200) 1 ft ↓ Blind ↑
Line 28 (1200) 1 ft ↓ 1 ft ↑
Line 28 (1200) 1 ft ↓ 2 ft ↑
Line 28 (1200) 1 ft ↓ 3 ft ↑

Line 28 (1200) 2 ft ↓ Blind ↑
Line 28 (1200) 2 ft ↓ 1 ft ↑
Line 28 (1200) 2 ft ↓ 2 ft ↑
Line 28 (1200) 2 ft ↓ 3 ft ↑

Line 28 (1200) 3 ft ↓ Blind ↑
Line 28 (1200) 3 ft ↓ 1 ft ↑
Line 28 (1200) 3 ft ↓ 2 ft ↑
Line 28 (1200) 3 ft ↓ 3 ft ↑

Line 28 (1200) 4 ft ↓ Blind ↑
Line 28 (1200) 4 ft ↓ 1 ft ↑
Line 28 (1200) 4 ft ↓ 2 ft ↑
Line 28 (1200) 4 ft ↓ 3 ft ↑

Create my unique code!

752□ - 00 - ~ - ▲ - ○ - ♠ - *

752□ - 01 - ~ - ▲ - ○ - ♠ - *

752□ - 02 - ~ - ▲ - ○ - ♠ - *

752□ - 03 - ~ - ▲ - ○ - ♠ - *

752□ - 10 - ~ - ▲ - ○ - ♠ - *

753□ - 11 - ~ - ▲ - ○ - ♠ - *

753□ - 12 - ~ - ▲ - ○ - ♠ - *

753□ - 13 - ~ - ▲ - ○ - ♠ - *

752□ - 20 - ~ - ▲ - ○ - ♠ - *

753□ - 21 - ~ - ▲ - ○ - ♠ - *

753□ - 22 - ~ - ▲ - ○ - ♠ - *

753□ - 23 - ~ - ▲ - ○ - ♠ - *

752□ - 30 - ~ - ▲ - ○ - ♠ - *

753□ - 31 - ~ - ▲ - ○ - ♠ - *

753□ - 32 - ~ - ▲ - ○ - ♠ - *

753□ - 33 - ~ - ▲ - ○ - ♠ - *

752□ - 40 - ~ - ▲ - ○ - ♠ - *

753□ - 41 - ~ - ▲ - ○ - ♠ - *

753□ - 42 - ~ - ▲ - ○ - ♠ - *


753□ - 43 - ~ - ▲ - ○ - ♠ - *

Line 43

One linear luminaire family, customizable to any office space. Line 43 is the most versatile range of our office lighting. Available in various forms, sizes, colors, and mounting options. It's the ideal linear for lighting specifiers and architects to mix and match – to create nearly limitless combinations for any application.

Personalize your Line 43 luminaire to suit your individual needs.

Choose the suitable optics:



Opal Diffuser

Microprismatic Diffuser

Dark Optic

Blind Cover

Wall Washer

...and the reflector color
if your choice was Dark Optic:

Black matte



White matte



Silver matte




Gold matte



Line 43 Custom

When quality and flexibility become one, you get unexpected illumination experiences without any inconsistency. Line 43 Custom is modular linear lighting that can be smartly integrated into the architectural details of any contemporary office space. Light designed to suit particular areas and needs of office workers then appears well thought of, seamless and unobtrusive. Create your unique office lighting story with Line 43, a multifunctional, highly professional modular linear luminaire!





Line 43 Diffusers

EN Linear design luminaire made of an aluminum profile with adiameter of 43 mm and an LED light source merges high functionality with a simple design. Line 43 offers creative mounting options such as a pendant luminaire DOWN, pendant UP &DOWN or surface mounting. The diffuser achieves a uniform-light distribution and is available in three output levels and colortemperatures. The housing can be paintedany color from the RAL palette. The high quality of craft and theecellent light characteristics of this lamp make it ideal for use in offices, shopping venues, galleries, and museums.

DE Lineare Designleuchte aus einem Aluminiumprofil mit einem Durchmesser von 43 mm und einer LED-Lichtquelle vereint hohe Funktionalität mit einem schlichten Design. Die Linie 43 bietet kreative Montagemöglichkeiten wie Pendelleuchte DOWN, Pendelleuchte UP &DOWN oder Anbaumontage. Der Diffusor sorgt für eine gleichmäßige Lichtverteilung und ist in drei Leistungsstufen und Farbtemperaturen erhältlich. Das Gehäuse kann in jeder Farbe der RAL-Palette lackiert werden. Die hohe handwerkliche Qualität und die exzellenten Lichteigenschaften dieser Leuchte machen sie ideal für den Einsatz in Büros, Einkaufszentren, Galerien und Museen.

Example

Line 43
Diffusers

↑

72

↓

surface

opal

↑

1

↓

size
576 mm

standard
power

↑

08

↓

DALI

3000K

↑

2

↓

housing
black 9005

no
reflector

↑

8

↓

↑

3

↓

↑

01

↓

↑

00

↓

size		light	system power standard	luminous flux 4000K, opal
576 mm	■ 08	2 ft	↓9.8W	↓937lm
856 mm	■ 12	3 ft	↓14.7W	↓1406lm
1136 mm	■ 16	4 ft	↓19.6W	↓1874lm
1416 mm	■ 20	5 ft	↓24.5W	↓2343lm
1696 mm	■ 24	6 ft	↓29.4W	↓2811lm
1976 mm	■ 28	7 ft	↓34.3W	↓3280lm
2256 mm	■ 32	8 ft	↓39.2W	↓3748lm
2536 mm	■ 36	9 ft	↓44.1W	↓4217lm
2816 mm	■ 40	10 ft	↓49W	↓4686lm
3096 mm	■ 44	11 ft	↓53.9W	↓5154lm
3376 mm	■ 48	12 ft	↓58.8W	↓5622lm

Technical information

IP20

>90
CRI

SDCM
3

~230V

UGR	<19 / <25			
lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	surface	+ 1		
	pendant	+ 2		
	pendant up & down	+ 3		
light distribution – down	60° mpr			
	120° opal			
luminous efficiency	LO	ST	HI	
	mpm	94lm/W	90lm/W	86lm/W
	opal	99lm/W	95lm/W	91lm/W
electrical control	ON / OFF	▲ 9		
	DALI	▲ 8		
color temperature	3000K	● 3		
	4000K	● 4		
	on request: TUNABLE WHITE	● 9		
housing color	black 9005	◆ 01		
	white 9010	◆ 02		
	on request: RAL color palette	◆ 99		
optics	opal	▣ 1		
	micropismatic	▣ 2		
	blind cover	▣ 9		

* Photometric data: 4 ft, 4000K, CRI 90

Create my unique code!




72+▣-■-~-▲-●-◆-00




XL CATLIN THE DESIGN GROUP

Light distribution down:
A = min 2 ft, max 12 ft

Light distribution up:
B = A - 1 ft





Line 43 Dark Optics


EN This Dark Optics 43 mm linear luminaire's design focuses on a highly effective optical system that provides glare-free direct and indirect light. Line 43 conveys a pleasing aesthetic balance while the colored lenses create attractive accents and a pleasant atmosphere. The luminaire has interchangeable black, white, silver, and gold reflectors. The construction of this profile-type of the luminaire allows the creation of a length of over three meters straight form. The high quality of craft and the excellent light characteristics of this lamp make it ideal for use in office spaces allowing the implementation of unique lighting concepts.

DE Das Design dieser Dark Optics 43 mm Langfeldleuchte konzentriert sich auf ein hocheffektives optisches System, das für blendfreies direktes und indirektes Licht sorgt. Line 43 vermittelt eine angenehme ästhetische Ausgewogenheit, während die farbigen Reflektoren attraktive Akzente und eine angenehme Atmosphäre schaffen. Die Leuchte hat austauschbare schwarze, weiße, silberne und goldene Reflektoren. Die Konstruktion dieses Profiltyps der Leuchte ermöglicht die Schaffung einer Länge von über drei Metern in gerader Form. Die hohe Verarbeitungsqualität und die hervorragenden Lichteigenschaften dieser Leuchte prädestinieren sie für den Einsatz in Büroräumen und ermöglichen die Umsetzung einzigartiger Beleuchtungskonzepte.

Create my unique code!

72+□ - ■ - ~ - ▲ - ● - ☆ - *

Example



size		light	system power standard	luminous flux 4000K, 80° white
576 mm	■ 08	2 ft	↓9.8W	↓1156lm
856 mm	■ 12	3 ft	↓14.7W	↓1734lm
1136 mm	■ 16	4 ft	↓19.6W	↓2312lm
1416 mm	■ 20	5 ft	↓24.5W	↓2890lm
1696 mm	■ 24	6 ft	↓29.4W	↓3468lm
1976 mm	■ 28	7 ft	↓34.3W	↓4046lm
2256 mm	■ 32	8 ft	↓39.2W	↓4624lm
2536 mm	■ 36	9 ft	↓44.1W	↓5202lm
2816 mm	■ 40	10 ft	↓49W	↓5780lm
3096 mm	■ 44	11 ft	↓53.9W	↓6358lm
3376 mm	■ 48	12 ft	↓58.8W	↓6936lm

Technical information



UGR	<19			
lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	surface	+ 1		
	pendant	+ 2		
	pendant up & down	+ 3		
light distribution – down	80° / 50° / 35° / wall washer			
luminous efficiency	LO	ST	HI	
	80°	123lm/W	117lm/W	112lm/W
	50°	119lm/W	114lm/W	108lm/W
electrical control	ON/OFF		▲ 9	
	DALI		▲ 8	
color temperature	3000K		● 3	
	4000K		● 4	
on request:	TUNABLE WHITE		● 9	
housing color	black 9005		● 01	
	white 9010		● 02	
on request:	RAL color palette		● 99	
reflector color	black matte		* 01	
	white matte		* 02	
	silver matte		* 04	
on request:	gold matte		* 05	
dark optics	dark optic 80°		■ 3	
	dark optic 50°		■ 4	
	dark optic 35°		■ 5	
	wall washer		■ 7	
	blind cover		■ 9	




* Photometric data: 4 ft, 4000K, CRI 90, white reflector



TECHNIP THE DESIGN GROUP

Light distribution down:
A = min 2 ft, max 12 ft

Light distribution up:
B = A - 1 ft



Line 30 Oval

See the light of flexxica's masterly designed linear luminaire! This pendant luminaire meets sophisticated user demands by combining craftsmanship with contemporary lighting comfort. Create a stunning impression with Line 30 Oval, with the aesthetically pleasing way it floats.



Choose your optics!
Dark Optic or Diffuser?



Dark Optic



Diffuser



With its 30 mm diameter,
it presents a slim appearance.

EN Line 30 Oval is a minimalist pendant luminaire that fascinates its straightforward geometric design, which exudes a simple and distinctive appearance. This technically sophisticated decorative lighting invites users to realize impressive light installations creatively and showcases a surprising filigree contour. Allowing for appealing light installations, Line 30 Oval offers ingenious mounting options such as a single pendant luminaire over the reception desk or a decorative set of luminaires hung at different heights and different angles of inclination. With its small diameter of 30 mm, the LED lamp showcases an exceptionally slim appearance. The end caps have a slightly concave curve that discreetly surrounds the power cord, which emphasizes the floating character of this lightweight pendant luminaire. The diffuser achieves a uniform light distribution and is available in three output levels and color temperatures.

DE Line 30 Oval ist eine minimalistische Pendelleuchte, die durch ihr geradliniges, geometrisches Design fasziniert, das ein schlichtes und unverwechselbares Erscheinungsbild ausstrahlt. Diese technisch anspruchsvolle Dekorationsbeleuchtung lädt dazu ein, eindrucksvolle Lichtinstallationen kreativ zu realisieren und überrascht mit einer filigranen Kontur. Für ansprechende Lichtinstallationen bietet Line 30 Oval ausgeklügelte Montagemöglichkeiten wie eine einzelne Pendelleuchte über dem Empfangstresen oder ein dekoratives Leuchtenset in unterschiedlichen Höhen und unterschiedlichen Neigungswinkeln. Mit ihrem geringen Durchmesser von 30 mm präsentiert sich die LED-Leuchte besonders schlank. Die leicht konkav gewölbten Endkappen umrahmen dezent das seitlich einzuführende Stromkabel, was den schwebenden Charakter der leichten Pendelleuchte verstärkt. Der Diffusor erzielt eine gleichmäßige Lichtverteilung und ist in drei Leistungsstufen und Farbtemperaturen erhältlich.

Line 30
Diffusers

↑

74

↓

pendant

opal

↑

1

↓

size
616 mm

standard
power

↑

2

↓

DALI

3000K

↑

8

↓

housing
black 9005

01

↓

no reflector

↑

00

size		↓light	system power standard	luminous flux 4000 K, opal
616 mm	■ 08	2 ft	↓9.8 W	↓632 lm
896 mm	■ 12	3 ft	↓14.7 W	↓984 lm
1176 mm	■ 16	4 ft	↓19.6 W	↓1264 lm
1456 mm	■ 20	5 ft	↓24.5 W	↓1580 lm
1736 mm	■ 24	6 ft	↓29.4 W	↓1896 lm
2016 mm	■ 28	7 ft	↓34.3 W	↓2248 lm
2296 mm	■ 32	8 ft	↓39.2 W	↓2528 lm
2576 mm	■ 36	9 ft	↓44.1 W	↓2844 lm
2856 mm	■ 40	10 ft	↓49 W	↓3160 lm
3136 mm	■ 44	11 ft	↓53.9 W	↓3476 lm
3416 mm	■ 48	12 ft	↓58.8 W	↓3792 lm



		IP20	>90 CRI	SDCM 3	~230V
--	--	-------------	----------------------	------------------	-------


UGR	<19 MPRM		
lighting power	low		~ 1
	standard		~ 2
	high		~ 3
light distribution – down	120° opal		
	60° mprn		
luminous efficiency	LO	ST	HI
	mprm 65lm/W	63lm/W	60lm/W
	opal 67lm/W	64lm/W	61lm/W
electrical control	ON / OFF		▲ 9
	DALI		▲ 8
color temperature	3000K		● 3
	4000K		● 4
	on request: TUNABLE WHITE		● 9
housing color	black 9005		◆ 01
	white 9010		◆ 02
	on request: RAL color palette		◆ 99
optics	opal		▣ 1
	micropismatic		▣ 2

* Photometric data: 4 ft. 4000K, CR190

Create my unique code!

742□ - ■ - ~ - ▲ - ● - ♠ - 00





Line 30 Oval Dark Optics

EN Line 30 Oval in Dark Optic stands out due to its straight-forward and modern appearance, and the curved end caps enhance the floating character of the lightweight pendant luminaire. When 6 ft long, it surprises with a filigree contour that measures only 30 mm. The luminaire is equipped with innovative, high-performance advanced optics lens technology to achieve outstanding lighting quality in the workplace. The lenses perform a uniform light distribution and are available in three output levels and color temperatures. The luminaire has interchangeable black, white, and silver lenses. The housing can be painted any color from the RAL palette.

DE Line 30 Oval in Dark Optic besticht durch ihr geradliniges und modernes Erscheinungsbild, die geschwungenen Endkappen verstärken den schwebenden Charakter der leichten Pendelleuchte. Bei 180 cm Länge überrascht er mit einer filigranen Kontur, die nur 30 mm misst. Die Leuchte ist mit innovativer, leistungsstarker Advanced-Optics-Linsentechnologie ausgestattet, um eine hervorragende Lichtqualität am Arbeitsplatz zu erreichen. Die Linsen sorgen für eine gleichmäßige Lichtverteilung und sind in drei Leistungsstufen und Farbtemperaturen erhältlich. Die Leuchte hat austauschbare schwarze, weiße und silberne Reflektoren. Das Gehäuse kann in jeder beliebigen Farbe aus der RAL-Palette lackiert werden.

Example

Line 30
Dark Optics

↑

74

pendant

dark
optic
65°

↑

2

size
616 mm

standard
power

↑

3

DALI

3000K

↑

08

housing
black 9005

reflector
black matte

↑

2

↑

8

↑

3

↑

01

↑

01

size		light	system power standard	luminous flux 4000K, 65° white
616 mm	■ 08	2 ft	↓9.8W	↓1117lm
896 mm	■ 12	3 ft	↓14.7W	↓1675lm
1176 mm	■ 16	4 ft	↓19.6W	↓2234lm
1456 mm	■ 20	5 ft	↓24.5W	↓2792lm
1736 mm	■ 24	6 ft	↓29.4W	↓3351lm
2016 mm	■ 28	7 ft	↓34.3W	↓3909lm
2296 mm	■ 32	8 ft	↓39.2W	↓4468lm
2576 mm	■ 36	9 ft	↓44.1W	↓5026lm
2856 mm	■ 40	10 ft	↓49W	↓5584lm
3136 mm	■ 44	11 ft	↓53.9W	↓6143lm
3416 mm	■ 48	12 ft	↓58.8W	↓6702lm

Technical information



UGR	<19			
lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
light distribution – down	65° / 55°			
luminous efficiency	LO	ST	HI	
	65°	118lm/W	113lm/W	108lm/W
	55°	117lm/W	112lm/W	107lm/W
electrical control	ON / OFF		▲ 9	
	DALI		▲ 8	
color temperature	3000K		● 3	
	4000K		● 4	
	on request:	TUNABLE WHITE		● 9
housing color	black 9005		◆ 01	
	white 9010		◆ 02	
	on request:	RAL color palette		◆ 99
reflector color	black matte		✱ 01	
	white matte		✱ 02	
	silver matte		✱ 04	
dark optics	dark optic 65°		■ 3	
	dark optic 55°		■ 4	




* Photometric data: 4 ft, 4000K, CRI 90, 65°, white reflector

Create my unique code!

742■ - ■ - ~ - ▲ - ● - ◆ - ✱




CMS LAW FIRM TRZOP ARCHITEKCI



Line 48 Oval

The Line 48 Oval family combines efficient performance with customizable features, perfect for diverse spaces like conference rooms and workstations. These luminaires reduce glare, save energy, and ensure uniform light distribution. Users can choose between four optics options and select from three output levels and color temperatures. The powder-coated housing offers durability and elegance, while housing in any RAL color and interchangeable lenses in black, white, or silver allow for flexible design and tailored lighting effects, making the Line 48 Oval suitable for a wide range of applications.

Choose your optics!




Opal Diffuser

Microprismatic
Diffuser

Dark Optic

Blind Cover

... and the reflector color
if your choice was Dark Optic:



Black matte

White matte

Silver matte



With its 48 mm diameter,
it provides even light distribution.



Line 48 Oval Diffusers

EN Line 48 Oval Diffusers elevate lighting environments with their efficient performance and customizable features, offering reduced glare and decreased energy consumption. They ensure uniform light distribution across diverse spaces and seamlessly integrate into various design schemes with housing options in any RAL color. Users can tailor lighting to their needs with a choice between microprismatic or opal diffusers and three output levels and color temperatures.

DE Die Line 48 Oval Diffusers werten Beleuchtungsumgebungen mit ihrer effizienten Leistung und ihren anpassbaren Funktionen auf und bieten reduzierte Blendung und geringeren Energieverbrauch. Sie sorgen für eine gleichmäßige Lichtverteilung in Räumen und fügen sich nahtlos in verschiedene Designschemata ein, da die Gehäuse in jeder RAL-Farbe erhältlich sind. Mit der Wahl zwischen mikroprismatischen oder opalen Diffusoren und drei Leistungsstufen und Farbtemperaturen können die Benutzer die Beleuchtung an ihre Bedürfnisse anpassen.

Create my unique code!

76+□ - ■ - ~ - ▲ - ● - ◆ - 00

Example

Line 48 Oval Diffusers opal standard power 3000K no reflector
↑ ↑ ↑ ↑ ↑
76 2 1 - 08 - 2 - 8 - 3 - 01 - 00
↓ ↓ ↓ ↓ ↓
pendant size 564 mm DALI housing black 9005

size	↓light	↑light	system power standard	luminous flux 4000K, opal
564 mm ■ 08	2 ft	1 ft	↓9.8W / ↑4.9W	↓632lm / ↑520lm
844 mm ■ 12	3 ft	2 ft	↓14.7W / ↑9.8W	↓984lm / ↑1040lm
1124 mm ■ 16	4 ft	3 ft	↓19.6W / ↑14.7W	↓1264lm / ↑1559lm
1404 mm ■ 20	5 ft	4 ft	↓24.5W / ↑19.6W	↓1580lm / ↑2079lm
1684 mm ■ 24	6 ft	5 ft	↓29.4W / ↑24.5W	↓1896lm / ↑2599lm
1964 mm ■ 28	7 ft	-	↓34.3W	↓2248lm
2244 mm ■ 32	8 ft	-	↓39.2W	↓2528lm
2524 mm ■ 36	9 ft	-	↓44.1W	↓2844lm
2804 mm ■ 40	10 ft	-	↓49W	↓3160lm
3084 mm ■ 44	11 ft	-	↓53.9W	↓3476lm
3364 mm ■ 48	12 ft	-	↓58.8W	↓3792lm

Technical information




UGR	<19 MPRM			
lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	pendant	+ 2		
	pendant up & down	+ 3		
light distribution - up	~145° × 100°			
light distribution - down	120° opal			
	60° mprm			
luminous efficiency	LO	ST	HI	
	mpm	65lm/W	63lm/W	60lm/W *
	opal	67lm/W	64lm/W	61lm/W *
	up	110lm/W	106lm/W	101lm/W *
electrical control	ON/OFF	▲ 9		
	DALI	▲ 8		
color temperature	3000K	● 3		
	4000K	● 4		
	on request: TUNABLE WHITE	● 9		
housing color	black 9005	◆ 01		
	white 9010	◆ 02		
	on request: RAL color palette	◆ 99		
optics	opal	■ 1		
	microprismatic	■ 2		
	blind cover	■ 9		


* Photometric data: 4 ft, 4000K, CRI 90



light distribution
DOWN MPRM




light distribution
DOWN OPAL




■ C0-C180 ■ C90-C270 cd/1000lm

■ C0-C180 ■ C90-C270 cd/1000lm

light distribution
UP & DOWN MPRM




light distribution
UP & DOWN OPAL



■ C0-C180 ■ C90-C270 cd/1000lm

■ C0-C180 ■ C90-C270 cd/1000lm





Line 48 Oval Dark Optics

EN The Line 48 Oval Dark Optics luminaire, with a 48 mm diameter, seamlessly merges sleek design and functionality for tailored lighting solutions ideal for conference rooms or workstations. Providing direct and indirect light for precise illumination, it ensures heightened uniformity and minimized glare, fostering a conducive atmosphere. The powder-coated housing adds durability and elegance, while the option to paint the housing in any RAL color enhances customization possibilities. With interchangeable lenses, users can effortlessly craft desired lighting effects while maintaining aesthetic harmony.

DE Die Leuchte Line 48 Oval Dark Optics mit einem Durchmesser von 48 mm vereint elegantes Design und Funktionalität für maßgeschneiderte Beleuchtungslösungen, die sich ideal für Konferenzräume oder Arbeitsplätze eignen. Sie bietet direktes und indirektes Licht für eine präzise Beleuchtung, sorgt für eine verbesserte Gleichmäßigkeit und minimiert die Blendung, was zu einer angenehmen Atmosphäre beiträgt. Der pulverbeschichtete Rahmen sorgt für Langlebigkeit und Eleganz, während die Möglichkeit, das Gehäuse in jeder RAL-Farbe zu lackieren, die Möglichkeiten zur individuellen Gestaltung erweitert. Mit den austauschbaren Reflektoren können die Benutzer mühelos die gewünschten Lichteffekte erzielen und gleichzeitig die ästhetische Harmonie wahren.

Create my unique code!

76+□ - ■ - ~ - ▲ - ● - ◆ - *

Example

Line 48 Oval
Dark Optics

↑

76

↓

pendant

dark
optic
65°

↑

2

↓

size
564 mm

standard
power

↑

3 - 08 - 2 - 8 - 3

↓

DALI

3000K

↑

01

↓

housing
black 9005

reflector
black matte

↑

01

↓


size	↓light	↑light	system power standard	luminous flux 4000K, 65° white
564 mm ■ 08	2ft	1ft	↕9.8W / ↗4.9W	↕1117lm / ↗520lm
844 mm ■ 12	3ft	2ft	↕14.7W / ↗9.8W	↕1675lm / ↗1040lm
1124 mm ■ 16	4ft	3ft	↕19.6W / ↗14.7W	↕2234lm / ↗1559lm
1404 mm ■ 20	5ft	4ft	↕24.5W / ↗19.6W	↕2792lm / ↗2079lm
1684 mm ■ 24	6ft	5ft	↕29.4W / ↗24.5W	↕3351lm / ↗2599lm
1964 mm ■ 28	7ft	-	↕34.3W	↕3909lm
2244 mm ■ 32	8ft	-	↕39.2W	↕4468lm
2524 mm ■ 36	9ft	-	↕44.1W	↕5026lm
2804 mm ■ 40	10ft	-	↕49W	↕5584lm
3084 mm ■ 44	11ft	-	↕53.9W	↕6143lm
3364 mm ■ 48	12ft	-	↕58.8W	↕6702lm

Technical information

>90 CRI icon"/>

UGR	<19				
lighting power	low	~ 1			
	standard	~ 2			
	high	~ 3			
mounting type	pendant	+ 2			
	pendant up & down	+ 3			
light distribution – up	~145° x 100°				
light distribution – down	65° / 55°				
luminous efficiency	LO	ST	HI		
	65°	118lm/W	113lm/W	108lm/W	*
	55°	117lm/W	112lm/W	107lm/W	*
	up	110lm/W	106lm/W	101lm/W	*
electrical control	ON/OFF	▲ 9			
	DALI	▲ 8			
color temperature	3000 K	● 3			
	4000 K	● 4			
	on request: TUNABLE WHITE	● 9			
housing color	black 9005	◆ 01			
	white 9010	◆ 02			
	on request: RAL color palette	◆ 99			
reflector color	black matte	* 01			
	white matte	* 02			
	silver matte	* 04			
dark optics	dark optic 65°	■ 3			
	dark optic 55°	■ 4			
	blind cover	■ 9			


* Photometric data: 4 ft, 4000K, CRI 90, 65°, white reflector



Line 75 Oval

The Line 75 Oval family combines advanced functionality and sleek aesthetics, ideal for a range of spaces from conference rooms to workstations. These luminaires offer high efficiency with reduced glare, energy savings, and uniform light distribution. Users can personalize the lighting experience with various output levels, and color temperatures. Customizable RAL color housing and interchangeable lenses in black, white, or silver make them adaptable to any design scheme. The Line 75 Oval's durable, powder-coated frame and precise illumination ensure a cohesive, refined appearance across all applications.

Choose your optics!



Opal Diffuser


Microprismatic Diffuser

Dark Optic

Blind Cover

Wall Washer

... and the reflector color if your choice was Dark Optic:



Black matte

White matte

Silver matte

Gold matte



With a 75 mm diameter, you can create your unique office lighting story.



Line 75 Oval Diffusers

EN The Line 75 Oval Diffusers optimize lighting environments with their high efficiency and versatile features, offering reduced glare and energy savings. They provide consistent light distribution across a variety of spaces and blend effortlessly into different design schemes, with customizable housing in any RAL color. Users can adjust lighting to their preferences by selecting either microprismatic or opal diffusers and choosing from three different output levels and color temperatures.

DE Die ovalen Diffusoren der Linie 75 optimieren Lichtumgebungen durch ihre hohe Effizienz und ihre vielseitigen Eigenschaften, die Blendungsreduzierung und Energieeinsparungen ermöglichen. Sie sorgen für eine gleichmäßige Lichtverteilung in einer Vielzahl von Räumen und fügen sich mühelos in verschiedene Designschemata ein, mit einem anpassbaren Gehäuse in jeder RAL-Farbe. Die Benutzer können die Beleuchtung an ihre Vorlieben anpassen, indem sie entweder mikroprismatische oder opale Diffusoren auswählen und zwischen drei verschiedenen Leistungsstufen und Farbtemperaturen wählen.

Create my unique code!

77+□-■-~-▲-●-◆-00

Example

Line 75 Oval Diffusers opal standard power 3000K no reflector

↑ ↑ ↑ ↑ ↑

77 2 1 - 08 - 2 - 8 - 3 - 01 - 00

↓ ↓ ↓ ↓ ↓

pendant size 564 mm DALI housing black 9005

size	↓light	↑light	system power standard	luminous flux 4000K, opal
564 mm ■ 08	2ft	2ft	↓9.8W / ↑4.9W	↓937lm / ↑520lm
844 mm ■ 12	3ft	3ft	↓14.7W / ↑9.8W	↓1406lm / ↑1040lm
1124 mm ■ 16	4ft	4ft	↓19.6W / ↑14.7W	↓1874lm / ↑1559lm
1404 mm ■ 20	5ft	5ft	↓24.5W / ↑19.6W	↓2343lm / ↑2079lm
1684 mm ■ 24	6ft	6ft	↓29.4W / ↑24.5W	↓2811lm / ↑2599lm
1964 mm ■ 28	7ft	7ft	↓34.3W	↓3280lm
2244 mm ■ 32	8ft	8ft	↓39.2W	↓3748lm
2524 mm ■ 36	9ft	9ft	↓44.1W	↓4217lm
2804 mm ■ 40	10ft	10ft	↓49W	↓4686lm
3084 mm ■ 44	11ft	11ft	↓53.9W	↓5154lm
3364 mm ■ 48	12ft	12ft	↓58.8W	↓5622lm

Technical information




UGR	<19 / <25			
lighting power	low	~ 1		
	standard	~ 2		
	high	~ 3		
mounting type	pendant	+ 2		
	pendant up & down	+ 3		
light distribution – down	60° mprm			
	120° opal			
luminous efficiency	LO	ST	HI	
	mpm	94lm/W	90lm/W	86lm/W
	opal	99lm/W	95lm/W	91lm/W
electrical control	ON / OFF	▲ 9		
	DALI	▲ 8		
color temperature	3000K	● 3		
	4000K	● 4		
	on request: TUNABLE WHITE	● 9		
housing color	black 9005	◆ 01		
	white 9010	◆ 02		
	on request: RAL color palette	◆ 99		
optics	opal	▣ 1		
	microprismatic	▣ 2		
	blind cover	▣ 9		

* Photometric data: 4 ft, 4000K, CRI 90




light distribution
DOWN MPRM




□ C0-C180 □ C90-C270 cd/1000lm

light distribution
DOWN OPAL




□ C0-C180 □ C90-C270 cd/1000lm

light distribution
UP & DOWN MPRM




□ C0-C180 □ C90-C270 cd/1000lm

light distribution
UP & DOWN OPAL



□ C0-C180 □ C90-C270 cd/1000lm



EN The Line 75 Oval Dark Optics luminaire, featuring a 75 mm diameter, blends modern aesthetics with advanced functionality, making it perfect for enhancing lighting in conference rooms and workstations. Designed for precise illumination, it offers direct and indirect light that promotes uniformity and reduces glare, creating an optimal environment. The innovative dark optics provides even light distribution across multiple output levels and color temperatures, meeting diverse lighting requirements, even 165,3 lm/W. Its powder-coated housing ensures both durability and a refined appearance, while the option to customize the housing with any RAL color allows for personalized design.

DE The Line 75 Oval Dark Optics mit einem Durchmesser von 75 mm verbindet moderne Ästhetik mit fortschrittlicher Funktionalität und eignet sich perfekt zur Verbesserung der Beleuchtung in Konferenzräumen und an Arbeitsplätzen. Sie wurde für eine präzise Beleuchtung entwickelt und bietet ein direktes und indirektes Licht, das die Gleichmäßigkeit fördert und die Blendung reduziert, wodurch eine optimale Umgebung geschaffen wird. Der innovative dark optics sorgt für eine gleichmäßige Lichtverteilung über mehrere Leistungsstufen und Farbtemperaturen und erfüllt so die unterschiedlichsten Beleuchtungsanforderungen. Der pulverbeschichtete Rahmen sorgt für Langlebigkeit und ein edles Erscheinungsbild, während die Möglichkeit, das Gehäuse in jeder RAL-Farbe zu gestalten, ein individuelles Design ermöglicht.

77+□-■-~-▲-○-◆-*

Line 75 Oval
Dark Optics

dark
optic
80°

standard
power

3000K

reflector
black matte

↑

77 2 3 - 08 - 2 - 8 - 3 - 01 - 01

↓

pendant

size
564 mm




DALI

housing
black 9005

size		↓light	↑light	system power standard	luminous flux 4000K, 80° white
564 mm	■ 08	2ft	2ft	↯9.8W / ↱4.9W	↯1156lm / ↱520lm
844 mm	■ 12	3ft	3ft	↯14.7W / ↱9.8W	↯1734lm / ↱1040lm
1124 mm	■ 16	4ft	4ft	↯19.6W / ↱14.7W	↯2312lm / ↱1559lm
1404 mm	■ 20	5ft	5ft	↯24.5W / ↱19.6W	↯2890lm / ↱2079lm
1684 mm	■ 24	6ft	6ft	↯29.4W / ↱24.5W	↯3468lm / ↱2599lm
1964 mm	■ 28	7ft	7ft	↯34.3W	↯4046lm
2244 mm	■ 32	8ft	8ft	↯39.2W	↯4624lm
2524 mm	■ 36	9ft	9ft	↯44.1W	↯5202lm
2804 mm	■ 40	10ft	10ft	↯49W	↯5780lm
3084 mm	■ 44	11ft	11ft	↯53.9W	↯6358lm
3364 mm	■ 48	12ft	12ft	↯58.8W	↯6936lm

UGR	<19			
lighting power	low	≈ 1		
	standard	≈ 2		
	high	≈ 3		
mounting type	pendant	+ 2		
	pendant up & down	+ 3		
light distribution – down	80° / 50° / 35° / wall washer			
luminous efficiency	LO	ST	HI	
	80°	123lm/W	117lm/W	112lm/W
	50°	119lm/W	114lm/W	108lm/W
electrical control	ON / OFF		▲ 9	
	DALI		▲ 8	
	color temperature			
	3000K		● 3	
	4000K		● 4	
	on request:	TUNABLE WHITE	● 9	
housing color	black 9005		● 01	
	white 9010		● 02	
	on request:	RAL color palette	● 99	
reflector color	black matte		* 01	
	white matte		* 02	
	silver matte		* 04	
	on request:	gold matte	* 05	
dark optics	dark optic 80°		■ 3	
	dark optic 50°		■ 4	
	dark optic 35°		■ 5	
	wall washer		■ 7	
	blind cover		■ 9	

* Photometric data: 4 ft, 4000 K, CRI 90, white reflector




Cube

EN Cube is a line of minimalist, modern ceiling downlights made from aluminum powder-coated in any RAL color. The architects love this combination of a simple yet interesting design available in four mounting options to choose from with a high-quality LED light source and a European power supply. It will certainly be appreciated by those who prefer simple and convenient design. It will look great in any room of a residential apartment, office or shop, whether it is decorated in a classical or modern style.

DE Cube ist eine Serie minimalistischer, moderner Deckenleuchten des Typs Downlight, hergestellt aus pulverbeschichtetem Aluminium in jeder RAL-Farbe zur Wahl. Die Serie ist unter Architekten dank der Kombination von schlichtem, aber interessantem Design, das in vier Montageoptionen erhältlich ist, mit einer hochwertigen LED-Lichtquelle und einem Netzgerät aus europäischer Herstellung sehr beliebt. Die perfekte Wahl für alle, die einfache und komfortable Lösungen bevorzugen. Die Leuchten präsentieren sich in jedem Raum Ihrer Wohnung, Ihres Büros oder Geschäfts hervorragend – egal ob klassisch oder modern eingerichtet.


Example



Quickinfo

luminaire size	105×105×1.5 (recessed with frame)	
	83×83×150 (surface)	
	83×83×780 (pendant)	
system power	↓10W low	↓10W low
	↓15W standard	↓15W standard
luminous flux	↓1060lm / ↓1530lm	↓924lm / ↓1237lm
UGR	<16	<16
CRI	>80	>90
luminous efficiency	100lm/W	80lm/W

Technical information





lighting power	low	~ 1
	standard	~ 2
mounting type	surface	☾ 1
	pendant	☾ 2
	recessed with frame	☾ 5
light distribution - down	80°	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
on request:	TUNABLE WHITE	● 9
frame color	black 9005	◆ 01
	RAL color palette	◆ 99
optic	black matte	* 01
	white matte	* 02
	silver matte	* 04
	on request: gold matte	* 05

Create my unique code!

3103 - 00 - ~ - ▲ - ● - ◆ - * - ☾ - 00



CLARIANT THE DESIGN GROUP





Nola

EN The Nola surface-mounted lamp is a premium product with a simple, modern design. By default, it comes in two color housing versions of: black and white, but as an option it can also be powder-coated in any RAL color of your choice. The reflector is available in black, white, gold and silver. The Nola luminaire is made from high-quality European-made components (COB LED, power supply) and easy assembly is an additional advantage. It is perfect as lighting in offices, passageways, open spaces, shopping facilities, galleries and museums.

DE Die Aufputzleuchte Nola ist ein Produkt der Premium-Klasse mit schlichtem, modernem Design. Standardmäßig ist sie in zwei Gehäusefarben erhältlich: Schwarz und Weiß, optional kann sie aber auch in jeder anderen RAL-Farbe pulverbeschichtet werden. Der Reflektor ist in folgenden Farben erhältlich: Schwarz, Weiß, Gold und Silber. Die Nola-Leuchte besteht aus hochwertigen Komponenten europäischer Herstellung (COB-Led, Netzgerät) und überzeugt durch die einfache Montage. Sie eignet sich hervorragend zur Beleuchtung von Büros, Fluren, Open Space-Flächen, Geschäftsräumen und Einkaufszentren, Galerien und Museen.

Example

Nola

↑

3104 - 00 - 2 - 8 - 3 - 01 - 01 - 2 - 00

↓

one size

standard power

↑

3104 - 00 - 2 - 8 - 3 - 01 - 01 - 2 - 00

↓

DALI

3000 K

↑

3104 - 00 - 2 - 8 - 3 - 01 - 01 - 2 - 00

↓

luminaire black 9005

black reflector

↑

3104 - 00 - 2 - 8 - 3 - 01 - 01 - 2 - 00

↓

pendant

no textil

↑

3104 - 00 - 2 - 8 - 3 - 01 - 01 - 2 - 00

↓

pendant

Quickinfo	LO	ST	HI
luminaire size	Ø140 × 162		
system power	↓10W	↓15W	↓23W
luminous flux	↓892lm	↓1248lm	↓1784lm
UGR	<19		

Technical information



lighting power	low	~ 1	
	standard	~ 2	
	high	~ 3	
mounting type	surface	☾ 1	
	pendant	☾ 2	
light distribution – down	40°		
luminous efficiency	LO	ST	HI
	↓84lm/W	↓83lm/W	↓78lm/W
electrical control	ON/OFF	▲ 9	
	DALI	▲ 8	
color temperature	3000 K	● 3	
	4000 K	● 4	
luminaire color	black 9005	◆ 01	
	white 9010	◆ 02	
reflector color	black 9005	✱ 01	
	white 9010	✱ 02	
	silver	✱ 04	
	gold	✱ 05	





Create my unique code!

3104 - 00 - ~ - ▲ - ● - ◆ - ✱ - ☾ - 00



MIDEUROPA BITCREATIVE



Acoustics



EOS POLAND TRZOP ARCHITEKCI




Screen

EN Screen is a hanging office divider. It can be easily hung in various places throughout your workspace, making it a flexible solution to adapt to changing office layouts. Make Screen Glow uniquely yours! Screen Glow can be personalized with various designs or motivational notes using a plotter machine, adding a touch of inspiration and creativity to your workspace.

DE Screen ist ein hängender Raumtrenner. Er kann leicht an verschiedenen Stellen in Ihrem Arbeitsbereich aufgehängt werden und ist somit eine flexible Lösung, die sich an wechselnde Büroaufteilungen anpassen lässt. Kreieren Sie selbst ein Einzigartiges Produkt! Screen Glow kann mit Hilfe eines Plotters mit verschiedenen Motiven oder motivierenden Sprüchen personalisiert werden, um Ihrem Arbeitsplatz einen Hauch von Inspiration und Kreativität zu verleihen.

Example






Quickinfo


Screen	
size	900×2065×12
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

Screen Glow – see page 120

Create my unique code!
9101 - 00 - ✕ - ◆



Your Custom Project





Twist

EN Twist is a suspended divider crafted from high-quality wool felt. Its design draws inspiration from the classic Polish pastry twists, known as angel wing cookies. This divider takes the shape of charming little bow ties, lending a uniquely contemporary aesthetic.

Noteworthy attributes include its excellent sound-absorbing properties and a wide range of customizable color options, effortlessly elevating the visual appeal of any space.

The Twist was designed in cooperation with Anna Spakowska.

DE Twist ist ein schwebender Raumteiler, der aus hochwertigem Wollfilz hergestellt wird. Sein Design ist inspiriert von den klassischen, slawischen Gebäck- faworek, dass als Schürzkuchen bekannt ist. Dieser Raumteiler hat die Form einer charmanten kleinen Schleife, was ihm eine einzigartig moderne Ästhetik verleiht.

Zu den bemerkenswerten Attributen gehören seine hervorragenden schallabsorbierenden Eigenschaften und eine breite Palette von anpassbaren Farboptionen, die mühelos die visuelle Attraktivität jedes Raumes erhöhen.

Der Twist wurde in Zusammenarbeit mit bekannte Art Künstlerin, Anna Spakowska entworfen.


Example

Twist no pattern
↑ ↑
9110 - 01 - 00 - FW2318
↓ ↓
size 01 flexxica wool
 felt color 2318

Quickinfo

size	800×1600	■ 01
	1000×1600	■ 02
	1200×1600	■ 03
	1400×1600	■ 04
	1600×1600	■ 05
	800×1900	■ 06
	1000×1900	■ 07
	1200×1900	■ 08
	1400×1900	■ 09
	1600×1900	■ 10
fabric color		
flexxica wool felt color palette ◆ FWxxxx FWxxxx – choose color from page 305		

Create my unique code!
9110 - ■ - 00 - ◆





Wall Tiles


EN Wall Panels Tiles Series is the perfect solution for offices seeking enhanced acoustics while maintaining a sleek aesthetic. These tiles, designed in geometric repetitive patterns, seamlessly blend style, functionality, and eco-consciousness. Crafted from PET material they offer outstanding ability to reduce reverberation and minimize noise levels and commit to delivering a superior acoustic experience. The adaptability of PET thickness ensures a tailored fit to meet the unique demands of project’s acoustic requirements.

Easy to install Wall Panels Tiles Series instantly transform any space into a visually captivating masterpiece. A diverse selection of patterns offers a creative freedom to craft an ambiance that mirrors your distinct style and preferences.

DE Wall Panels Tiles Series ist die perfekte Lösung für Büros, die eine verbesserte Akustik bei gleichzeitiger Beibehaltung einer eleganten Ästhetik wünschen. Diese in geometrischen, sich wiederholenden Mustern gestalteten Fliesen vereinen nahtlos Stil, Funktionalität und Umweltbewusstsein. Sie werden aus PET-Material hergestellt und bieten eine hervorragende Fähigkeit zur Reduzierung des Nachhalls und zur Minimierung des Geräuschpegels und verpflichten sich, ein hervorragendes akustisches Erlebnis zu bieten. Die Anpassungsfähigkeit der PET-Stärke gewährleistet eine maßgeschneiderte Passform, um die einzigartigen Anforderungen der akustischen Anforderungen des Projekts zu erfüllen.

Die einfach zu installierenden Wandpaneele der Tiles Series verwandeln jeden Raum in ein visuell fesselndes Meisterwerk. Eine vielfältige Auswahl an Mustern bietet kreative Freiheit, um ein Ambiente zu schaffen, das Ihren individuellen Stil und Ihre Vorlieben widerspiegelt.

Example




Quickinfo

	Square ■ 01	Rectangle ■ 02	Arc ■ 03	Deltoid ■ 04	Circle ■ 05
size	395 × 395	790 × 395	395 × 395	395 × 342	Ø 395
thickness	minimum 12 mm				
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304				


Create my unique code!

9104 - ■ - x - ◆


Square




FLAT
01



STRAPS
02







STRIPES
03











LINES
04


Rectangle




Arc




Deltoid




01



02




03




04

Circle



395

STRAPS
01



STRIPES
02



Wall Slabs


EN The Wall Panels Slabs Series distinguishes itself with larger dimensions, making them integral components of a comprehensive, expansive design. Effortlessly installed, these slabs easily transform any space into a visually captivating masterpiece. With a range of patterns to choose from, they offer creative freedom to shape an ambiance that perfectly reflects your unique style and preferences. The adaptability in PET thickness guarantees a bespoke fit, catering to the specific requirements of every project.

These panels are engineered to effectively dampen sound waves, creating a tranquil environment that promotes focus, productivity, and comfort. With their outstanding ability to reduce reverberation and minimize noise levels, the Wall Panels Slabs Series stands as a commitment to delivering a superior acoustic experience.

DE Die Serie Wall Panels Slabs zeichnet sich durch größere Abmessungen aus, die sie zu einem integralen Bestandteil eines umfassenden, weitläufigen Designs machen. Diese Platten lassen sich mühelos verlegen und verwandeln jeden Raum in ein visuell fesselndes Meisterwerk. Mit einer Reihe von Mustern, die zur Auswahl stehen, bieten sie kreative Freiheit, um ein Ambiente zu gestalten, das Ihren einzigartigen Stil und Ihre Vorlieben perfekt widerspiegelt. Die Anpassungsfähigkeit der PET-Stärke garantiert eine maßgeschneiderte Passform, die den spezifischen Anforderungen eines jeden Projekts gerecht wird.



Diese Paneele sind so konzipiert, dass sie Schallwellen effektiv dämpfen und eine ruhige Umgebung schaffen, die Konzentration, Produktivität und Komfort fördert. Mit ihrer herausragenden Fähigkeit, den Nachhall zu reduzieren und den Geräuschpegel zu minimieren, steht die Wall Panels Slabs Serie für ein hervorragendes akustisches Erlebnis.

Example



Quickinfo

size	1195×395	■ 01
	1195×595	■ 02
	1395×395	■ 03
	1395×595	■ 04
pattern	slabs 1	✕ 01
	slabs 2	✕ 02
	slabs 3	✕ 03
	slabs 4	✕ 04
	slabs 5	✕ 05
	slabs 6	✕ 06
	slabs 7	✕ 07
	custom	✕ 08
thickness	12 mm	
	on request: thicker PET	
fabric color	ARCHI felt ecoPET color palette ◆ archixxx	
	archixxx – choose color from page 304	



Create my unique code!

9105 - ■ - ✕ - ◆

176


PET BOTTLES



up to

6.66m²

ACOUSTIC SURFACE



Echo Baffles

EN Echo baffles are acoustic panels designed to enhance the acoustics within an office environment. These panels are strategically installed on the ceiling to effectively manage sound levels and create a more conducive auditory atmosphere.

The distinctive construction of these panels consists of vertical acoustic baffles that play a pivotal role in sound absorption. By strategically positioning these baffles, the panels effectively capture and dampen sound waves, thereby reducing noise levels within the office space. The space between the baffles acts as an additional sound absorber, creating a multi-layered approach to acoustic management. As sound waves encounter the baffles, they are absorbed and diffused, preventing excessive reverberation and echo.

DE Echo Baffles sind Akustikpaneele, die die Akustik in einer Büroumgebung verbessern. Diese Paneele werden strategisch an der Decke installiert, um den Schallpegel effektiv zu steuern und eine bessere akustische Atmosphäre zu schaffen.

Die charakteristische Konstruktion dieser Paneele besteht aus vertikalen akustischen Baffeln, die eine entscheidende Rolle bei der Schallabsorption spielen. Durch die strategische Positionierung dieser Baffeln fangen die Paneele effektiv Schallwellen ein und dämpfen sie, wodurch der Geräuschpegel im Büroraum reduziert wird. Der Raum zwischen den Baffeln wirkt als zusätzlicher Schallabsorber und schafft so einen mehrschichtigen Ansatz für das Akustikmanagement. Wenn Schallwellen auf die Baffeln treffen, werden sie absorbiert und gestreut, wodurch übermäßiger Nachhall und Echo verhindert werden.

Example

Echo Baffles

↑

9106 - 01 - 00 - archi1201

↓

Square A

no pattern

↑

9106 - 01 - 00 - archi1201


↓

ARCHI felt color 1201 Cloud

Quickinfo

	Square A ■ 01	Square B ■ 02
size	1195 × 1195 × 120	1195 × 1195 × 160
thickness	12 mm	12 mm
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304	
	on request: Echo Baffles can be customized with linear luminaries. See page 132.	

Create my unique code!
9106 - ■ - 00 - ◆





Hash


EN Hash is a suspended ceiling system designed to deliver efficient sound damping. Consisting of 14 ecoPET large baffles arranged in a perpendicular manner, intersecting with each other, the end construction forms a checkered dome that extends from the ceiling. It can take the shape of either a circle or square, allowing air to circulate between the components for enhanced sound absorption. This pendant ceiling system was meticulously crafted to diminish sound levels in expansive office spaces and emanates a commanding presence, captivating observers with its dynamic allure.

DE Hash ist ein System für abgehängte Decken, das für eine effiziente Schalldämpfung sorgt. Es besteht aus 14 großen ecoPET-Kulissen, die senkrecht angeordnet sind und sich überkreuzen. Die Endkonstruktion bildet eine schachbrettartige Kuppel, die von der Decke absteht. Sie kann die Form eines Kreises oder eines Quadrats annehmen, so dass die Luft zwischen den Komponenten zirkulieren kann, um die Schallabsorption zu verbessern. Dieses hängende Deckensystem wurde sorgfältig entwickelt, um den Schallpegel in großen Büroräumen zu senken. Es strahlt eine beeindruckende Präsenz aus und fesselt den Betrachter durch seine dynamische Ausstrahlung.


Quickinfo

	Hash Round	Hash Square
size	Ø1200×293 ■ 01 Ø1600×300 ■ 02	1200×1200×300 ■ 03 1600×1600×300 ■ 04
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304	

Example



Create my unique code!
9111 - ■ - 00 - ◆



THICKNESS
24 mm



Focus


EN Focus Desk Divider was designed to create more privacy and focused atmosphere in an open space office. It reduces ambient noise and fosters deep concentration. Easy installation and multifunctional use make it an essential addition to your workspace. Choose from four unique patterns to match your personal style.

DE Focus Desk Divider wurde entwickelt, um mehr Privatsphäre und eine konzentrierte Atmosphäre in einem Großraumbüro zu schaffen. Er reduziert den Umgebungslärm und fördert die Konzentration. Die einfache Installation und der multifunktionale Einsatz machen ihn zu einer unverzichtbaren Ergänzung Ihres Arbeitsplatzes. Wählen Sie aus vier einzigartigen Mustern, die zu Ihrem persönlichen Stil passen.


Quickinfo

size	1000×340×24	■ 01
	1200×340×24	■ 02
	1400×340×24	■ 03
	1600×340×24	■ 04
	1800×340×24	■ 05
	2000×340×24	■ 06
	1000×480×24	■ 07
	1200×480×24	■ 08
	1400×480×24	■ 09
	1600×480×24	■ 10
	1800×480×24	■ 11
	2000×480×24	■ 12
	1000×600×24	■ 13
	1200×600×24	■ 14
	1400×600×24	■ 15
	1600×600×24	■ 16
	1800×600×24	■ 17
	2000×600×24	■ 18
patterns	flat	✕ 01
	wings	✕ 02
	stripes	✕ 03
	waterfall	✕ 04
	on request:	custom project
thickness	24 mm	
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304	


Example




Create my unique code!
9107 - ■ - ✕ - ◆




01 flat




03 stripes




02 wings



04 waterfall



PET THICKNESS
24 mm



Flexx Wall

EN Flexx Wall is a versatile solution for dynamic workspace division. Crafted from ecpPET acoustic material provides a quieter environment, fostering concentration and productivity.

With a range of customizable patterns and colors it enhances productivity and aesthetics. It's easy installation and reconfiguration process make it a hassle-free addition to your workspace.

DE Flexx Wall ist eine vielseitige Lösung für die dynamische Aufteilung von Arbeitsbereichen. Das akustische ecpPET-Material sorgt für eine ruhigere Umgebung und fördert die Konzentration und Produktivität.


Mit einer Reihe von anpassbaren Mustern und Farben steigert sie die Produktivität und Ästhetik. Die einfache Installation und Neukonfiguration machen es zu einer problemlosen Ergänzung Ihres Arbeitsbereichs.

Quickinfo

size	700×1200×24	■ 01
	700×1400×24	■ 02
	700×1600×24	■ 03
	800×1200×24	■ 04
	800×1400×24	■ 05
	800×1600×24	■ 06
	900×1200×24	■ 07
	900×1400×24	■ 08
	900×1600×24	■ 09
	1000×1200×24	■ 10
	1000×1400×24	■ 11
	1000×1600×24	■ 12
patterns	flat	✕ 01
	stripes	✕ 02
	waterfall	✕ 03
	on request: custom project	
thickness	24 mm	
	on request: thicker PET	
fabric color	ARCHI felt ecoPET color palette	◆ archixxx
	archixxx – choose color	
	from page 304	



Example




Create my unique code!

9108 – ■ – ✕ – ◆


01 flat



02 stripes



03 waterfall





Echo Island

EN Echo Island Acoustic Ceiling Panel is acoustic solution crafted to revolutionize the auditory experience in office environments. These thoughtfully designed acoustic panels come in both round and square shapes, offering a versatile and visually appealing addition to any workspace. These panels effectively mitigate echoes and reverberations, ensuring a more balanced and comfortable auditory environment. Their robust construction from 36 mm ecoPET ensures reliable solution for long-term acoustic enhancement.


DE Echo Island Acoustic Ceiling Panel ist eine akustische Lösung, die das Hörerlebnis in Büroumgebungen revolutionieren soll. Diese durchdacht konzipierten Akustikpaneele sind sowohl in runder als auch in quadratischer Form erhältlich und bieten eine vielseitige und optisch ansprechende Ergänzung für jeden Arbeitsbereich. Die Paneele dämpfen effektiv Echos und Nachhall und sorgen so für eine ausgewogene und angenehme akustische Umgebung. Ihre robuste Konstruktion aus 36 mm ecoPET gewährleistet eine zuverlässige Lösung für eine langfristige akustische Verbesserung.

Quickinfo		Circle	■ 01	Square	■ 02
size		Ø1150		1150×1150	
thickness		36 mm			
fabric color		ARCHI felt ecoPET color palette ◆ archixxx – choose color from page 304			

Example

Echo Island
↑
9109 – 01 – 00 – archi1201
↓
01 circle
no pattern
↑
ARCHI felt color 1201 Cloud

Create my unique code!
9109 – ■ – 00 – ◆





Zen Garden




EN Zen Garden is an innovative product that combines the functionality of a pot with advanced acoustic properties. It is an ideal solution for offices that wish to create a harmonious, calm and efficient work space in combination with office plants. Its unique design and simplicity of form add a sophisticated touch to offices, bringing harmony and tranquility to the work environment. The size of the flowerpot has been appropriately adapted to office desks and shelves, allowing it to be easily integrated into various spaces.

DE Zen Garden ist ein innovatives Produkt, das die Funktionalität eines Topfes mit fortschrittlichen akustischen Eigenschaften kombiniert. Es ist eine ideale Lösung für Büros, die in Kombination mit Büropflanzen einen harmonischen, ruhigen und effizienten Arbeitsbereich schaffen wollen. Sein einzigartiges Design und seine schlichte Form verleihen dem Büro eine raffinierte Note und bringen Harmonie und Ruhe in die Arbeitsumgebung. Die Größe des Blumentopfs wurde an die Größe von Schreibtischen und Regalen angepasst, so dass er sich leicht in verschiedene Räume integrieren lässt.


Quickinfo

	Zen Garden S ■ 01	Zen Garden M ■ 02
size	Ø 510 x 530	Ø 390 x 700
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304	

Example



Create my unique code!
9100 – ■ – 00 – ◆



Tower

EN Acoustic Tower, the versatile soundproofing panel that effortlessly enhances the interior design of your office while serving multiple functions. Tower goes beyond its primary role as a soundproofing solution and offers you the flexibility to utilize it as an information board or a convenient space for attaching notes.

DE Acoustic Tower, das vielseitige Schallschutzpaneel, das die Inneneinrichtung Ihres Büros mühelos aufwertet und gleichzeitig mehrere Funktionen erfüllt. Tower geht über seine primäre Rolle als Schallschutzlösung hinaus und bietet Ihnen die Flexibilität, ihn als Informationstafel oder als praktischen Platz zum Anbringen von Notizen zu nutzen.


Example

Tower	no pattern
↑	↑
9103 - 00 - 00 - archi1201	
↓	↓
one size	ARCHI felt color 1201 Cloud

Quickinfo

	Tower
size	2013×500×500
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

Create my unique code!
9103 - 00 - 00 - ◆






Case

EN Case is an office organizer designed to carry office items, catalogues, and other office essentials. Crafted from recycled materials derived from PET bottles, this case embodies both functionality and sustainability. Whether you're working in a traditional office or embracing the flexibility of hot desking, Case is the perfect companion for your everyday office needs. Stay organized, reduce your environmental footprint, and elevate your office experience with Case. Make a conscious choice for both your productivity and the planet. Order the flexxica Case for your team choosing from 2 available sizes and a range of vibrant colors to match your office aesthetics.

DE Case ist ein Büro-Organizer für Büroartikel, Kataloge und andere wichtige Büroartikel. Gefertigt aus recycelten Materialien, die aus PET-Flaschen gewonnen wurden, verkörpert dieser Koffer sowohl Funktionalität als auch Nachhaltigkeit. Egal, ob Sie in einem traditionellen Büro arbeiten oder die Flexibilität des Hot Desking nutzen, Case ist der perfekte Begleiter für Ihren Büroalltag. Bleiben Sie organisiert, reduzieren Sie Ihren ökologischen Fußabdruck und verbessern Sie Ihr Büroerlebnis mit Case. Treffen Sie eine bewusste Entscheidung für Ihre Produktivität und unseren Planeten. Bestellen Sie den flexxica Case für Ihr Team und wählen Sie aus 2 verfügbaren Größen und einer Reihe von leuchtenden Farben, die zu Ihrer Büroästhetik passen.


Example



Quickinfo

	Case S	■ 01	Case M	■ 02
size	368×185×192		368×185×272	
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 304			


Create my unique code!
9102 - ■ - 00 - ◆



275
PET
BOTTLES

PET THICKNESS
12 mm

up to
5.20 m²
ACOUSTIC
SURFACE



Butterfly

EN Butterfly is an innovative solution that combines functionality with aesthetics, enabling efficient workspace division. Made from ecoPET acoustic material, it effectively reduces noise, enhancing focus and employee comfort. Its unique design, inspired by the shape of butterfly wings, adds a sense of lightness and dynamism to any interior. With a wide range of colors available, it offers full customization, while the easy mounting system allows for quick reconfiguration, adapting to the evolving needs of modern offices.

DE Butterfly ist eine innovative Lösung, die Funktionalität und Ästhetik vereint und eine effiziente Raumaufteilung ermöglicht. Hergestellt aus ecoPET-Akustikmaterial, reduziert es effektiv Geräusche und verbessert die Konzentration sowie den Komfort der Mitarbeiter. Das einzigartige Design, inspiriert von der Form von Schmetterlingsflügeln, verleiht jedem Raum eine besondere Leichtigkeit und Dynamik. Dank einer breiten Farbpalette bietet es individuelle Gestaltungsmöglichkeiten, während das einfache Montagesystem eine schnelle Umgestaltung ermöglicht, um sich den sich wandelnden Anforderungen moderner Büros anzupassen.


Example

Butterfly ARCHI felt color
↑ 1201 Cloud
9112 – 00 – archi1201
↓
one size

Quickinfo

size	836 × 2043
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 304

Create my unique code!
9112 – 00 – ◆



Sound absorption coefficient

felt, PET and acoustic foam

EN The sound absorption coefficient, often called as α (alpha), is a measure of how much sound energy is absorbed by a material when sound waves hit it. It is a dimensionless quantity ranging from 0 to 1, where 0 indicates complete reflection (no absorption) and 1 indicates complete absorption (no reflection).

Material with a higher sound absorption coefficient will absorb more sound energy and reflect less back into the environment. This property is crucial in office acoustics planning and the construction of acoustic panels. Different materials have different absorption characteristics at different frequencies. Generally porous materials that are used to improve acoustic conditions are more effective at absorbing high-frequency sounds compared to low-frequency sounds. Given that the most important frequency range for speech recognition is the range from 500 to 2000Hz, this is a critical consideration when embarking on acoustic planning endeavors. Thicker materials often have higher absorption coefficients, especially for lower frequencies, as sound waves have to travel through more material, so they absorb more energy compared to thinner materials.


Below charts illustrate the absorption performance across different frequencies for three materials employed in the production of flexxica lamps: felt, PET, and acoustic foam.

DE Der Schallabsorptionskoeffizient, oft auch als α (alpha) bezeichnet, ist ein Maß dafür, wie viel Schallenergie von einem Material absorbiert wird, wenn Schallwellen auf es treffen. Er ist eine dimensionslose Größe im Bereich von 0 bis 1, wobei 0 für vollständige Reflexion (keine Absorption) und 1 für vollständige Absorption (keine Reflexion) steht.


Ein Material mit einem höheren Schallabsorptionskoeffizienten absorbiert mehr Schallenergie und reflektiert weniger in die Umgebung zurück. Diese Eigenschaft ist für die Planung der Büroakustik und die Konstruktion von Akustikplatten von entscheidender Bedeutung. Verschiedene Materialien haben unterschiedliche Absorptionseigenschaften bei verschiedenen Frequenzen. Im Allgemeinen absorbieren poröse Materialien, die zur Verbesserung der akustischen Bedingungen eingesetzt werden, hochfrequenten Schall besser als tieffrequenten Schall. Da der wichtigste Frequenzbereich für die Spracherkennung der Bereich von 500 bis 2000 Hz ist, ist dies ein entscheidender Faktor bei der Planung von akustischen Maßnahmen. Dickere Materialien haben oft einen höheren Absorptionskoeffizienten, insbesondere für niedrige Frequenzen, da die Schallwellen mehr Material durchqueren müssen und daher mehr Energie absorbieren als dünnere Materialien.

Die folgenden Diagramme veranschaulichen die Absorptionsleistung bei verschiedenen Frequenzen für drei Materialien, die bei der Herstellung von flexxica-Lampen verwendet werden: Filz, PET und Akustikschaum.


Sound absorption coefficient FELT



Sound absorption coefficient PET 12 mm



Sound absorption coefficient ACOUSTIC FOAM



Equivalent Sound Absorption Area


EN Equivalent Sound Absorption Area (A) is a metric used in acoustics to quantify the sound-absorbing properties of an object or surface. It represents the hypothetical area of a perfectly absorbing material (which absorbs 100% of sound energy) that would provide the same level of sound absorption as the actual object or surface being evaluated. A tells how effective a particular object is at absorbing sound compared to a theoretical perfect absorber. A is expressed in square meters, square feet or sabins and is used to compare the sound absorption capabilities of different objects and surfaces. It's a useful metric in designing spaces for specific acoustic requirements, where sound & noise control is crucial, such as open plan offices or other high-volume noisy environments.

At flexxica, our team of Acoustic Designers meticulously measures each of our acoustic luminaries to ensure they meet the exacting standards set for office rooms.


DE Die äquivalente Schallabsorptionsfläche (A) ist ein Maß, das in der Akustik zur Quantifizierung der schallabsorbierenden Eigenschaften eines Objekts oder einer Oberfläche verwendet wird. Sie stellt die hypothetische Fläche eines perfekt absorbierenden Materials (das 100% der Schallenergie absorbiert) dar, die den gleichen Schallabsorptionsgrad wie das zu bewertende Objekt oder die zu bewertende Fläche aufweisen würde. A gibt an, wie effektiv ein bestimmtes Objekt im Vergleich zu einem theoretischen perfekten Absorber Schall absorbiert. A wird in Quadratmetern, Quadratfuß oder Sabins angegeben und dient zum Vergleich der Schallabsorptionsfähigkeit verschiedener Objekte und Oberflächen. Es ist eine nützliche Kennzahl bei der Gestaltung von Räumen für spezifische akustische Anforderungen, bei denen Schall- und Geräuschkontrolle von entscheidender Bedeutung sind, wie z. B. in Großraumbüros oder in anderen lauten Umgebungen mit hohem Geräuschpegel.

Bei flexxica misst unser Team von Akustikdesignern jede unserer Akustikleuchten akribisch aus, um sicherzustellen, dass sie die anspruchsvollen Standards für Büroräume erfüllen.


Donut




Fold




Blade 2.0




Linea




Bell




Bell Floor 2.0




Cone PET




Piramid Ceiling




Sol




Sikt




Simple Ceiling 2.0




Systema Ceiling




Verti Ceiling 2.0




Cone




Roller




Gap Round




Team




Shade




Ivy




Lily



Daisy



Rose



The Art and Science of Acoustic Planning

EN Acoustic planning begins by understanding the purpose of a space carefully considering factors such as materials, textures and forms. The selection of surfaces, including walls and ceilings is not driven by their appeal but also their ability to enhance sound quality.

Strategic placement of elements like curved surfaces, baffles and dividers plays a crucial role in transforming spaces into acoustically friendly environments. These elements work together harmoniously to manage waves and refine the acoustics. Each project is approached as an endeavor tailored to meet the needs and goals of the space. Acoustic planning goes beyond being a service; it becomes a journey.

At flexxica, our journey starts with thorough consultations and precise measurements. Our expertise lies in conducting acoustic simulations and generating detailed acoustic reports. This journey culminates in the creation of a healthy acoustic space and an inviting office environment.

For consultation requests, please reach out to us at: acoustics@flexxica.com.

DE Die akustische Planung beginnt damit, dass man den Zweck eines Raumes versteht und Faktoren wie Materialien, Texturen und Formen sorgfältig berücksichtigt. Die Auswahl von Oberflächen, einschließlich Wänden und Decken, richtet sich nicht nur nach ihrer Attraktivität, sondern auch nach ihrer Fähigkeit, die Klangqualität zu verbessern.

Die strategische Platzierung von Elementen wie gebogenen Oberflächen, Baffeln und Trennwänden spielt eine entscheidende Rolle bei der Umwandlung von Räumen in akustisch freundliche Umgebungen. Diese Elemente arbeiten harmonisch zusammen, um Wellen zu managen und die Akustik zu verfeinern. Jedes Projekt wird als ein auf die Bedürfnisse und Ziele des Raums zugeschnittenes Vorhaben betrachtet. Akustische Planung ist mehr als nur eine Dienstleistung, sie ist eine Reise.

Bei flexxica beginnt unsere Reise mit gründlichen Beratungen und präzisen Messungen. Unsere Kompetenz liegt in der Durchführung von akustischen Simulationen und der Erstellung detaillierter akustischer Berichte. Diese Reise gipfelt in der Schaffung eines gesunden akustischen Raums und einer einladenden Büroumgebung.

Für Beratungsanfragen kontaktieren Sie uns bitte unter: acoustics@flexxica.com.

Step into the world of flexxica color palettes

Materials and colors mean everything. Ambience. Atmosphere. Identity. We want to influence and inspire the world of office interiors with our take on materials and colors. Bright and light. Dense and deep. Mix and match our color palettes for any creative design purpose.

Still undecided about which color to choose from our color palettes?

Scan the QR code and look closely at flexxica materials and colors!



We are constantly working on expanding our color palettes with new eco-friendly materials and suppliers that care about the environment as much as we do.


Our current color palettes are always online. Just scan the QR code above!




ARCHI felt ecoPET 12 mm

EN The high-quality PET sound panels are robust, durable, and have a slightly textile surface that can be washed. They have excellent sound-absorbing properties, are flame-resistant and recyclable.

DE Hochwertige PET-Akustikplatten sind massiv, strapazierfähig, mit einer leicht textilen Oberfläche, die gewaschen werden kann. Sie haben hervorragende Schalldämmeigenschaften, sind schwer entflammbar und können recycelt werden.



Special colors



ARCHI felt ecoPET properties

Measurements: 2800 mm × 1200 mm × 12 mm (gross size)

Flammability Class: B-s1,d0

Acoustic values

Mounting method	Directly on the wall	50 mm cavity	50 mm cavity + 50 mm rockwool	100 mm cavity	100 mm cavity + 100 mm rockwool
NRC (100–5000 Hz)	0.40	0.75	0.95	0.80	1.00
aw (100–5000 Hz)	0.25	0.60	1.00	0.80	0.95
Acoustic Class	D	C	A	B	A

flexxica wool felt 5 mm

EN flexxica wool felt color palette is high-quality 5 mm thick felt. Wool felt has many technical uses, including, among others, in acoustics. The natural properties of wool make this felt not only look designer but also absorb noise and sound perfectly.


DE Die Farbpalette von flexxica Wollfilz ist hochwertiger 5 mm dicker Filz. Wollfilze haben viele technische Anwendungen, u. a. in der Akustik. Die natürlichen Eigenschaften der Wolle verleihen diesem Filz nicht nur ein Design-Look, sondern auch eine perfekte Dämpfung von Lärm und Geräuschen.



flexxica felt 5 mm

EN flexxica felt color palette is a wide range of flame-retardant design felts with a velour finish and high noise reduction properties. They are available in many colors, ideal for many decorative projects, including upholstery and interiors.



DE Die flexxica-Farbpalette für Filze ist eine große Auswahl an schwer entflammaren Designfilzen mit Velours-Finish und hohen Geräuschminderungseigenschaften. Sie sind in vielen Farben erhältlich, ideal für viele dekorative Projekte, einschließlich Polsterung und Innenausstattung.



Synergy fabrics by Camira

EN The Camira fabrics color range features 75 shades of Synergy woolen fabric. The fabric is made of the highest quality New Zealand wool and blended only with 5% polyamide. It is very soft, strong, has an impressive wear resistance, and in combination with other materials used in our luminaires, has excellent acoustic characteristics.
























DE Die Farbpalette von Camira fabrics umfasst 75 Farbtöne des Synergy-Wollstoffs. Der Stoff ist aus hochwertigster neuseeländischer Wolle gefertigt und mit nur 5% Polyamid verbunden. Es ist sehr weich, stark, hat eine beeindruckende Abriebfestigkeit und hat in Kombination mit anderen Materialien, die in unseren Leuchten verwendet werden, hervorragende akustische Eigenschaften.

 LDS48 Interfuse	 LDS88 Process	 LDS78 Cordial	 LDS61 Assemble	 LDS69 Sync	 LDS60 Accord	 LDS41 Couple	 LDS26 Bridge
 LDS43 Marry	 LDS87 Values	 LDS76 Success	 LDS38 Unity	 LDS62 Alike	 LDS59 Group	 LDS42 Intertwine	 LDS17 Mix
 LDS45 Summon	 LDS79 Amiable	 LDS77 Combo	 LDS70 Together	 LDS63 Guild	 LDS57 Engage	 LDS50 League	 LDS34 Wed
 LDS28 Lateral	 LDS86 Global	 LDS73 Work	 LDS66 Fellowship	 LDS65 Huddle	 LDS55 Support	 LDS51 Kindness	 LDS33 Tag
 LDS44 Relate	 LDS85 Share	 LDS74 Affinity	 LDS67 Warmth	 LDS21 Team	 LDS56 Kinship	 LDS52 Comply	 LDS32 Affix
 LDS18 Loop	 LDS84 Mutual	 LDS83 Congregate	 LDS64 Order	 LDS05 Venture	 LDS58 Family	 LDS53 Pact	 LDS20 Level
 LDS22 Frame	 LDS71 Open	 LDS75 Contribution	 LDS68 Collaborate	 LDS16 Partner	 LDS29 Hook	 LDS49 Append	 LDS19 Chain
 LDS37 Linea	 LDS36 Medley	 LDS81 Similar		 LDS24 Bond	 LDS35 Chemistry	 LDS54 Redard	 LDS23 Bracket
 LDS39 Collective	 LDS72 Compose	 LDS82 Likeness		 LDS25 Compound	 LDS31 Pair		 LDS46 Gather
 LDS40 Co-operate	 LDS07 Fate	 LDS80 Apt		 LDS27 Seek	 LDS08 Serendipity		 LDS47 Integrate

Gabriel Chili

EN Chili is a pioneering upholstery fabric distinguished by its fusion of sustainable materials and exceptional fire resistance. Made from 75% post-consumer recycled flame retardant polyester, the fabric sets new environmental standards for fire retardant fabrics. Chili blends unicolored and melange fibers to create a simple yet distinctive two-toned grid design.


DE Chili ist ein wegweisender Bezugstoff, der sich durch die Verschmelzung nachhaltiger Materialien und außergewöhnlicher Feuerbeständigkeit auszeichnet. Der Stoff besteht zu 75% aus recyceltem, flammhemmendem Polyester und setzt neue Umweltstandards für flammhemmende Stoffe. Chili mischt einfarbige und melierte Fasern, um ein einfaches, aber unverwechselbares zweifarbiges Gitterdesign zu schaffen.

 60081	 60083	 60114	 60115	 60116	 60117	 60999	 61171
 61172	 61173	 61174	 61175	 62085	 62086	 63090	 63092
 63093	 63099	 64197	 64198	 64199	 64200	 64201	 64202
 64203	 65107	 65108	 65109	 65110	 65111	 66171	 66172
 66173	 66174	 66175	 66176	 67085	 68189	 68190	 68191
 68192	 68193	 68194	 68195	 68196	 68197	 68198	

Gabriel Medley

EN Medley is woven in 100% polyester melange yarn with a simple, geometric structure. The tight texture and the changing structure of the yarn give the fabric an intense color depth and a lively surface in multiple shades. The weave structure accentuates the richness of every single nuance and creates a discreet color play across the fabric's surface. Nuances fuse gently and with varying saturation and intensity, depending on the incident angle of the light.


DE Medley ist aus 100% Polyester-Mischgarn mit einer einfachen, geometrischen Struktur gewebt. Die straffe Textur und die wechselnde Struktur des Garns verleihen dem Stoff eine intensive Farbtiefe und eine lebendige Oberfläche in mehreren Farbtönen. Die Webstruktur betont den Reichtum jeder einzelnen Nuance und erzeugt ein dezentes Farbspiel auf der Stoffoberfläche. Je nach Einfallswinkel des Lichts verschmelzen Nuancen sanft und mit unterschiedlicher Sättigung und Intensität.



Gabriel Mica

EN Mica is a cross-functional, two-toned crepe fabric with a graphic yet discreet melange effect. The classic crepe structure is given a contemporary twist, and with its sparkling, crisp, and fresh expression, Mica stands out as an exclusive, sophisticated and updated crepe fabric.

DE Mica ist ein funktionsübergreifender, zweifarbiges Kreppstoff mit grafischem und dennoch dezentem Melange-Effekt. Die klassische Kreppstruktur erhält eine zeitgemäße Note, und mit seinem funkelnden, klaren und frischen Ausdruck sticht Mica als exklusiver, raffinierter und aktualisierter Kreppstoff hervor.



Gabriel Select

EN Select is a classic woolen upholstery fabric distinguished by its underplayed, uncolored elegance and basic, authentic look that exudes sublime craftsmanship and first-class quality. The fabric's tightly woven relief structure adds depth and textural dimension and brings the solid colors to life in a delicate interplay of light and shadow.

DE Select ist ein klassischer Wollbezugsstoff, der sich durch seine unaufdringliche, ungefärbte Eleganz und seinen authentischen, authentischen Look auszeichnet, der höchste Handwerkskunst und erstklassige Qualität ausstrahlt. Die dicht gewebte Reliefstruktur des Stoffes fügt Tiefe und strukturelle Dimension hinzu und erweckt die Unifarben in einem zarten Spiel von Licht und Schatten zum Leben.



Kvadrat Remix 3

EN Remix 3 is an elegant wool upholstery fabric designed by Giulio Ridolfo. Its subtle structure and mélange yarns create a refined, tone-on-tone color play that reveals rich detail up close. The updated collection offers 72 sophisticated shades, including 23 new ones inspired by traditional indigo dyeing techniques. Remix 3 combines minimalist texture with vibrant depth, making it ideal for both modern and classic interiors.

DE Remix 3 ist ein eleganter Polsterstoff aus Wolle, entworfen von Giulio Ridolfo. Die feine Struktur und die Mélange-Garne erzeugen ein dezentes, nuancenreiches Farbspiel, das sich besonders aus der Nähe zeigt. Die Kollektion umfasst 72 raffinierte Farbtöne, darunter 23 neue, inspiriert von traditionellen Indigo-Färbetechniken. Remix 3 vereint minimalistisches Gewebe mit farblicher Tiefe – ideal für moderne wie auch klassische Innenräume.



Guidelines for cleaning and maintenance of materials used in flexxica luminaires.

To maintain the beautiful color and appearance of flexxica lighting fittings, we recommend gentle vacuuming with a soft tip, preferably weekly.

Stain removal – the golden rule

Remove the stain as soon as possible. Most stains can be removed with lukewarm water, possibly with the addition of a neutral detergent.

Merino wool felt

Wool is antistatic and does not attract dirt like other fabrics. Wool is also water-repellent, so the liquids slowly penetrate the fabric.
Cleaning: First, soak up as much liquid as possible with a white kitchen towel or cloth. If the stain has dried, remove as much as possible with a vacuum cleaner. Wipe carefully with a clean white cloth.

Upholstered material

Upholstery in flexxica luminaires is highly versatile and durable. The material is antistatic and fireproof, so stains are easily removed.
Cleaning: Do not wet the entire lampshade. Always use a clean white cotton cloth and only use small amounts of cleaning agent at a time.

EcoPET material

The ecoPET is made of 60% recycled PET bottles. It is straightforward to maintain, and stains can be removed easily and hassle-free.
Cleaning: Never rub hard to remove a stain. Always use a clean white cotton cloth with a bit of detergent.

Glass luminaires

Boya is made in a traditional blown-glass technology, therefore it requires special and delicate cleaning care.
Cleaning: Use a soft, lint-free microfiber or cotton cloth with distilled water (optimal) or mild glass cleaner or a solution of equal parts water and white vinegar. Wipe carefully with a clean white cloth.

WARNING!

Benzene, acetone, and similar solvent-based products may discolor the materials of the flexxica luminaires. Before use, apply a small amount of the product to an inconspicuous spot to ensure it doesn't cause any damage or discoloration.

flexxica

ul. Szyszkowa 43
02-285 Warsaw
Poland / European Union

+48 723 06 30 30
hello@flexxica.com
flexxica.com

PHOTOGRAPHY

Dominika Rutkowska
Ernest Wińczyk
Fotomohito
Patrik Lewiński
PION Studio
Szymon Polański

Copyright 2024 flexxica®

The flexxica® logo is a national and international registered trademark, held and owned exclusively by PL sp. z o.o. It cannot be reproduced or used, for commercial or other purposes, without the prior written permission of flexxica. This catalog cancels and replaces all previous editions. flexxica has ensured that the information contained in this catalog is as accurate as possible; however, it declines all responsibility for any printing errors. flexxica reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. The reproduction (even partial) of this catalog, for any reason and with any means, is prohibited without the prior written permission of flexxica.

Please note that the actual appearance of flexxica’s felt and fabric lighting fixtures may vary from the images shown in the catalog. This is because each type of felt and fabric possesses its own distinct characteristics. This is not a disadvantage of the luminaire but an advantage – each product is unique and unrepeatable.

Keep in mind that the colors of PET, felts, and fabric may differ slightly from what you see in the catalog. For the most accurate representation, we recommend referring to our sample book.

Due to the production process of both felt and PET, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET boards have distinct left and right sides, along with a specific fiber arrangement. This is particularly important to consider when installing larger structures, such as wall-mounted panels.

Graphic Design: emenem.pl
Paper: Arctic Volume White 115 g
Cover: Color STYLE Recycling 270 g
Typeface: Gordita
Printed in Poland

Icons

-  appliance class I
-  pendant, light distribution down
-  pendant, light distribution up & down
-  pendant, light distribution up
-  surface
-  recessed
-  wall lamp
-  floor lamp
- IP20**

Ingress Protection Rating 20
- IP40**

Ingress Protection Rating 40
- >90**
CRI

Color Rendering Index 90
- <19**
UGR

Unified Glare Rating <19
- SDCM
3


Standard Deviation Color Matching 3
- ~230V**

adapted to 230V mains voltage
- dip
switch


manual electric switch

MOUNTING TYPE	PRODUCT FAMILY	
1 SURFACE	LIGHTING POWER	2 ACOUSTIC LIGHTING
2 PENDANT		3 PROFESSIONAL DESIGN
3 PENDANT UP & DOWN		5 ACOUSTIC ACCESSORIES
4 RECESSED WITHOUT FRAME		
5 RECESSED WITH FRAME		
6 WALL	ELECTRICAL CONTROL	1 LOW
7 WALL UP & DOWN		2 STANDARD
8 FLOOR		3 HIGH
9 PENDANT UP		
	LUMINAIRE COLOR	9 ON / OFF
		8 DALI
	COLOR TEMPERATURE	7 CASAMBI
		6 TOUCHPANEL DIMMING
		01 BLACK
		02 WHITE
		2 2700 K
		3 3000 K
		4 4000 K
		6 6000 K
		9 TUNABLEWHITE

FLEXXICA ACOUSTIC ACCESSORIES




FLEXXICA LUMINAIRES



PRODUCT FAMILY	1 TEAM	ELECTRICAL CONTROL	9 ON / OFF	8 DALI
PRODUCT NAME	100 STRAIGHT	COLOR TEMPERATURE	3 3000K	4 4000K
010 ARC		LUMINAIRE COLOR	01 BLACK RAL 9005	02 WHITE RAL 9010
001 END		MOUNTING TYPE	2 PENDANT	
CONNECTOR SETS	01 1 CONNECTOR			
02 2 CONNECTORS				
03 3 CONNECTORS				
LIGHTING POWER	2 STANDARD			

FLEXXICA TEAM SYSTEM page 196



PRODUCT FAMILY	7 LINE	OPTICS		
PRODUCT NAME	1 LINE 28	LINE 28	1 OPAL	LIGHTING POWER
	2 LINE 43		2 MICROPRISMATIC	
	4 LINE 30 OVAL		3 DARK OPTIC 65°	
	5 LINE 28 DOT SYSTEM		4 DARK OPTIC 55°	
	6 LINE 48 OVAL	LINE 48 OVAL	8 JET OUT	ELECTRICAL CONTROL
MOUNTING TYPE	7 LINE 75 OVAL		9 BLIND COVER	
		LINE 43	1 OPAL	COLOR TEMPERATURE
			2 MICROPRISMATIC	
			3 DARK OPTIC 80°	
			4 DARK OPTIC 50°	
		LINE 75 OVAL	5 DARK OPTIC 30°	LUMINAIRE COLOR
			6 DARK OPAL	
			7 WALL WASHER	
			9 BLIND COVER	
		LINE 30		REFLECTOR COLOR
			1 OPAL	
			2 MICROPRISMATIC	
			3 DARK OPTIC 65°	
			4 DARK OPTIC 55°	
			9 BLIND COVER	

FLEXXICA LINE

